

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 37819

Manuscript Type: Case Report

Perianal plexiform schwannoma: Magnetic resonance imaging findings for differential diagnosis

Sun XL *et al.* Perianal plexiform schwannoma

Xue-Liang Sun, Ke Wen, Zhi-Zhong Xu, Xiao-Peng Wang

Xue-Liang Sun, Ke Wen, Zhi-Zhong Xu, Xiao-Peng Wang, ²Department of Colorectal Surgery, the Suzhou Affiliated Hospital of Nanjing University of Chinese Medicine, Suzhou 215000, Jiangsu Province, China

Match Overview

1	Internet 94 words crawled on 31-Aug-2017 uu.diva-portal.org	3%
2	Internet 89 words crawled on 17-Feb-2018 www.wjgnet.com	3%
3	Crossref 28 words Ting-Ting Feng, Ting Zou, Xin Wang, Wei-Feng Zhao, Ai-La n Qin. "Clinical significance of changes in the Th17/Treg I ...	1%
4	Crossref 19 words Collins, A.M.. "Achilles tendon reconstruction following exci sion of a malignant peripheral nerve sheath tumour: Eval ...	1%
5	Internet 16 words crawled on 16-Feb-2018 edoc.rki.de	1%

文章

找到约 187 条结果 (用时0.07秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Neurofibromatosis type 1: a diagnostic mimicker at CT

[HTML] rsna.org

BJ Fortman, BS Kuszyk, BA Urban, EK Fishman - Radiographics, 2001 - pubs.rsna.org

... have low to intermediate signal intensity on T1-weighted magnetic resonance (MR) images ... In some cases, imaging findings are inconclusive, and biopsy and subsequent pathologic ... original magnification, ×20; hematoxylin-eosin stain) of a plexiform neurofibroma demonstrates ...

☆ 99 被引用次数: 112 相关文章 所有 4 个版本

Uncommon primary pelvic retroperitoneal masses in adults: a pattern-based imaging approach

[HTML] rsna.org

AK Shanbhogue, N Fasih, DB Macdonald... - Radiographics, 2012 - pubs.rsna.org

... teratoma), calcified (calcified lymphocele, calcified rejected transplant kidney, rare sarcomas), or myxoid (schwannoma, plexiform neurofibroma, myxoma) ... Most tailgut cysts are discovered incidentally, but symptoms of rectal or perineal pain, painless rectal bleeding, and ...

☆ 99 被引用次数: 50 相关文章 所有 5 个版本

MR imaging of soft-tissue masses of the extraperitoneal spaces

[HTML] rsna.org

H Nishimura, Y Zhang, K Ohkuma, M Uchida... - Radiographics, 2001 - pubs.rsna.org

... spectrum of pathologic entities (Table 1) (1-3). Although magnetic resonance (MR) imaging has ... tissue peripherally and is commonly seen in neurofibroma and schwannoma (22) ... For example, some schwannomas and paragangliomas show relatively marked degeneration and ...

☆ 99 被引用次数: 93 相关文章 所有 5 个版本

[HTML] Intraneural perineurioma: a systematic review with illustrative cases

[HTML] archivesofpa

BL Boyanton Jr, JK Jones... - ... of pathology & ..., 2007 - archivesofpathology.org

... Hematoxylin-eosin-stained sections from case 1 showed a plexiform pattern of expanded nerve fascicles ... CD57 may also serve a useful function in distinguishing perineurioma from neurofibroma

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 2,000 条结果 (用时 0.53 秒)

Presacral Masses: Multimodality Imaging of a Multidisciplinary Space ...

pubs.rsna.org/doi/full/10.1148/rg.334115171 ▾ [翻译此页](#)

作者: KS Hain - 2013 - 被引用次数: 24 - 相关文章

2012年10月22日 - An appropriate **differential diagnosis** may be formulated from a more comprehensive list by considering the specific **imaging features** of a given case (Table 2) (2,3). In this article, we discuss the **differential diagnosis** of space-occupying conditions in the presacral space and the **imaging** and demographic ...

Imaging of Uncommon Retroperitoneal Masses | RadioGraphics

pubs.rsna.org/doi/full/10.1148/rg.314095132 ▾ [翻译此页](#)

作者: P Rajiah - 2011 - 被引用次数: 112 - 相关文章

2010年10月11日 - Discuss some of the specific **imaging features** that can narrow the **differential diagnosis** of retroperitoneal masses. ... Computed **tomography** (CT) and **magnetic resonance** (MR) **imaging** play an important role in characterization (size, shape, wall thickness, septa, calcification, and fat content) and the ...

MR imaging of pelvic extraperitoneal masses: A diagnostic approach ...

<https://www.sciencedirect.com/science/article/pii/S2211568415002569> - [翻译此页](#)

作者: A Janvier - 2016 - 被引用次数: 2 - 相关文章

Magnetic resonance (MR) **imaging** plays a central role in the diagnosis of these masses due to its unique tissue-specific multiplanar capabilities that allow optimal ... masses, gives clues that allow identifying their extraperitoneal and/or specific origin as well as suggests different steps for narrowing the **differential diagnosis**.

MRI of Uncommon Lesions of the Large Bowel: A Pictorial Essay

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4286819/> ▾ [翻译此页](#)

作者: CU Lee - 2014 - 相关文章