

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37872

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Epidemiological features of chronic hepatitis C infection caused by remunerated blood donors: A nearly 27-year period survey

Tan Y *et al.* Epidemiological features of chronic hepatitis C

You-Wen Tan, Yan Tao, Long-Gen Liu, Yun Ye, Xin-Bei Zhou, Li Chen, Cong He

Match Overview

1	Crossref 29 words You-Wen Tan, Xing-Bei Zhou, Yun Ye, Cong He, Guo-Hong Ge. "Diagnostic value of FIB-4, aspartate aminotransf	1%
2	Crossref 22 words HUANG, P., L. G. ZHU, X. J. ZHAI, Y. F. ZHU, M. YUE, J. S U, J. WANG, H. T. YANG, Y. ZHANG, H. B. SHEN, Z. H. PE	1%
3	Crossref 17 words Tan, Youwen, Yun Ye, Xinbei Zhou, Li Chen, and Danfeng Wen. "Age as a Predictor of Significant Fibrosis Featur	<1%
4	Internet 12 words crawled on 26-Jul-2012 www.biomedcentral.com	<1%
5	Internet 12 words crawled on 10-Jul-2017 asheducationbook.hematologylibrary.org	<1%
6	Internet 12 words crawled on 05-Jun-2014 oru.diva-portal.org	<1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 184,000 条结果（用时 0.61 秒）

Prevalence of Hepatitis B and C in Donated Blood from the Jazan ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3743998/> ▼ [翻译此页](#)

作者: SM Abdullah - 2013 - 被引用次数: 29 - 相关文章

Infections caused by the hepatitis B virus (HBV) and the hepatitis C virus (HCV) are global public health problems. The safety of donated blood can be estimated by monitoring the prevalence of viral markers in the donor population. The present study was carried out in the Jazan region to determine the prevalence of HBV ...

The epidemiology of hepatitis C virus in Egypt: a systematic review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3702438/> ▼ [翻译此页](#)

作者: YA Mohamoud - 2013 - 被引用次数: 265 - 相关文章

2013年6月24日 - Our study's objective was to delineate the evidence on the epidemiology of HCV infection among the different population groups in Egypt, and to draw analytical A higher prevalence is observed among paid blood donors and family replacement blood donors compared to voluntary donors [10-12].

Epidemiology of hepatitis C virus in Ghana: a systematic review and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4977883/> ▼ [翻译此页](#)

作者: AA Agyeman - 2016 - 被引用次数: 4 - 相关文章

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 31,600 条结果 (用时 0.45 秒)

Prevalence of Hepatitis B and C in Donated Blood from the Jazan ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3743998/> ▼ [翻译此页](#)

作者: SM Abdullah - 2013 - 被引用次数: 30 - [相关文章](#)

Infections caused by the hepatitis B virus (HBV) and the hepatitis C virus (HCV) are global public health problems. The safety of donated blood can be estimated by monitoring the prevalence of viral markers in the donor population. The present study was carried out in the Jazan region to determine the prevalence of HBV ...

The epidemiology of hepatitis C virus in Egypt: a systematic review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3702438/> ▼ [翻译此页](#)

作者: YA Mohamoud - 2013 - 被引用次数: 265 - [相关文章](#)

2013年6月24日 - Our study's objective was to delineate the evidence on the epidemiology of HCV infection among the different population groups in Egypt, and to draw analytical A higher prevalence is observed among paid blood donors and family replacement blood donors compared to voluntary donors [10-12].

Epidemiology of hepatitis C virus in Ghana: a systematic review and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4977883/> ▼ [翻译此页](#)

作者: AA Agyeman - 2016 - 被引用次数: 4 - [相关文章](#)

2016年8月9日 - Comprehensive searches for hepatitis C prevalence studies for the years 1995–2015 were conducted in PubMed, ScienceDirect, Google Scholar, ... Prevalence rates of chronic HCV infection among blood donors was 2.6 % (95 % CI = 2.1 % to 3.1 %; $I^2 = 98.33$ %, $p < 0.001$) with higher prevalence rate ...

Blood Transfusion Safety in Africa: A Literature Review of Infectious ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3668661/> ▼ [翻译此页](#)

作者: EM Bloch - 2012 - 被引用次数: 75 - [相关文章](#)

2011年8月26日 - The list of pathogens include both viral infections encountered in developed world settings, for example, HIV, and hepatitis C virus (HCV), as well as between a teaching hospital and a local FM radio station; continual appeal for blood donors resulted in 63.6% repeat donation over a 3-year period, a feat ...