

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 37970

Manuscript Type: META-ANALYSIS

Compared efficacy of preservation solutions on the outcome of liver transplantation: Meta-analysis

Szilágyi ÁL *et al.* Meta-analysis of liver graft preservation solutions

Ágnes Lilla Szilágyi, Péter Mátrai, Péter Hegyi, Eszter Tuboly, Daniella Pécz, András Garami, Margit Solymár, Erika Pétervári, Márta Balaskó, Gábor Veres, László Czopf, Bastian Wobbe, Dorottya Szabó, Juliane Wagner, Petra Hartmann

Abstract

AIM

To compare the effects of the four most commonly used preservation solutions on the outcome of liver transplantations.

Match Overview

1	Internet 82 words crawled on 03-Nov-2014 esciencecentral.org	2%
2	Crossref 79 words Zuluaga, G.L. Lema, R.E. Serna Agudelo, and J.J. Zuleta Tobón. "Preservation Solutions for Liver Transplantation i	2%
3	Crossref 59 words O'Callaghan, John M., Robert D. Morgan, Simon R. Knight, and Peter J. Morris. "The Effect of Preservation Solutio	1%
4	Internet 38 words crawled on 15-Jun-2017 www.wjgnet.com	1%
5	Crossref 38 words Olivier de Rougemont. "Preconditioning, organ preserv ... ion, and postconditioning to prevent ischemia-reperfusio	1%
6	Internet 30 words crawled on 18-May-2014 www.custodiol.com	1%
7	Crossref 17 words "Contents", Clinics in Liver Disease, 2017	<1%
8	Internet 17 words crawled on 10-Jun-2009 www.pubmedcentral.nih.gov	<1%
9	Internet 17 words crawled on 30-Jun-2017 www.nice.org.uk	<1%



Compared efficacy of preservation solutions on the outcome of liver tran:



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 101,000 条结果 (用时 0.42 秒)

Compared Efficacy of Preservation Solutions in Liver Transplantation ...

onlinelibrary.wiley.com/doi/10.1111/ajt.13060/full - 翻译此页

作者: R Adam - 2015 - 被引用次数: 33 - 相关文章

2015年1月22日 - Recently a systematic review with **meta-analysis** on 16 randomized clinical trials come to the conclusions that there was no good evidence of any difference in **outcomes** when **comparing** histidine-tryptophan-ketoglutarate **solution** (HTK) with either of the University of Wisconsin **solution** (UW) or Celsior ...

Compared Efficacy of Preservation Solutions in Liver Transplantation ...

onlinelibrary.wiley.com/doi/10.1111/ajt.13060/abstract - 翻译此页

作者: R Adam - 2015 - 被引用次数: 33 - 相关文章

2015年1月22日 - **Compared Efficacy of Preservation Solutions in Liver Transplantation**: A Long-Term Graft **Outcome** Study From the European **Liver Transplant** Registry Multivariate **analysis** identified HTK as an independent factor of graft loss, with recipient HIV (+), donor age ≥ 65 years, recipient HCV (+), main disease ...

Compared Efficacy of Preservation Solutions in Liver Transplantation ...

onlinelibrary.wiley.com/doi/10.1111/ajt.13513/pdf - 翻译此页

Regarding "**Compared Efficacy of Preservation Solutions in Liver Transplantation**: A Long-Term Graft **Outcome** Study From the European Liver Transplant Registry". To the Editor: With great interest, we read the paper by Adam et al (1) analyzing the database of the European **Liver Transplant** Registry (ELTR) with regard ...

Compared efficacy of preservation solutions in liver transplantation: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/25612492> - 翻译此页

作者: R Adam - 2015 - 被引用次数: 34 - 相关文章

Compared efficacy of preservation solutions in liver transplantation: a long-term graft **outcome** study from the European **Liver Transplant** Registry. ... Multivariate **analysis** identified HTK as an independent factor of graft loss, with recipient HIV (+), donor age ≥ 65 years, recipient HCV (+), main disease acute hepatic failure, ...

缺少字词: meta

找到约 263,000 条结果 (用时 0.61 秒)

Google 学术: Compared efficacy of preservation solutions on the outcome of liver transplantation: Meta-analysis

... graft survival in liver transplantation: a meta-analysis - Stahl - 被引用次数: 71

... of Preservation Solutions in Liver Transplantation: A ... - Adam - 被引用次数: 34

... University of Wisconsin solution for liver transplantation ... - Feng - 被引用次数: 97

Compared Efficacy of Preservation Solutions in Liver Transplantation ...

onlinelibrary.wiley.com/doi/10.1111/ajt.13060/full - 翻译此页

2015年1月22日 - Recently a systematic review with meta-analysis on 16 randomized clinical trials come to the conclusions that there was no good evidence of any difference in outcomes when comparing histidine-tryptophan-ketoglutarate solution (HTK) with either of the University of Wisconsin solution (UW) or Celsior ...

Compared Efficacy of Preservation Solutions in Liver Transplantation ...

onlinelibrary.wiley.com/doi/10.1111/ajt.13060/abstract - 翻译此页

作者: R Adam - 2015 - 被引用次数: 34 - 相关文章

2015年1月22日 - Compared Efficacy of Preservation Solutions in Liver Transplantation: A Long-Term Graft Outcome Study From the European Liver Transplant Registry Multivariate analysis identified HTK as an independent factor of graft loss, with recipient HIV (+), donor age ≥65 years, recipient HCV (+), main disease ...

Compared efficacy of preservation solutions in liver transplantation: a ...

<https://www.ncbi.nlm.nih.gov/pubmed/25612492> - 翻译此页

作者: R Adam - 2015 - 被引用次数: 34 - 相关文章

Compared efficacy of preservation solutions in liver transplantation: a long-term graft outcome study from the European Liver Transplant Registry. Multivariate analysis identified HTK as an independent factor of graft loss, with recipient HIV (+), donor age ≥65 years, recipient HCV (+), main disease acute hepatic failure, ...

缺少字词: meta