

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 38012

Manuscript Type: Case Report

Posterobasal left ventricular aneurysm after myocardial infarction with normal coronary arteries: Case-report

Kalinin R *et al.* Ventricular aneurysm with normal coronary arteries

Abstract

We present a case of a 64-year old woman with signs of debilitating condition including anginal chest pain, exertional dyspnea, and depression. The patient had previously suffered from a myocardial infarction after a loss of a close family member. Workup showed a posterobasal left ventricular aneurysm and moderate to severe mitral regurgitation in the absence of coronary atherosclerosis. Routine ultrasonography revealed abdominal aortic aneurysm and intraabdominal aortic deviation. The patient was immediately started on optimal medical treatment. On repeat assessment general condition was satisfactory, vital signs were normal, and investigations showed no signs of progressive heart failure or other significant clinical changes. Although prognosis in patients with myocardial infarction with normal coronary arteries is generally considered favorable, mechanical complications such as posterobasal left ventricular aneurysm with moderate to severe mitral regurgitation are possible.

符合内容总览

- | | | |
|---|--|----|
| 1 | 互联网 26 个字
于 2017 年 11 月 11 日 缓慢进行
www.j3.jstage.jst.go.jp | 2% |
| 2 | 互联网 22 个字
于 2015 年 05 月 04 日 缓慢进行
www.csn.org.np | 2% |
| 3 | 互联网 18 个字
于 2016 年 08 月 02 日 缓慢进行
www.ncbi.nlm.nih.gov | 1% |
| 4 | 互联网 13 个字
于 2017 年 04 月 03 日 缓慢进行
appswl.elsevier.es | 1% |



About 13,500 results (0.66 seconds)

Normal Coronary Artery Patient Presenting with Left Ventricular ...

<https://www.hindawi.com/journals/crim/2011/183050/> ▼

by H Altay - 2011 - Cited by 7 - Related articles

May 15, 2011 - **Case Reports** in Medicine ... **Left ventricular aneurysm** (LVA) is one of the most important complications of **myocardial infarction** LVA is strictly defined as a distinct area of abnormal left ... Here, we present a case of LVA detected in an idiopathic dilated cardiomyopathy patient with **normal coronary arteries**.

Acute myocardial infarction with normal coronary arteries in a case of ...

pmj.bmj.com/content/postgradmedj/67/783/78.full.pdf

by RM Rajani - 1991 - Cited by 24 - Related articles

Summary: A 20 year old man with no previous **history** of heart disease presented with **acute left ventricular** failure **following** extensive anteriorwall **myocardial infarction**. Selective angiography revealed multiple **aneurysms** in the renal, mesenteric and hepatic **arteries** with an **infarct** in the lower pole of the right kidney.

Normal Coronary Artery Patient Presenting with Left Ventricular ...

https://www.researchgate.net/.../51574868_Normal_Coronary_Artery_Patient_Presentin...

Full-text (PDF) | **Left ventricular aneurysm** (LVA) is one of the most important complications of **myocardial infarction** LVA is strictly defined as a distinct area of abnormal **left ventricular** diastolic contour with systolic dyskinesia or paradoxical bulging. LVA usually results from **myocardial** infar...

Left ventricular aneurysm: A review - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/clc.4960120102/pdf ▼

by HA Ba'Albaki - 1989 - Cited by 50 - Related articles

(LVA) are secondary to **coronary artery** disease. The natural **history** of ... ent **reports** regarding the natural **history** and treatment of the entity. **Left ventricular aneurysm** occurs in areas of transmural. **MI**. It is conceivable that limiting the extent of **myocardial** necrosis with early reperfusion **after acute MI**

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,830 条结果 (用时 0.59 秒)

小提示： 仅限搜索**简体中文**结果。您可以在设置中指定搜索语言

Left ventricular aneurysm in patients with idiopathic dilated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2804080/> - [翻译此页](#)

作者： S Xia - 2009 - 被引用次数： 5 - 相关文章

Left ventricular aneurysm in patients with idiopathic dilated cardiomyopathy: clinical analysis of six cases ... LVA generally results from **myocardial infarction** or **coronary artery** malformations (i.e. fistula) but rarely, LVA can be associated with causes other than **coronary artery** disease including hypertrophic cardiomyopathy ...

Normal Coronary Artery Patient Presenting with Left Ventricular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3154388/> - [翻译此页](#)

作者： H Altay - 2011 - 被引用次数： 7 - 相关文章

2011年8月7日 - **Left ventricular aneurysm** (LVA) is one of the most important complications of **myocardial infarction** LVA is strictly defined as a distinct area of abnormal **left ventricular** diastolic contour ... Here, we present a **case** of LVA detected in an idiopathic dilated cardiomyopathy patient with **normal coronary arteries**.

Left ventricular pseudoaneurysm versus aneurysm a diagnosis dilemma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4900369/> - [翻译此页](#)

作者： S Bisoyi - 2016 - 被引用次数： 5 - 相关文章

We **report** the **case** of a patient with **LV** pseudoaneurysm, initially diagnosed as true **aneurysm** at our institution. We have attempted to ... The precise incidence of **aneurysm** and pseudoaneurysm of heart

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,680 条结果 (用时 0.59 秒)

小提示: 仅限搜索简体中文结果。您可以在设置中指定搜索语言

[PDF] Left Ventricular Aneurysm with Normal Coronary Angiogram: A Case ...

www.tsoc.org.tw/upload/journal/1/20050801/4.pdf ▾ 转为简体网页

作者: PF Kao - 相关文章

Coronary Angiogram: A Case Report and Literature Review. Pai-Feng Kao,1 Wen Yueh Hung,1 Wen-Chin Ko,2 Hung-Yu Yang1 and Paul Chan1. Most left ventricular aneurysms (LVA) develop in the atherosclerotic occlusive coronary artery disease following a transmural myocardial infarction. However, occasionally, LVA ...
缺少字词: posterobasal

Normal Coronary Artery Patient Presenting with Left Ventricular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3154388/> - 翻译此页

作者: H Altay - 2011 - 被引用次数: 7 - 相关文章

2011年8月7日 - Left ventricular aneurysm (LVA) is one of the most important complications of myocardial infarction LVA is strictly defined as a distinct area of abnormal left ventricular diastolic contour ... Here, we present a case of LVA detected in an idiopathic dilated cardiomyopathy patient with normal coronary arteries.

Normal Coronary Artery Patient Presenting with Left Ventricular ...

https://www.researchgate.net/.../51574868_Normal_Coronary_Artery_Patien... - 翻译此页

Full-text (PDF) | Left ventricular aneurysm (LVA) is one of the most important complications of myocardial infarction LVA is strictly defined as a distinct area of abnormal left ventricular diastolic contour with systolic dyskinesia or paradoxical bulging. LVA usually results from myocardial infar...

[PDF] Acute myocardial infarction with normal coronary arteries in a case o...

europepmc.org/articles/pmc2398932/pdf/postmedj00073-0081.pdf ▾ 翻译此页

作者: BM Rajani, 1991 - 被引用次数: 24 - 相关文章