

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 38381

Manuscript Type: ORIGINAL ARTICLE

*Randomized Clinical Trial*

Papillary fistulotomy *vs* conventional cannulation for endoscopic biliary access: A prospective randomized trial

Carlos Kiyoshi Furuya, Paulo Sakai, Fabio Ramalho Tavares Marinho, Jose Pinhata Otoch, Spencer Cheng, Livia Lemes Prudencio, Eduardo Guimaraes Hourneaux de Moura, Everson Luiz de Almeida Artifon

2 Abstract

AIM

To compare the cannulation success, biochemical profile, and complications of

### Match Overview

1	Crossref 55 words Zhao-Shen Li. "Effect of Octreotide Administration in the Prophylaxis of Post-ERCP Pancreatitis and Hyperamylase"	2%
2	Crossref 35 words Su Jin Kim, Dae Hwan Kang, Hyung Wook Kim, Cheol W oong Choi, Su Bum Park, Byeong Jun Song, Young Mi H	1%
3	Crossref 33 words "STOMACH", The American Journal of Gastroenterology, 9/2007	1%
4	Crossref 16 words "Monday, December 7, 2009 11:00 a.m.-6:00 p.m.", Epilepsia, 11/2009	1%
5	Crossref 16 words Takeshi Tsujino. "EXPERIENCES OF BILIARY INTERVENTIONS USING SHORT DOUBLE-BALLOON ENTEROSCOPY"	1%
6	Internet 13 words crawled on 10-Jan-2018 ghrnet.org	<1%

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,710 条结果 (用时 0.64 秒)

**[PDF] Papillary cannulation and sphincterotomy techniques at ERCP ...**[www.spg.pt/wp-content/uploads/2015/07/3-2016-ECP-cannulation.pdf](http://www.spg.pt/wp-content/uploads/2015/07/3-2016-ECP-cannulation.pdf) [▼ 翻译此页](#)作者: PA Testoni - 被引用次数: 50 - [相关文章](#)

NSAID nonsteroidal anti-inflammatory drug. PAD periampullary diverticulum. PEP post-ERCP pancreatitis. PES preoperative **endoscopic** sphincterotomy. PGW pancreatic guidewire. PPDS precut over a pancreatic duct stent. PTBD percutaneous transhepatic **biliary drainage**. OR odds ratio. RCT **randomized** controlled trial.

**Comparison between needle-knife fistulotomy and standard ...**<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3487187/> [▼ 翻译此页](#)作者: M Ayoubi - 2012 - 被引用次数: 9 - [相关文章](#)

2012年9月16日 - **Endoscopic** retrograde **cannulation** of the **papilla** of Vater (ERCP) has become the procedure of choice for the treatment of pancreatic and **biliary** obstructive .... A **randomized** comparative study of "fistulotomy" above the orifice **vs** **conventional** needle knifing at the orifice found a significantly lower rate of ...

**Precut sphincterotomy for selective biliary duct cannulation during ...**<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3959408/> [▼ 翻译此页](#)作者: T DaVee - 2012 - 被引用次数: 28 - [相关文章](#)

跳到Precut sphincterotomy **versus** standard **cannulation** techniques - In a meta-analysis of six **prospective, randomized** controlled trials that included 959 patients, Gong et al attempted to ... ERCP the efficacy of TPS to obtain **biliary access** after standard methods had failed was compared to **conventional** ...

**[PDF] Papillary cannulation and sphincterotomy techniques at ERCP ...**[https://www.esge.com/assets/downloads/pdfs/.../2016\\_s\\_0042\\_108641.pdf](https://www.esge.com/assets/downloads/pdfs/.../2016_s_0042_108641.pdf) [▼ 翻译此页](#)作者: PA Testoni - 被引用次数: 50 - [相关文章](#)

percutaneous transhepatic **biliary drainage**. OR odds ratio. RCT **randomized** controlled trial. RR relative risk or risk ratio. SGW single-guidewire. SOD sphincter of Oddi dysfunction. Introduction ! **Endoscopic**



文章

找到约 260 条结果 (用时0.17秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

### Can wire-guided cannulation prevent post-ERCP pancreatitis? A prospective randomized trial

TH Lee, [DH Park](#), [JY Park](#), [EO Kim](#), [YS Lee](#)... - ... [Endoscopy](#), 2009 - [giejournal.org](#)

... to Section Patients and methods Patients Study protocol WGC Conventional cannulation Definition of ... gave their informed consent, and patients with native papilla and pancreaticobiliary ... All patients underwent transabdominal or endoscopic US, abdominal CT scans, and MRCP ...

☆ 99 被引用次数: 140 相关文章 所有 8 个版本

### ERCP cannulation: a review of reported techniques

[ML Freeman](#), [NM Guda](#) - [Gastrointestinal endoscopy](#), 2005 - [giejournal.org](#)

... Figure 8. Needle-knife fistulotomy. A, Note the point of pre-cut is above papillary orifice. B, Biliary cannulation and extension of sphincterotomy after fistulotomy; note that the papillary orifice is intact ...

☆ 99 被引用次数: 271 相关文章 所有 10 个版本

### Does precut technique improve selective bile duct cannulation or increase post-ERCP pancreatitis rate? A meta-analysis of randomized controlled trials

B Gong, L Hao, L Bie, B Sun, M Wang - [Surgical endoscopy](#), 2010 - Springer

... with precutting probably neglected one factor that trauma, edema, and inflammation with the papilla following repeated ... Five of the six studies started a precut from the papillary orifice ... R, Ali-Asgari A, Movahedi Z, Kolahdoozan S (2008) Needle-knife fistulotomy versus standard ...

☆ 99 被引用次数: 57 相关文章 所有 10 个版本

找到约 3,290 条结果 (用时 0.60 秒)

### Google 学术: Papillary fistulotomy vs conventional cannulation for endoscopic biliary access: A prospective randomized trial

... -ERCP pancreatitis? A prospective randomized trial - Lee - 被引用次数: 140

ERCP cannulation: a review of reported techniques - Freeman - 被引用次数: 271

... selective bile duct cannulation or increase post-ERCP ... - Gong - 被引用次数: 57

### [PDF] Papillary cannulation and sphincterotomy techniques at ERCP ...

[www.spg.pt/wp-content/uploads/2015/07/3-2016-ECP-cannulation.pdf](http://www.spg.pt/wp-content/uploads/2015/07/3-2016-ECP-cannulation.pdf) ▾ [翻译此页](#)

作者: PA Testoni - 被引用次数: 52 - 相关文章

NSAID nonsteroidal anti-inflammatory drug. PAD periampullary diverticulum. PEP post-ERCP pancreatitis. PES preoperative endoscopic sphincterotomy. PGW pancreatic guidewire. PPDS precut over a pancreatic duct stent. PTBD percutaneous transhepatic biliary drainage. OR odds ratio. RCT randomized controlled trial.

### Comparison between needle-knife fistulotomy and standard ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3487187/> ▾ [翻译此页](#)

作者: M Ayoubi - 2012 - 被引用次数: 9 - 相关文章

2012年9月16日 - Endoscopic retrograde cannulation of the papilla of Vater (ERCP) has become the procedure of choice for the treatment of pancreatic and biliary obstructive .... A randomized comparative study of "fistulotomy" above the orifice vs conventional needle knifing at the orifice found a significantly lower rate of ...

### Advances in endoscopic retrograde cholangiopancreatography ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2998904/> ▾ [翻译此页](#)

作者: E Qayed - 2010 - 被引用次数: 10 - 相关文章

跳到TECHNICAL METHODS TO FACILITATE CANNULATION - A cannula or papillotome is inserted into the papilla and contrast is injected into the bile duct to outline the biliary anatomy. ... randomized controlled trials[4,10-13] showed that the wire-guided technique increases the primary cannulation rate and reduces ...