

[All](#)[Images](#)[Videos](#)[News](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 353 results (0.53 seconds)

Left-sided gallbladder: Its clinical significance and imaging presentations

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4205460/> ▼

by SL Hsu - 2007 - Cited by 31 - Related articles

Dec 21, 2007 - **Hepatectomy** was performed in three patients with concomitant liver **tumor** and the diagnosis of left-sided **gallbladder** was confirmed intraoperatively. CONCLUSION: Left-sided ... Left-sided **gallbladder** with **right-sided ligamentum teres** has been a rare **anomaly** since Hochstetter's first description in 1886.

Missing: unclassified

An anomaly in persistent right umbilical vein of portal vein diagnosed ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4250709/> ▼

by S Nakanishi - 2005 - Cited by 7 - Related articles

AIM: To detect the **anomaly** in the persistent **right** umbilical vein (PRUV) of portal vein (PV) with deviation of the **ligamentum** tere and left-sided **gallbladder**. METHODS: A ... The blood-flow velocity in the PRUV of the portal vein (17.7 ± 3.0 cm/s) of the 10 **cases** was similar to that of the **right** anterior portal trunk (17.6 ± 4.1 cm/s).

Missing: hepatectomy unclassified

[PDF] Biliary architecture of livers exhibiting right-sided ligamentum teres: a...

<https://pdfs.semanticscholar.org/0149/cec349cbd45487fe07976920db379a7586f0.pdf> ▼

by R Nishitai - 2016 - Cited by 2 - Related articles

cholangiography prior to major **hepatectomy** ... Objective: To obtain information about the basic biliary anatomy of livers with **right-sided ligamentum teres** (RSLT) the liver is similar to that of a normal liver, except for the reversed positions and a small gap between the **gallbladder** and the liga- mentum **teres**.1 (Fig. 1a).

Missing: unclassified

Name of Journal: *World Journal of Hepatology*

Manuscript NO.: 38447

Manuscript Type: Case Report

Hepatectomy for gallbladder cancer with unclassified anomaly of right-sided
ligamentum teres: Case report

Goto T *et al*: Hepatectomy for gallbladder cancer with RSLT

Toru Goto, Hiroaki Terafima, Takehito Yamamoto, Yoichiro Uchida

Abstract

2 Right-sided ligamentum teres (RSLT) is a congenital anomaly in which the right umbilical

ligament becomes dominant and anomalous ramifications of the hepatic vessels and biliary

Match Overview

1	Internet 90 words crawled on 03-Mar-2017 www.wjgnet.com	3%
2	Crossref 78 words Junichi Shindoh, "Vascular architecture in anomalous right-sided ligamentum teres: three-dimensional analyses in 35	3%
3	Internet 38 words crawled on 08-Apr-2018 www.karger.com	1%
4	Crossref 23 words N. Cheynet, "Absence of the portal bifurcation at the hilum of the liver due to intrahepatic origin of the left branch of the	1%
5	Crossref 23 words Hilar Cholangiocarcinoma, 2013.	1%
6	Crossref 10 words Medical Radiology, 2014.	<1%

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 416 条结果 (用时 0.26 秒)

Left-sided gallbladder: Its clinical significance and imaging presentations

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4205460/> [▼ 翻译此页](#)

作者: SL Hsu - 2007 - 被引用次数: 32 - 相关文章

2007年12月21日 - Left-sided gallbladder with right-sided ligamentum teres has been a rare ... This series reports nine cases of left-sided gallbladder with right-sided ligamentum teres. Its associated anomalies and significance during hepatectomy are ... and cholecystectomy were performed due to the right lobe liver tumor.

缺少字词: unclassified

[Abstract](#) - [INTRODUCTION](#) - [RESULTS](#) - [DISCUSSION](#)

Left-sided gallbladder with right-sided ligamentum teres hepatis: rare ...

<https://www.ncbi.nlm.nih.gov/pubmed/18639704> - [翻译此页](#)

作者: R Si-Youn - 2008 - 被引用次数: 10 - 相关文章

Left-sided gallbladder with right-sided ligamentum teres hepatis: rare ... teres hepatis were identified during a retrospective study of exomphalos cases (n ... is anomalous intrahepatic portal venous branching associated with right-sided ... of the survivors may develop liver disease which requires liver resection later in life.

缺少字词: cancer unclassified

Gallbladder cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4207839/> [▼ 翻译此页](#)

作者: M Rakić - 2014 - 被引用次数: 67 - 相关文章

2014年9月2日 - Gallbladder cancer is the fifth most common cancer involving ... with ethnic susceptibility or known anatomic anomalies of the biliary tract. Keywords: Gallbladder carcinoma, gallstones, laparoscopic cholecystectomy, liver resection ... a Memorial Sloan-Kettering report of 435 gallbladder cancer patients (5).

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4 条结果 (用时 0.44 秒)

Left-sided gallbladder: Its clinical significance and imaging presentations

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4205460/> ▾ [翻译此页](#)

作者: SL Hsu - 2007 - 被引用次数: 32 - [相关文章](#)

2007年12月21日 - Left-sided gallbladder with right-sided ligamentum teres has been a rare ... This series reports nine cases of left-sided gallbladder with right-sided ligamentum teres. Its associated anomalies and significance during hepatectomy are ... and cholecystectomy were performed due to the right lobe liver tumor.

缺少字词: unclassified

[Abstract](#) · [INTRODUCTION](#) · [RESULTS](#) · [DISCUSSION](#)

Gallbladder cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4207839/> ▾ [翻译此页](#)

作者: M Rakić - 2014 - 被引用次数: 67 - [相关文章](#)

2014年9月2日 - Gallbladder cancer is the fifth most common cancer involving ... with ethnic susceptibility or known anatomic anomalies of the biliary tract. Keywords: Gallbladder carcinoma, gallstones, laparoscopic cholecystectomy, liver resection ... a Memorial Sloan-Kettering report of 435 gallbladder cancer patients (5).

缺少字词: unclassified sided teres

^[PDF] Beware the left-sided gallbladder

<https://www.ajol.info/index.php/sajs/article/viewFile/80145/70408> ▾ [翻译此页](#)

作者: S Alharthi - 2012 - 被引用次数: 7 - [相关文章](#)

Short Report. 88. SAJS VOL 50 ... A left-sided gallbladder (LSGB) is a rare biliary anomaly with a ... left of the ligamentum teres and the falciform ligament. 1 LSGB was first ... Case report ... liver resection for left lobe tumours, and live donor liver.

缺少字词: cancer unclassified

Vascular architecture in anomalous right-sided ligamentum teres ...

[https://www.hpbonline.org/article/S1365-182X\(15\)30510-4/fulltext](https://www.hpbonline.org/article/S1365-182X(15)30510-4/fulltext) - [翻译此页](#)

作者: J Shindoh - 2012 - 被引用次数: 14 - [相关文章](#)

Right-sided ligamentum teres (RSLT) is a congenital anomaly that is However, because of the rarity of this anomaly, previous reports have been unable to ... vascular architecture is essential for surgeons to conduct safe liver resection. ... this anomaly has been incorrectly termed as 'left-sided gallbladder' or 'fusion of the ...

缺少字词: unclassified