

文章

找到约 150 条结果 (用时0.21秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利☐ 包含引用☒ 创建快讯

seek68文献馆--各种中外期刊数据库!

不限IP | 包月下载 | 可开发票 | 九年金牌服务

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Long-term clinical results of the Oxford medial unicompartmental knee arthroplasty

[\[HTML\]](#) [nih.gov](#)

N Mercier, S Wimsey, D Saragaglia - International orthopaedics, 2010 - Springer

... Outcome studies for Oxford unicompartmental knee arthroplasty ... 2. Argenson JN (1993)

Biomechanical study of the Oxford knee prosthesis with mobile meniscus (in ... 13-14PubMedGoogle

Scholar. 7. Kennedy WR, White RP (1987) Unicompartmental arthroplasty of the knee ...

☆ 99 被引用次数: 80 相关文章 所有 12 个版本

The association between posterior-inferior tibial slope and anterior cruciate ligament insufficiency

ML Brandon, PT Haynes, JR Bonamo, MII Flynn... - ..., 2006 - arthroscopyjournal.org

... Only noncontact injuries were included because we believe that this partially isolates the effect of axial loading causing anterior tibial ... Effects of partial versus total excision ... no clear evidence that this type of meniscal tear was a result of the ACL insufficiency in the affected knees ...

☆ 99 被引用次数: 176 相关文章 所有 9 个版本

Outpatient surgery for unicompartmental knee arthroplasty is effective and safe

NP Kort, YFL Bemelmans, MGM Schotanus - Knee Surgery, Sports ..., 2017 - Springer

... compression bandage was used to reduce knee swelling [7] and to increase the effect of the ... Pain management is one of the key factors for acceptable outcomes of multidisciplinary outpatient ... 33-38CrossRefPubMedGoogle Scholar. 6. Brooks R (1996) EuroQol: the current state ...

☆ 99 被引用次数: 19 相关文章 所有 3 个版本

[\[HTML\]](#) Role of high tibial osteotomy in chronic injuries of posterior cruciate ligament and posterolateral corner[\[HTML\]](#) [springer.com](#)

E Savarese, S Bisicchia, R Romeo... - Journal of Orthopaedics ..., 2011 - Springer

[66] compared the effects of dome ... This study suggests a positive effect of increased posterior

Match Overview

1	Crossref 31 words Boonchana Pongcharoen, Chaivet Ruetiwarangkoon. "Does tranexamic acid reduce blood loss and transfusion rate ..."	1%
2	Internet 20 words crawled on 09-Jun-2017 www.clinicaltrials.gov	1%
3	Internet 14 words crawled on 31-Aug-2017 preview-springerplus.springeropen.com	<1%
4	Crossref 10 words "CLINICAL VIGNETTES", The American Journal of Gastroenterology, 09/2008	<1%

1

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 38553

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Outcomes of mobile bearing ²unicompartmental knee arthroplasty in medial osteoarthritis knee with and without preoperative genu recurvatum

Boonchana Pongcharoen, Krit Boontanapibul

Abstract

AIM

To compare clinical outcomes of patients with and without preoperative genu recurvatum (GR) following mobile bearing unicompartmental knee arthroplasty (UKA).

找到约 1,070 条结果 (用时 0.57 秒)

[PDF] Long Term Clinical Results of Unicompartmental Knee Arthroplasty in ...

www.jksrr.org/journal/download_pdf.php?doi=10.5792/ksrr.17.025 ▼ 翻译此页

作者: KT Kim - 被引用次数: 1 - 相关文章

Unicompartmental knee arthroplasty (UKA) was primarily performed in patients ... longterm survivorship and functional outcome of UKA in less ... the treatment of medial compartment osteoarthritis of the knee in patients younger than 60 years of age. ... The Oxford phase 3 (Biomet, Warsaw, IN, USA) mobile bearing knee ...

缺少字词: genu recurvatum

The Results of Oxford Unicompartmental Knee Arthroplasty in Patients ...

<https://clinicaltrials.gov/ct2/show/NCT02854189> ▼ 翻译此页

2016年8月3日 - The medial osteoarthritis knees without genu recurvatum were ... knee arthroplasty is mobile bearing unicompartmental knee arthroplasty.

Early outcomes of twin-peg mobile-bearing unicompartmental knee ...

<https://www.ncbi.nlm.nih.gov/pubmed/27694513> - 翻译此页

作者: ZC Lum - 2016 - 被引用次数: 4 - 相关文章

Early outcomes of twin-peg mobile-bearing unicompartmental knee arthroplasty compared with primary total knee ... there has not been a direct comparison to total knee arthroplasty (TKA). Thus ... PATIENTS AND METHODS: A total of 168 patients (201 knees) underwent medial UKA with the Oxford Partial Knee Twin-Peg.

缺少字词: preoperative genu recurvatum

Early Outcomes of Unicompartmental Knee Arthroplasty in Patients ...

<https://www.semanticscholar.org/...Outcomes...Unicompartmental-Knee.../dd...> - 翻译此页

RESULTS Two years after UKA, group A had poorer Oxford Knee Score of 22 ± 8 ... Knee Arthroplasty

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8,050 条结果 (用时 0.49 秒)

Early Outcomes of Unicompartmental Knee Arthroplasty in Patients ...

<https://www.ncbi.nlm.nih.gov/pubmed/26775838> - 翻译此页

作者: L Jiang - 2016 - 被引用次数: 2 - 相关文章

Early Outcomes of Unicompartmental Knee Arthroplasty in Patients With Preoperative ... knee arthroplasty (UKA) in patients with preoperative genu recurvatum. ... genu recurvatum (group A) compared with a matching cohort of 60 without genu ... Orthopedics/methods; Osteoarthritis, Knee/surgery*; Severity of Illness Index ...

缺少字词: mobile bearing medial

Early outcomes of twin-peg mobile-bearing unicompartmental knee ...

<https://www.ncbi.nlm.nih.gov/pubmed/27694513> - 翻译此页

作者: ZC Lum - 2016 - 被引用次数: 5 - 相关文章

Early outcomes of twin-peg mobile-bearing unicompartmental knee arthroplasty compared with primary total knee ... there has not been a direct comparison to total knee arthroplasty (TKA). Thus ... PATIENTS AND METHODS: A total of 168 patients (201 knees) underwent medial UKA with the Oxford Partial Knee Twin-Peg.

缺少字词: preoperative genu recurvatum

The Results of Oxford Unicompartmental Knee Arthroplasty in Patients ...

<https://clinicaltrials.gov/ct2/show/NCT02854189> - 翻译此页

2016年8月3日 - The medial osteoarthritis knees without genu recurvatum were ... knee arthroplasty is mobile bearing unicompartmental knee arthroplasty.

Shi-Lu Chia's research works | Singapore General Hospital ...

https://www.researchgate.net/scientific-contributions/56981576_Shi-Lu_Chia

No Difference in Functional Outcomes after Total Knee Arthroplasty with or without Obesity is a known major contributing risk factor for knee osteoarthritis (OA). ... Patients who underwent fixed bearing medial UKA in between year 2005 and of Unicompartmental Knee Arthroplasty in Patients With Preoperative Genu ...

Outcomes of total knee arthroplasty in degenerative osteoarthritic knee ...

[https://www.thekneejournal.com/article/S0968-0160\(17\)30297-1/fulltext](https://www.thekneejournal.com/article/S0968-0160(17)30297-1/fulltext) - 翻译此页

作者: SS Seo - 相关文章

Moreover, when evaluating TKA results in knees with genu recurvatum, factors ... osteoarthritis during the same period without pre-operative genu recurvatum $\geq 5^\circ$, ... Measurement of joint line height in preoperative (A) and postoperative (B) X-rays ... CR prosthesis) and type of polyethylene insert (mobile