

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 38975

Manuscript Type: MINIREVIEWS

Liver transplantation and multivisceral transplantation in the management of patients with advanced neuroendocrine tumours

Clift AK *et al.* Transplantation for advanced neuroendocrine tumours

Ashley Kieran Clif, Andrea Frilling

Abstract

Orthotopic liver transplantation (OLT) represents a generally accepted albeit somewhat controversially discussed therapeutic strategy in highly selected patients with non-resectable hepatic metastases from neuroendocrine tumours (NET). Whilst there are some exclusion criteria, these are not universally followed, and the optimal set of inclusion parameters for deeming patients eligible has not yet been elucidated.

Match Overview

1	Crossref 18 words A. Frilling, A. Al-Nahhas, A.K. Clift. "Transplantation and D... bulking Procedures for Neuroendocrine Tumors", S. Karger	<1%
2	Crossref 17 words "Systemic Chemotherapy in Orthotopic Liver Transplantatio n", Contemporary Liver Transplantation, 2015.	<1%
3	Crossref 15 words Jean-Bernard Otte. "Should the selection of children with ... epatocellular carcinoma be based on Milan criteria?", Pedi	<1%
4	Crossref 13 words S. C. Mayo, A. M. Cameron, T. M. Pawlik. "Neuroendocrin... Liver Metastasis: Transplant as Part of Multimodality Liver-	<1%
5	Crossref 12 words Sayee Sundar Alagusundaramoorthy, Valery Vilchez, Antho ny Zanni, Achuthan Sourianarayanane, Erin Maynard, Mala	<1%
6	Internet 12 words crawled on 11-Apr-2016 tpp.uah.edu	<1%
7	Internet 12 words crawled on 23-Aug-2016 onlinelibrary.wiley.com	<1%
8	Internet 12 words crawled on 02-Nov-2016 www.wjgnet.com	<1%



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 14,700 条结果 (用时 0.69 秒)

Multivisceral Transplantation to Treat Advanced Neuroendocrine ...

<https://academic.oup.com/.../Multivisceral-Transplantation-to-Treat-Advance...> - 翻译此页

作者: J Lin - 2015

2015年10月27日 - **Neuroendocrine tumor** (NET) originating in gastrointestinal tract (GI) frequently metastasizes to lymph nodes and the **liver**. Rare cases of **multivisceral transplantation** (MVT) to manage widespread GI NET have been reported. We studied 11 **patients** who received MVT for **advanced** GI NET, including ...

Liver transplantation and neuroendocrine tumors: lessons from a ...

<onlinelibrary.wiley.com/doi/10.1111/j.1432-2277.2010.01086.x/full> - 翻译此页

2010年5月5日 - **Neuroendocrine tumor** (NET) metastases represent at this moment the only accepted indication of **liver transplantation** (LT) for liver secondaries. NETs are often discovered at an **advanced** stage and they preferentially metastasize to the liver (40–90% of **patients**) where they can remain confined for a ...

Orthotopic liver or multivisceral transplantation as treatment of ...

<https://onlinelibrary.wiley.com/doi/abs/10.1002/lt.21056> - 翻译此页

作者: M Olausson - 2007 - 被引用次数: 122 - 相关文章

Liver transplantation can be a therapeutic option for individual **patients** with **neuroendocrine tumors** metastatic only to the liver. In this consecutive series of 15 **patients** (5 **multivisceral** and 10 orthotopic liver **transplantations**) with well-differentiated carcinoids, or endocrine pancreatic tumors, we allowed higher proliferation ...

Multivisceral Transplantation to Treat Advanced Neuroendocrine ...

https://www.researchgate.net/.../294727874_Multivisceral_Transplantation_to_Treat_Ad...

Neuroendocrine tumor (NET) originating in gastrointestinal tract (GI) frequently metastasizes to lymph nodes and the **liver**. Rare cases of **multivisceral transplantation** (MVT) to manage widespread GI NET have been reported. We studied 11 **patients** who received MVT for **advanced** GI NET, including clinicopathological ...

Multivisceral transplantation for the treatment of intra-abdominal tumors.

找到约 5,830 条结果 (用时 0.56 秒)

Google 学术: Liver transplantation and multivisceral transplantation in the management of patients with advanced neuroendocrine tumours

... liver or multivisceral transplantation as treatment of ... - Olausson - 被引用次数: 123

... transplantation in patients with neuroendocrine tumors - Olausson - 被引用次数: 88

Liver transplantation for the treatment of liver ... - Gedaly - 被引用次数: 135

Multivisceral Transplantation to Treat Advanced Neuroendocrine ...

https://academic.oup.com/ajcp/article/144/suppl_2/A322/1775903 - 翻译此页

作者: J Lin - 2015

2015年10月27日 - Neuroendocrine tumor (NET) originating in gastrointestinal tract (GI) frequently metastasizes to lymph nodes and the liver. ... MVT is a lifesaving management for patients with advanced GI NETs that are otherwise not ...

[PDF] Role of liver transplantation in managing neuroendocrine tumour ...

odt.nhs.uk/pdf/advisory_group_papers/LAG/NET_final.pdf ▼ 翻译此页

作者: T Shah - 相关文章

Neuroendocrine tumours (NETs) can be slow growing and associated with ... Multi-visceral transplantation is associated with poor survival and cannot be ... reasonable cut-off when considering patients for liver transplantation. Gastrointestinal NETs are usually slow growing tumours frequently diagnosed at advanced stage.

Liver transplantation in patients with liver metastases from ... - Surgery

[www.surgjournal.com/article/S0039-6060\(17\)30324-0/fulltext](http://www.surgjournal.com/article/S0039-6060(17)30324-0/fulltext) - 翻译此页

作者: D Moris - 2017 - 被引用次数: 5 - 相关文章

2017年6月14日 - Liver transplantation to treat neuroendocrine tumors, especially in the ... The optimal management of hepatic NET metastases remains, however, a topic of debate. indications for LT, concomitant multivisceral transplantation, donor advanced liver malignancies as it offered the potential for total tumor ...

Liver transplantation and neuroendocrine tumors: lessons from a ...

onlinelibrary.wiley.com/doi/10.1111/ij.1432.2377.2010.01086.x/full - 翻译此页

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,830 条结果 (用时 0.56 秒)

Google 学术: Liver transplantation and multivisceral transplantation in the management of patients with advanced neuroendocrine tumours

... liver or multivisceral transplantation as treatment of ... - Olausson - 被引用次数: 123

... transplantation in patients with neuroendocrine tumors - Olausson - 被引用次数: 88

Liver transplantation for the treatment of liver ... - Gedaly - 被引用次数: 135

Multivisceral Transplantation to Treat Advanced Neuroendocrine ...

https://academic.oup.com/ajcp/article/144/suppl_2/A322/1775903 - 翻译此页

作者: J Lin - 2015

2015年10月27日 - Neuroendocrine tumor (NET) originating in gastrointestinal tract (GI) frequently metastasizes to lymph nodes and the liver. ... MVT is a lifesaving management for patients with advanced GI NETs that are otherwise not ...

[PDF] Role of liver transplantation in managing neuroendocrine tumour ...

odt.nhs.uk/pdf/advisory_group_papers/LAG/NET_final.pdf ▼ 翻译此页

作者: T Shah - 相关文章

Neuroendocrine tumours (NETs) can be slow growing and associated with ... Multi-visceral transplantation is associated with poor survival and cannot be ... reasonable cut-off when considering patients for liver transplantation. Gastrointestinal NETs are usually slow growing tumours frequently diagnosed at advanced stage.

Liver transplantation in patients with liver metastases from ... - Surgery

[www.surgjournal.com/article/S0039-6060\(17\)30324-0/fulltext](http://www.surgjournal.com/article/S0039-6060(17)30324-0/fulltext) - 翻译此页

作者: D Moris - 2017 - 被引用次数: 5 - 相关文章

2017年6月14日 - Liver transplantation to treat neuroendocrine tumors, especially in the ... The optimal management of hepatic NET metastases remains, however, a topic of debate. indications for LT, concomitant multivisceral transplantation, donor advanced liver malignancies as it offered the potential for total tumor ...

Liver transplantation and neuroendocrine tumors: lessons from a ...

onlinelibrary.wiley.com/doi/10.1111/ij.1432.2377.2019.01086.x/full - 翻译此页