

Match Overview



There are no matching sources for this report

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 39417

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Cross sectional study to determine viral hepatitis knowledge in different urban populations in Brazil

Helena Medina Cruz, Jakeline Ribeiro Barbosa, Jeová Keny Baima Colares, Antonio Henrique Almeida de Moraes Neto, Maria de Fátima Leal Alencar, Jurema Corrêa da Mota, Filipe Aníbal Carvalho-Costa, Claudia Alexandra Pontes Ivantes, Lia Laura Lewis-Ximenez, Livia Melo Villar

Abstract

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 676,000 条结果 (用时 0.72 秒)

[PDF] A Cross-Sectional Study of Viral Hepatitis Perception among ... - MDPI

www.mdpi.com/1660-4601/15/2/189/pdf ▼ [翻译此页](#)

作者: HM Cruz - 2018

2018年1月24日 - Some studies have shown that awareness of hepatitis can be influenced by many factors, including ... **Study Population.** A cross-sectional, descriptive study was carried out to determine viral hepatitis perception among Brazilian individuals living in two cities from North and Southeast Brazil (MA and RJ, ...

Incidence of hepatitis C in Brazil - SciELO

www.scielo.br/scielo.php?script=sci_arttext&pid=S0037... ▼ [翻译此页](#)

作者: JS Hanus - 2015 - 被引用次数: 3 - 相关文章

The main objective of this study was to estimate the incidence rate of hepatitis C in Brazil during the period between 2001 and 2012. METHODS ... Injection drug use was the most common source of infection, and members of the white race, residents of urban areas, and those aged 60 to 64 years had the highest incidences.

Cross-Sectional Study to Determine the Prevalence of Hepatitis B and ...

<https://www.ncbi.nlm.nih.gov/pubmed/28714924> - [翻译此页](#)

作者: BJ Ribeiro - 2017 - 被引用次数: 1 - 相关文章

2017年7月17日 - Cross-Sectional Study to Determine the Prevalence of Hepatitis B and C Virus Infection in High Risk Groups in the Northeast Region of Brazil. ... Background: HBV (Hepatitis B Virus) and HCV (Hepatitis C Virus) infections are more prevalent in vulnerable populations than the general population.

缺少字词: knowledge different urban

[PDF] State of viral hepatitis knowledge and testing uptake in Brazil: Findin...

<https://pdfs.semanticscholar.org/.../fa73862e15d271e2c9c80be47f1ca18d72...> ▼ [翻译此页](#)

作者: SB de Oliveira - 2016 - 被引用次数: 2 - 相关文章

other Sexually Transmitted Infections (STI) (PCAP-2013) and used to describe the current state of viral hepatitis (VH) knowledge and screening as well as the prevalence of viral hepatitis B (HBV) vaccination in Brazil and to assess the factors associated with testing uptake. Methods: A probability sample



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 406,000 条结果 (用时 0.49 秒)

A Cross-Sectional Study of Viral Hepatitis Perception among ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5858262/> - 翻译此页

作者: HM Cruz - 2018 - 相关文章

2018年1月24日 - Keywords: hepatitis, perception, **urban population**, Latin America ... to plan preventive measures for **viral hepatitis**, it is essential to **identify the** gaps in viral [17] found that absence of **knowledge** among **different** groups and levels of C virus infection in **Brazil**, 2005 through 2009: A **cross-sectional study**.

State of viral hepatitis knowledge and testing uptake in Brazil: Findings ...

<https://hmap.biomedcentral.com/articles/10.1186/s41124-016-0003-y> ▼ 翻译此页

作者: SB de Oliveira - 2016 - 被引用次数: 2 - 相关文章

2016年4月14日 - Data were obtained from the third National **Survey of Knowledge**, Attitudes and Practices of HIV and **other** ... Globally, **viral hepatitis** (VH) affects approximately 500 million **people** and is Prevalence and risk factors **of Hepatitis C** virus infection in **Brazil**, 2005 through 2009: a **cross-sectional study**.

Epidemiological study of hepatitis B and C in a municipality with rural ...

www.scielo.br/scielo.php?script=sci_arttext&pid=S0037... ▼ 翻译此页

作者: LVL Melo - 2015 - 被引用次数: 2 - 相关文章

In Cássia dos Coqueiros, a large **population-based study of hepatitis B** was conducted ... This **cross-sectional** seroepidemiological **study** sought to **determine** the ... The 2,640 inhabitants are distributed between the **urban** and rural **areas**. Participants born in **other Brazilian** states had a 3-times higher prevalence than the ...

Prevalence of hepatitis B and associated factors in prisoners - SciELO

www.scielo.br/scielo.php?pid=S0103-21002017000100066&script... ▼ 翻译此页

找到约 406,000 条结果 (用时 0.49 秒)

A Cross-Sectional Study of Viral Hepatitis Perception among ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5858262/> - 翻译此页

作者: HM Cruz - 2018 - 相关文章

2018年1月24日 - Keywords: hepatitis, perception, urban population, Latin America ... to plan preventive measures for viral hepatitis, it is essential to identify the gaps in viral [17] found that absence of knowledge among different groups and levels of C virus infection in Brazil, 2005 through 2009: A cross-sectional study.

State of viral hepatitis knowledge and testing uptake in Brazil: Findings ...

<https://hmap.biomedcentral.com/articles/10.1186/s41124-016-0003-y> - 翻译此页

作者: SB de Oliveira - 2016 - 被引用次数: 2 - 相关文章

2016年4月14日 - Data were obtained from the third National Survey of Knowledge, Attitudes and Practices of HIV and other ... Globally, viral hepatitis (VH) affects approximately 500 million people and is Prevalence and risk factors of Hepatitis C virus infection in Brazil, 2005 through 2009: a cross-sectional study.

Epidemiological study of hepatitis B and C in a municipality with rural ...

www.scielo.br/scielo.php?script=sci_arttext&pid=S0037... - 翻译此页

作者: LVL Melo - 2015 - 被引用次数: 2 - 相关文章

In Cássia dos Coqueiros, a large population-based study of hepatitis B was conducted ... This cross-sectional seroepidemiological study sought to determine the ... The 2,640 inhabitants are distributed between the urban and rural areas. Participants born in other Brazilian states had a 3-times higher prevalence than the ...

Prevalence of hepatitis B and associated factors in prisoners - SciELO

www.scielo.br/scielo.php?pid=S0103-21002017000100066&script... - 翻译此页