

10

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 39426

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Prognostic significance of the fibrinogen-to-albumin ratio in gallbladder cancer patients

Xu WY *et al.* FAR and gallbladder cancer

Wei-Yu Xu, Hao-Hai Zhang, Jian-Ping Xiong, Xiao-Bo Yang, Yi Bai, Jian-Zhen

Lin, Jun-Yu Long, Yong-Chang Zheng, Hai-Tao Zhao, Xin-Ting Sang

Abstract

AIM

To investigate the prognostic role of fibrinogen-to-albumin ratio (FAR) on

Match Overview

1	Internet 238 words crawled on 12-May-2018 www.wjgnet.com	5%
2	Crossref 32 words Meng-Che Hsieh, Kun-Ming Rau, Po-Hui Chiang, Ming-Tse Sung <i>et al.</i> "Impact of Prognostic Nutritional Index c...	1%
3	Internet 29 words crawled on 03-Nov-2017 www.jcancer.org	1%
4	Crossref 27 words Zhang, Bo, Wei Yu, Li-Qun Zhou, Zhi-Song He, Cheng Shen, Qun He, Jun Li, Li-Bo Liu, Cong Wang, Xiao-Yu Chen	1%
5	Internet 26 words crawled on 28-Dec-2017 www.dovepress.com	1%
6	Crossref 25 words Satoru Matsuda, Hiroya Takeuchi, Hirofumi Kawakubo, Kazumasa Fukuda, Rieko Nakamura, Tsunehiro Takahashi	<1%
7	Crossref 24 words Oh, Sung. "Prognostic significance of thymidylate synthase, thymidine phosphorylase and dihydropyrimidine dehydrogenase"	<1%
8	Internet 17 words crawled on 06-Sep-2017 theses.gla.ac.uk	<1%
9	Internet 15 words crawled on 20-Nov-2017 www.cambridge.org	<1%

找到约 40,500 条结果 (用时 0.54 秒)

Google 学术 : Prognostic significance of the fibrinogen-to-albumin ratio in gallbladder cancer patients

... survival in patients with primary operable cancer - Roxburgh - 被引用次数 : 535

Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620440/> - 翻译此页

作者 : KT Hwang - 2017 - 相关文章

2017年9月22日 - Our hypothesis is that if the single markers fibrinogen and albumin have significant prognostic value for breast cancer, the fibrinogen to albumin ratio (FAR) ... Consecutive primary invasive breast cancer patients who underwent curative surgery at Seoul National University Boramae Medical Center were ...

Prognostic value of pretreatment albumin/globulin ratio in digestive ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5754056/> - 翻译此页

作者 : HW Guo - 2018 - 相关文章

2018年1月4日 - In addition, only 2 studies referred to CSS, and we also detected a significant relationship between a low AGR and worse CSS from the results of our ... numerous recent studies have tried to investigate the prognostic significance of the albumin/globulin ratio (AGR) in cancer patients, which combines two ...

Clinical and prognostic significance of preoperative ... - BMC Cancer

<https://bmccancer.biomedcentral.com/articles/10.1186/1471-2407-14-566> ▼ 翻译此页

作者 : YJ Shu - 2014 - 被引用次数 : 33 - 相关文章

Clinical and prognostic significance of preoperative plasma hyperfibrinogenemia in gallbladder cancer patients following surgical resection: a retrospective and in vitro study. Yi-Jun Shu†,; Hao Weng†,; Run-Fa Bao†,; Xiang-Song Wu,; Qian Ding,; Yang Cao,; Xu-An Wang,; Fei Zhang,; Shan-Shan Xiang,; Huai-Feng Li, ...

Clinical and prognostic significance of preoperative ... - ResearchGate

https://www.researchgate.net/.../264639721_Clinical_and_prognostic_signifi... - 翻译此页

Clinical and prognostic significance of preoperative plasma hyperfibrinogenemia in gallbladder cancer patients following surgical resection: A retrospective and in ... The prothrombin time (PT), activated partial thromboplastin time (aPTT), thrombin time (TT), international normalized ratio (INR), fibrinogen levels, and platelet ...



找到约 43,100 条结果 (用时 0.41 秒)

Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620440/> - 翻译此页

作者: KT Hwang - 2017 - 相关文章

2017年9月22日 - Data from 793 consecutive primary breast cancer patients were retrospectively analyzed. ... Independent prognostic significance was analyzed using the Cox proportional ... pancreas cancer, hepatocellular carcinoma, gall bladder cancer, ... prognostic value for breast cancer, the fibrinogen to albumin ratio ...

Clinical and prognostic significance of preoperative plasma ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4131047/> - 翻译此页

作者: YJ Shu - 2014 - 被引用次数: 36 - 相关文章

2014年8月5日 - Gallbladder cancer (GBC) is the most common biliary tract malignancy and ... significance of hyperfibrinogenemia and its prognostic relevance for patients with GBC. ... time (TT), international normalized ratio (INR), and fibrinogen were measured with Albumin, <35 g/dL, 29, 11, 0.82 (0.45, 1.48), 0.506.

Prognostic significance of combined preoperative fibrinogen and ...

<https://www.wjgnet.com/1007-9327/full/v24/i13/1451.htm> - 翻译此页

作者: WY Xu - 2018

2018年4月7日 - Prognostic significance of combined preoperative fibrinogen and CA199 in gallbladder cancer patients. ... platelet to lymphocyte ratio (PLR)[32,33], neutrophil to lymphocyte ratio (NLR) [36,37] and plasma fibrinogen level[30].

缺少字词: albumin

Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for ...

https://www.researchgate.net/.../320079467_Prognostic_Influence_of_Preoperative_Fibr...

2018年4月10日 - Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for Breast Cancer ... Methods Data from 793 consecutive primary breast cancer patients were retrospectively ... hepatocellular carcinoma, gall bladder cancer, bladder cancer, ... albumin have significant prognostic value for breast cancer.



找到约 43,100 条结果 (用时 0.41 秒)

Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5620440/> - 翻译此页

作者: KT Hwang - 2017 - 相关文章

2017年9月22日 - Data from 793 consecutive primary breast cancer patients were retrospectively analyzed. ... Independent prognostic significance was analyzed using the Cox proportional ... pancreas cancer, hepatocellular carcinoma, gall bladder cancer, ... prognostic value for breast cancer, the fibrinogen to albumin ratio ...

Clinical and prognostic significance of preoperative plasma ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4131047/> - 翻译此页

作者: YJ Shu - 2014 - 被引用次数: 36 - 相关文章

2014年8月5日 - Gallbladder cancer (GBC) is the most common biliary tract malignancy and ... significance of hyperfibrinogenemia and its prognostic relevance for patients with GBC. ... time (TT), international normalized ratio (INR), and fibrinogen were measured with Albumin, <35 g/dL, 29, 11, 0.82 (0.45, 1.48), 0.506.

Prognostic significance of combined preoperative fibrinogen and ...

<https://www.wjgnet.com/1007-9327/full/v24/i13/1451.htm> - 翻译此页

作者: WY Xu - 2018

2018年4月7日 - Prognostic significance of combined preoperative fibrinogen and CA199 in gallbladder cancer patients. ... platelet to lymphocyte ratio (PLR)[32,33], neutrophil to lymphocyte ratio (NLR) [36,37] and plasma fibrinogen level[30].

缺少字词: albumin

Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for ...

https://www.researchgate.net/.../320079467_Prognostic_Influence_of_Preoperative_Fibr...

2018年4月10日 - Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for Breast Cancer ... Methods Data from 793 consecutive primary breast cancer patients were retrospectively ... hepatocellular carcinoma, gall bladder cancer, bladder cancer, ... albumin have significant prognostic value for breast cancer.