

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 61,000 条结果 (用时 0.47 秒)

Google 学术: Reproducibility of thrombus volume quantification in multicenter computed tomography pulmonary angiography studies

... computed tomography for acute pulmonary embolism - Stein - 被引用次数: 1518

... of coronary computed tomographic angiography - Raff - 被引用次数: 562

Computed tomography and magnetic resonance ... - Fayad - 被引用次数: 391

Effect of varying computed tomography acquisition and reconstruction ...

<https://www.wjgnet.com/1949-8470/full/v10/i3/24.htm> ▼ 翻译此页

作者: AE Kaufman - 2018

2018年3月28日 - Aside from varying pitch, changing CT acquisition parameters and using ... of pitch, varying the computed tomography pulmonary angiography image ... core lab analysis in multicenter clinical trials with imaging endpoints, where a ... been used in previous studies for quantification of PE clot volume[9] and is ...

Effect of varying computed tomography acquisition and reconstruction ...

<https://www.wjgnet.com/1949-8470/articlehighlights/v10/i3/24.htm> ▼ 翻译此页

作者: AE Kaufman - 2018

2018年3月28日 - Effect of varying computed tomography acquisition and reconstruction parameters on semi-automated clot volume quantification. ... using computed tomography (CT) pulmonary angiography. ... used in multicenter clinical trials evaluating treatment options for pulmonary embolism using CT angiography.

Effect of varying computed tomography acquisition and ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5872394/> - 翻译此页

作者: AE Kaufman - 2018

Name of Journal: *World Journal of Radiology*

Manuscript NO: 40122

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Reproducibility of thrombus volume quantification in multicenter computed tomography pulmonary angiography studies

Kaufman AE *et al.* Reproducibility of clot-volumes from multicenter CTPA

1 Audrey E Kaufman, Alison N Pruzan, Ching Hsu, Sarayu Ramachandran, Adam Jacobi, Indravadan Patel, Lee Schwocho, Michele F Mercuri, Zahi A Fayad, Venkatesh Mani

Match Overview

8 matches

- 1** **Crossref** 150 words
Audrey E Kaufman, Alison N Pruzan, Ching Hsu, Sarayu Ramachandran, Adam Jacobi, Zahi A Fayad, Venkatesh Mani 3%
- 2** **Internet** 76 words
crawled on 22-May-2018
www.ajronline.org 2%



Reproducibility of thrombus volume quantification in multicenter computed tor



文章

找到约 3,210 条结果 (用时0.19秒)

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

☒ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Multidetector computed tomography for acute pulmonary embolism

PD Stein, SE Fowler, LR Goodman... - ... England Journal of ..., 2006 - Mass Medical Soc

... The PIOPED II trial was a prospective, multicenter study designed by the authors and sponsored by ... Among 105 patients with positive results on CTV, thrombi were shown in the inferior ... thrombosis of the lower extremities, particularly if patients with deep venous thrombosis of the ...

☆ 99 被引用次数：1525 相关文章 所有 20 个版本

[PDF] google.com

Effect of HMG-CoA reductase inhibitors on coronary artery disease as assessed by electron-beam computed tomography

TQ Callister, P Raggi, B Cooil... - New England Journal ..., 1998 - Mass Medical Soc

Original Article from The New England Journal of Medicine — Effect of HMG-CoA Reductase Inhibitors on Coronary Artery Disease as Assessed by Electron-Beam Computed Tomography.

☆ 99 被引用次数：774 相关文章 所有 11 个版本

[PDF] psu.edu

SCCT guidelines for the interpretation and reporting of coronary computed tomographic angiography

GL Raff, A Abidov, S Achenbach... - ... tomography, 2009 - journalofcardiovascularct.com

... MD. Society of Cardiovascular Computed Tomography, 2400 N ... Jump to Section Part A: Interpreting coronary computed tomographic angiograms Preamble 1 ... 2.2.2. Multi-planar reformation (MPR) 2.2.3. Maximum intensity projection (MIP) 2.2.4. Volume-rendering technique ...

☆ 99 被引用次数：572 相关文章 所有 48 个版本

[PDF] cctaacademy.com

Quantification of lung perfusion blood volume (lung PBV) by dual-energy CT in patients with and without pulmonary embolism: preliminary results

E Sueyoshi, S Tsutsui, T Hayashida, K Ashizawa... - European journal of ..., 2011 - Elsevier

... [15] found that simultaneous information on the presence of endoluminal thrombus and lung ... To improve low reproducibility, it may be needed to evaluate cardiopulmonary transit times that can

... may reflect the real lung blood volume via both ...