

找到约 70,100 条结果 (用时 0.52 秒)

Google 学术: Exercise and glucagon-like peptide-1: Does exercise potentiate the effect of treatment?

... effect of glucagon-like peptide-1 (7-36) amide in ... - Gutniak - 被引用次数: 936

... insulin secretion by increasing glucagon-like peptide-1 ... - Ellingsgaard - 被引用次数: 454

Glucagon-like peptide 1 can directly protect the heart ... - Bose - 被引用次数: 641

Effect of exercise combined with glucagon-like peptide-1 receptor ...

<https://www.ncbi.nlm.nih.gov/pubmed/28188972> ▼ 翻译此页

作者: PG Jørgensen - 2017 - 被引用次数: 1 - 相关文章

2017年3月20日 - Effect of exercise combined with glucagon-like peptide-1 receptor agonist treatment on cardiac function: A randomized double-blind ...

缺少字词: potentiate

Interleukin-6 enhances insulin secretion by increasing glucagon-like ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4286294/> ▼ 翻译此页

作者: H Ellingsgaard - 2011 - 被引用次数: 454 - 相关文章

2011年10月30日 - Exercise induces GLP-1 in an IL-6-dependent manner ... Effect of acute IL-6 on GLP-1 and insulin secretion in vivo. ... However, we did not detect further increases in plasma GLP-1 following oral Time course experiments showed that the effect of IL-6 to potentiate glucose-stimulated GLP-1 secretion was ...

Sacubitril/valsartan in PARADIGM-HF - The Lancet

[https://www.thelancet.com/pdfs/journals/.../PIIS2213-8587\(17\)30173-0.pdf](https://www.thelancet.com/pdfs/journals/.../PIIS2213-8587(17)30173-0.pdf) - 翻译此页

作者: M Guglin - 2017 - 相关文章

2015年12月4日 - Exercise management in type 1 diabetes: a consensus statement. Lancet ...

Match Overview



There are no matching sources for this report.

Name of Journal: *World Journal of Diabetes*

ESPS Manuscript NO: 40147

Manuscript Type: EDITORIAL

Exercise and glucagon-like peptide-1: Does exercise potentiate the effect of treatment?

Hidetaka Hamasaki

Abstract



找到约 77,800 条结果 (用时 0.40 秒)

Google 学术: Exercise and glucagon-like peptide-1: Does exercise potentiate the effect of treatment?

... effect of glucagon-like peptide-1 (7–36) amide in ... - Gutniak - 被引用次数: 940

... insulin secretion by increasing glucagon-like peptide-1 ... - Ellingsgaard - 被引用次数: 458

Glucagon-like peptide 1 can directly protect the heart ... - Bose - 被引用次数: 645

Effect of exercise combined with glucagon-like peptide-1 receptor ...

<https://www.ncbi.nlm.nih.gov/pubmed/28188972> ▼ 翻译此页

作者: PG Jørgensen - 2017 - 被引用次数: 1 - 相关文章

2017年3月20日 - Effect of exercise combined with glucagon-like peptide-1 receptor agonist treatment on cardiac function: A randomized double-blind ...

缺少字词: potentiate

Interleukin-6 enhances insulin secretion by increasing glucagon-like ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4286294/> ▼ 翻译此页

作者: H Ellingsgaard - 2011 - 被引用次数: 455 - 相关文章

2011年10月30日 - Exercise induces GLP-1 in an IL-6-dependent manner ... Effect of acute IL-6 on GLP-1 and insulin secretion in vivo. ... However, we did not detect further increases in plasma GLP-1 following oral Time course experiments showed that the effect of IL-6 to potentiate glucose-stimulated GLP-1 secretion was ...

Effect of exercise combined with glucagon - like peptide - 1 receptor ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/dom.12900> ▼ 翻译此页

作者: PG Jørgensen - 2017 - 被引用次数: 1 - 相关文章

2017年2月11日 - Effect of exercise combined with glucagon - like peptide - 1 receptor agonist treatment

找到约 70,300 条结果 (用时 0.44 秒)

Google 学术 : Exercise and glucagon-like peptide-1: Does exercise potentiate the effect of treatment?

... effect of glucagon-like peptide-1 (7-36) amide in ... - Gutniak - 被引用次数 : 940

... insulin secretion by increasing glucagon-like peptide-1 ... - Ellingsgaard - 被引用次数 : 461

Glucagon-like peptide 1 can directly protect the heart ... - Bose - 被引用次数 : 643

Effect of exercise combined with glucagon-like peptide-1 receptor ...

<https://www.ncbi.nlm.nih.gov/pubmed/28188972> ▼ 翻译此页

作者 : PG Jørgensen - 2017 - 被引用次数 : 1 - 相关文章

2017年3月20日 - Effect of exercise combined with glucagon-like peptide-1 receptor agonist treatment on cardiac function: A randomized double-blind ...

缺少字词 : potentiate

Interleukin-6 enhances insulin secretion by increasing glucagon-like ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4286294/> ▼ 翻译此页

作者 : H Ellingsgaard - 2011 - 被引用次数 : 461 - 相关文章

2011年10月30日 - Exercise induces GLP-1 in an IL-6-dependent manner ... Effect of acute IL-6 on GLP-1 and insulin secretion in vivo. ... However, we did not detect further increases in plasma GLP-1 following oral Time course experiments showed that the effect of IL-6 to potentiate glucose-stimulated GLP-1 secretion was ...

Effect of exercise combined with glucagon-like peptide-1 receptor ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/dom.12900> ▼ 翻译此页

作者 : PG Jørgensen - 2017 - 被引用次数 : 1 - 相关文章

2017年2月11日 - Effect of exercise combined with glucagon-like peptide-1 receptor agonist treatment on cardiac function: A randomized double-blind ...

缺少字词 : potentiate

Sacubitril/valsartan in PARADIGM-HF - The Lancet

[https://www.thelancet.com/pdfs/journals/.../PIIS2213-8587\(17\)30173-0.pdf](https://www.thelancet.com/pdfs/journals/.../PIIS2213-8587(17)30173-0.pdf) - 翻译此页

作者 : M Guglin - 2017 - 相关文章

2015年12月4日 - Exercise management in type 1 diabetes: a consensus statement. Lancet ... treatment of heart failure, which is beautifully shown ... does diabetes precipitate heart failure, but also that ... Effect of sacubitril/valsartan versus enalapril on ... in glucagon-like peptide-1 (GLP-1) and DPP-4 inhibitors potentiate.