

找到约 204,000 条结果 (用时 0.36 秒)

Place of upper endoscopy before and after bariatric surgery: A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4877533/> - 翻译此页

作者: MEA Ellatif - 2016 - 被引用次数: 11 - 相关文章

2016年5月25日 - Place of upper **endoscopy before and after bariatric surgery**: A multicenter Those patients who underwent **routine** EGD pre-bariatric and patients' ... nasal oxygen supply and careful **monitoring** in presence of an anesthetist.

Screening endoscopy before bariatric surgery: a series of 448...

https://www.researchgate.net/.../5335603_Screening_endoscopy_before_bari... - 翻译此页

2017年12月20日 - Screening **endoscopy before bariatric surgery**: a series of 448 patients ... determine the diagnostic yield of **routine** EGD **before bariatric surgery**. **bariatric surgery** both in preoperative and postoperative or **monitoring** (15,25).

Role of endoscopy in the bariatric surgery of patients | Request PDF

https://www.researchgate.net/.../263514847_Role_of_endoscopy_in_the_bar... - 翻译此页

2017年12月20日 - The value of a **routine endoscopy before bariatric surgery** in in high-risk cohorts of patients and/or **endoscopic biopsy surveillance** of patients ...

Is preoperative gastroscopy necessary before sleeve gastrectomy and ...

<https://www.sciencedirect.com/science/article/pii/S1550728918300364> - 翻译此页

2018年2月14日 - Is preoperative **gastroscopy** necessary **before sleeve gastrectomy** and ... a severe lesion in need of **surveillance** in the excluded portion of the GI tract. ... The European Association for **Endoscopic Surgery** recommends **routine** ...

Endoscopic management of bariatric surgery complications: what the ...

<https://www.sciencedirect.com/science/article/pii/S2255534X15001164> - 翻译此页

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 40156

Manuscript Type: EDITORIAL

Routine surveillance endoscopy before and after sleeve gastrectomy?

Radwan Kassir, Rani Kassir

Abstract

There is no consensus when it comes to the necessity of an oeso-gastroduodenal fibroscopy OGDF before and after bariatric surgery. Many reports expressed the preoccupations about a gastroesophageal reflux disease GERD (an acute risk of BARETT's esophagus) and its consequences after a Sleeve gastrectomy (SG) and the risk of leaving a premalignant lesion in an excluded stomach after a Roux-en-Y

Match Overview

1	Crossref 51 words Tuure Saarinen, Ulla Kettunen, Kirsi H. Pietilä, Sina Aho, Jutta Ilja preoperative gastrosc...	4%
2	Internet 17 words crawled on 04-Jul-2015 www.bariatricnews.net	1%



Routine surveillance endoscopy before and after sleeve gastrectomy?



全部

图片

视频

新闻

购物

更多

设置

工具

找到约 135,000 条结果 (用时 0.40 秒)

Place of upper endoscopy before and after bariatric surgery: A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4877533/> - 翻译此页

作者: MEA Ellatif - 2016 - 被引用次数: 11 - 相关文章

2016年5月25日 - Keywords: Morbid obesity, Obesity **surgery**, **Endoscopy**, the patient) with nasal oxygen supply and careful **monitoring** in presence of an anesthetist. The role of **routine EGD before bariatric surgery** still remains unclear.

Screening endoscopy before bariatric surgery: a series of 448 patients

https://www.researchgate.net/.../5335603_Screening_endoscopy_before_bari... - 翻译此页

Of the 447 patients, 389 actually underwent **bariatric surgery**, including One rationale for performing **routine endoscopy before bariatric surgery** is to detect for **bariatric surgery** both in preoperative and postoperative or **monitoring** (15,25).

Is preoperative gastroscopy necessary before sleeve gastrectomy and ...

<https://www.sciencedirect.com/science/article/pii/S1550728918300364> - 翻译此页

The European Association for **Endoscopic Surgery** recommends **routine EGD** or radiologic evaluation with a barium meal **before bariatric surgery**, whereas the ...

Single-port laparoscopic sleeve gastrectomy as a routine procedure in ...

<https://www.sciencedirect.com/science/article/pii/S1550728916000150> - 翻译此页

作者: M Gaillard - 2016 - 被引用次数: 12 - 相关文章

Single-port laparoscopic **sleeve gastrectomy** as a **routine** procedure in 1000 patients ... Relaparoscopy and/or **endoscopic** treatment were required to treat intra-abdominal ... **Before surgery**, all patients underwent meticulous evaluation by a ... clinical **monitoring**, and blood count was performed the day **after surgery**.

找到约 209,000 条结果 (用时 0.44 秒)

Place of upper endoscopy before and after bariatric surgery: A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4877533/> - 翻译此页

作者: MEA Ellatif - 2016 - 被引用次数: 14 - 相关文章

Place of upper **endoscopy before and after bariatric surgery**: A multicenter Those patients who underwent **routine** EGD pre-bariatric and patients' charts revealed ... nasal oxygen supply and careful **monitoring** in presence of an anesthetist.

Is Routine Preoperative Upper GI Endoscopy Needed Prior to Gastric ...

https://www.researchgate.net/.../236181729_Is_Routine_Preoperative_Upper... - 翻译此页

2018年8月1日 - PDF | Background: In Finland, upper GI **endoscopy** (UGI) **prior to bariatric surgery** is **routine** in all but one hospital performing **bariatric surgery**.

(PDF) Place of upper endoscopy before and after bariatric surgery: A ...

https://www.researchgate.net/.../303484967_Place_of_upper_endoscopy_bef... - 翻译此页

2018年8月1日 - **routine** screening **endoscopy** for obese patients **before surgery**. Many authors suggest doing upper esopha- gogastroduodenoscopy (EGD) for ...

Routine surveillance endoscopy before and ...的图片搜索结果



→ [有关“Routine surveillance endoscopy before and after sleeve gastrectomy?”的更多图片](#) [举报图片](#)

Is preoperative gastroscopy necessary before sleeve gastrectomy and ...

<https://www.sciencedirect.com/science/article/pii/S1550728918300364> - 翻译此页

The European Association for **Endoscopic Surgery** recommends **routine** EGD or radiologic evaluation with a barium meal **before bariatric surgery**, whereas the ...

Endoscopic management of bariatric surgery complications: what the ...

<https://www.sciencedirect.com/science/article/pii/S2255534X15001164> - 翻译此页