

Match Overview

1	Crossref 113 words Jung, Da Hyun, Young Hoon Youn, Jie-Hyun Kim, and H yojin Park. "Endoscopic submucosal dissection for colo ...	3%
2	Crossref 61 words Hideaki Harada, Daisuke Murakami, Satoshi Suehiro, Ry otaro Nakahara et al. "Water-pocket endoscopic submi ...	2%
3	Internet 14 words crawled on 05-Oct-2017 real.mtak.hu	<1%
4	Crossref 13 words Jun Nishikawa. "Fine-tuning the criteria for strip biopsy a nd endoscopic submucosal dissection improves the ou ...	<1%
5	Internet 13 words crawled on 28-Dec-2016 office.wjgnet.com	<1%
6	Internet 12 words crawled on 18-May-2018 www.wjgnet.com	<1%
7	Internet 12 words crawled on 28-Dec-2017 www.scipedia.com	<1%

³ Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 40217

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Secondary endoscopic submucosal dissection for locally recurrent or incompletely resected gastric neoplasms

⁸ Da Hyun Jung, Young Hoon Youn, Jie-Hyun Kim, Jae Jun Park, Hyojin Park

Abstract

AIM

To investigate the feasibility and safety of secondary endoscopic submucosal dissection (ESD) for residual or locally recurrent gastric tumors.

METHODS



Secondary Endoscopic Submucosal Dissection for Locally Recurrent or



全部

图片

视频

新闻

更多

设置

工具

找到约 21,900 条结果 (用时 0.51 秒)

Google 学术 : Secondary Endoscopic Submucosal Dissection for Locally Recurrent or Incompletely Resected Gastric Neoplasms

Endoscopic mucosal resection for treatment of early ... - Ono - 被引用次数 : 1606

... of endoscopic mucosal resection for early gastric ... - Kojima - 被引用次数 : 347

Endoscopic submucosal dissection of early gastric ... - Tanaka - 被引用次数 : 138

Endoscopic Submucosal Dissection of Gastric Epithelial Neoplasms ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5448043/> - 翻译此页

作者 : BG Song - 2017 - 相关文章

2017年5月16日 - Endoscopic submucosal dissection (ESD) is a widely accepted treatment modality for ... The secondary outcomes were procedure time, procedure-related adverse events, and local recurrence rate. En bloc resection was defined as tumor resection in a single piece, whereas complete resection was defined ...

Secondary endoscopic submucosal dissection for residual or recurrent ...

<https://link.springer.com/article/10.1007/s10120-013-0325-z> ▼ 翻译此页

作者 : S Hoteya - 2014 - 被引用次数 : 10 - 相关文章

Background Endoscopic submucosal dissection (ESD) is a widely accepted ... those undergoing early sESD or additional surgery and the local recurrence ... 86.7 % of late sESD resections, over the course of a mean (\pm SD) observation ... ESD Gastric tumor Residual or recurrent tumors Secondary ESD Long-term outcomes.

Endoscopic Submucosal Dissection for Gastric Subepithelial Tumors ...

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 21,500 条结果 (用时 0.46 秒)

Google 学术 : Secondary endoscopic submucosal dissection for locally recurrent or incompletely resected gastric neoplasms

Endoscopic mucosal resection for treatment of early ... - Ono - 被引用次数 : 1574

... of endoscopic mucosal resection for early gastric ... - Kojima - 被引用次数 : 337

Endoscopic submucosal dissection of early gastric ... - Tanaka - 被引用次数 : 139

Endoscopic Submucosal Dissection of Gastric Epithelial Neoplasms ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5448043/> - 翻译此页

作者 : BG Song - 2017 - 被引用次数 : 1 - 相关文章

2017年5月16日 - The secondary outcomes were procedure time, procedure-related adverse events, Factors for incomplete resection after endoscopic submucosal there were no cases of local or extragastric recurrence during the median ...

Factors Associated With Outcomes in Endoscopic Submucosal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4616605/> - 翻译此页

作者 : YS Jang - 2015 - 被引用次数 : 9 - 相关文章

2015年8月7日 - However, the complete resection rate decreases for tumors that are located in ... Endoscopic submucosal dissection (ESD) is a widely accepted treatment Incomplete resection rates increased in lesions located in the anterior Risk factors associated with local recurrence of early gastric cancers after ...

Secondary endoscopic submucosal dissection for residual or recurrent ...

<https://link.springer.com/article/10.1007/s10120-013-0325-z> - 翻译此页

作者 : S Hoteya - 2014 - 被引用次数 : 11 - 相关文章

Background Endoscopic submucosal dissection (ESD) is a widely accepted ... those undergoing early sESD or additional surgery and the local recurrence ... 86.7 % of late sESD resections, over the course of a mean (±SD) observation ... ESD Gastric tumor Residual or recurrent tumors

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 21,200 条结果 (用时 0.50 秒)

Google 学术: Secondary endoscopic submucosal dissection for locally recurrent or incompletely resected gastric neoplasms

Endoscopic mucosal resection for treatment of early ... - Ono - 被引用次数: 1574

... of endoscopic mucosal resection for early gastric ... - Kojima - 被引用次数: 337

Endoscopic submucosal dissection of early gastric ... - Tanaka - 被引用次数: 139

Factors Associated With Outcomes in Endoscopic Submucosal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4616605/> - 翻译此页

作者: YS Jang - 2015 - 被引用次数: 9 - 相关文章

2015年8月7日 - However, the complete resection rate decreases for tumors that are located in ...

Endoscopic submucosal dissection (ESD) is a widely accepted treatment Incomplete resection rates increased in lesions located in the anterior Risk factors associated with local recurrence of early gastric cancers after ...

Endoscopic Submucosal Dissection of Gastric Epithelial Neoplasms ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5448043/> - 翻译此页

作者: BG Song - 2017 - 被引用次数: 1 - 相关文章

2017年5月16日 - The secondary outcomes were procedure time, procedure-related adverse events,

Factors for incomplete resection after endoscopic submucosal there were no cases of local or extragastric recurrence during the median ...

Secondary endoscopic submucosal dissection for residual or recurrent ...

<https://link.springer.com/article/10.1007/s10120-013-0325-z> - 翻译此页

作者: S Hoteya - 2014 - 被引用次数: 11 - 相关文章

Background Endoscopic submucosal dissection (ESD) is a widely accepted ... those undergoing early sESD or additional surgery and the local recurrence ... 86.7 % of late sESD resections, over the course of a mean (\pm SD) observation ... ESD Gastric tumor Residual or recurrent tumors Secondary ESD Long-term outcomes.

Endoscopic Submucosal Dissection for the Treatment of Superficial ...

<https://www.karger.com/Article/FullText/487820> - 翻译此页