

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 9,800 条结果 (用时 0.43 秒)

## Google 学术: CT and MRI findings of Metastatic Rectal Linitis Plastica from Prostate Cancer: A Case Report

MR imaging of linitis plastica of the rectum - Rudralingam - 被引用次数: 18

CT features of metastatic linitis plastica to the rectum in ... - Ha - 被引用次数: 44

... calcified leiomyoma originating from the rectum - Takada - 被引用次数: 48

## Case report and review of the literature: Rectal linitis plastica ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3526624/>  翻译此页

作者: VA McPherson - 2012 - 被引用次数: 4 - 相关文章

Rectal linitis plastica (RLP) secondary to bladder cancer is extremely rare,<sup>1</sup> and ... was 1.2 µg/L (reference range: 0–3.0) and prostate-specific antigen was 2.91 µg/L. .... with a lone 2008 case report documenting the MRI findings in RLP secondary to UC. .... CT features of metastatic linitis plastica to the rectum in patients with ...

## Secondary rectal linitis plastica as first manifestation of urinary bladder ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3959401/>  翻译此页

作者: P Katsinelos - 2012 - 被引用次数: 5 - 相关文章

Abdominal MRI and transrectal ultrasonography showed findings compatible ... Keywords: secondary rectal linitis plastica, urinary bladder carcinoma ... Metastatic RLP of breast, prostate, gallbladder or bladder cancer is less frequent [2-6]. .... Linitis plastica of the rectum secondary to bladder carcinoma: a report of two cases ...

## Prostate cancer metastases to the rectum: A case report - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3127764/>  翻译此页

作者: TO Abbas - 2011 - 被引用次数: 14 - 相关文章

2011年5月21日 - Prostate cancer rarely metastasis to the rectum. Findings in the patient reported here emphasize the importance of the relationship between ...

缺少字词: mri linitis plastica

## [PDF] Linitis plastica of the rectum: an unusual type of rectal cancer.

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 40582

**Manuscript Type:** Case Report

**Computed tomography and magnetic resonance imaging findings of metastatic rectal linitis plastica from prostate cancer: A case report and review of literature**

You JH *et al.* Rectal linitis plastica from prostate cancer

Jin-Hee You, Ji-Soo Song, Kyu-Yun Jang, Min-Ro Lee

### Match Overview

1	<b>Crossref</b> 35 words Victor A. McPherson, Michael Ott, Edward J. Tweedie, Jonath an Izawa. "Case report and review of the literature: Rectal linitis plastica from prostate cancer: A case report and review of literature"	2%
2	<b>Internet</b> 31 words crawled on 24-Dec-2013 <a href="http://bjr.birjournals.org">bjr.birjournals.org</a>	1%
3	<b>Crossref</b> 30 words Yo Na Kim, Ji Soo Song. "Cystic metastasis from a mucinous adenocarcinoma of duodenum mimicking type II choledochal cyst"	1%
4	<b>Internet</b> 16 words crawled on 18-Sep-2013 <a href="http://www.pagepress.org">www.pagepress.org</a>	1%
5	<b>Internet</b> 13 words crawled on 01-Aug-2016 <a href="http://www.drugs.com">www.drugs.com</a>	1%

找到约 8,350 条结果 (用时 0.62 秒)

## Google 学术 : CT and MRI findings of Metastatic Rectal Linitis Plastica from Prostate Cancer: A Case Report

MR imaging of linitis plastica of the rectum - Rudralingam - 被引用次数 : 20

CT features of metastatic linitis plastica to the rectum in ... - Ha - 被引用次数 : 45

... calcified leiomyoma originating from the rectum - Takada - 被引用次数 : 49

## Case report and review of the literature: Rectal linitis plastica ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3526624/> ▼ 翻译此页

作者 : VA McPherson - 2012 - 被引用次数 : 4 - 相关文章

Rectal linitis plastica (RLP) secondary to bladder cancer is extremely rare, ... focus of Gleason 6 prostate cancer incorporating 2% of the prostate. .... 2008 case report documenting the MRI findings in RLP secondary to UC. ... CT features of metastatic linitis plastica to the rectum in patients with peritoneal carcinomatosis.

## Primary Linitis Plastica of the Rectum: Focus on Magnetic Resonance ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559009/> ▼ 翻译此页

作者 : J Boustani - 2015 - 被引用次数 : 4 - 相关文章

2015年8月31日 - Final Diagnosis: refractory metastatic rectal cancer ..... for hematogenous rectal metastasis from gastric adenocarcinoma: A Case Report.

## [PDF] Linitis plastica of the rectum: an unusual type of rectal cancer.

<https://posterng.netkey.at/esr/viewing/index.php?module=viewing...> ▼ 翻译此页

Rectal linitis plastica (RLP) is an unusual neoplastic condition characterized by the ... and prostate neoplasm, however it has been described in breast, gastric, lung, and ... structures and lymph node metastases observed in 50-80 % at the time of ... We have reviewed the radiological findings on CT

找到约 5,150 条结果 (用时 0.62 秒)

### Adjuvant capecitabine plus oxaliplatin after D2 gastrectomy in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26956689> ▼ [翻译此页](#)

作者: N Fuse - 2017 - 被引用次数: 17 - [相关文章](#)

2018年3月8日 - 1. *Gastric Cancer*. 2017 Mar;20(2):332-340. doi: ... after D2 gastrectomy in Japanese patients with gastric cancer: a phase II study. Fuse N(1), Bando H(2), Chin K(3), Ito S(4), Yoshikawa T(5), ... Adjuvant chemotherapy with XELOX (capecitabine plus oxaliplatin) ... Clinical Trial, Phase II; Multicenter Study ...

### Phase II study of adjuvant chemotherapy of S-1 plus oxaliplatin for ...

<https://www.ncbi.nlm.nih.gov/pubmed/26626800> ▼ [翻译此页](#)

作者: K Shitara - 2017 - 被引用次数: 20 - [相关文章](#)

2017年12月1日 - 1. *Gastric Cancer*. 2017 Jan;20(1):175-181. doi: ... of S-1 plus oxaliplatin for patients with stage III gastric cancer after D2 ... a survival benefit by adjuvant S-1 monotherapy in patients who had ... II/III gastric cancer, but there is still a need to improve the efficacy of ... Clinical Trial, Phase II; Multicenter Study ...

### Selective Gastric Cancer Patients with Peritoneal Seeding Benefit from ...

[www.jcancer.org/v08p2231.htm](http://www.jcancer.org/v08p2231.htm) ▼ [翻译此页](#)

作者: SQ Yuan - 被引用次数: 1 - [相关文章](#)

2017年7月20日 - Propensity score matching (PSM) was performed to balance the selection bias. Results: After PSM, compared with non-gastrectomy group, ... standardized D2 lymphadenectomy and adjuvant chemotherapy [2-4], the overall ... to improve the prognosis of gastric cancer patients with peritoneal seeding [6-8].

### Association of Adjuvant Chemotherapy With Survival in Patients With ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/2627289> - [翻译此页](#)

作者: Y Jiang - 2017 - 被引用次数: 4 - [相关文章](#)

2017年5月24日 - This study analyzes patient and tumor characteristics to create a model that ... patients with stage II or stage III gastric cancer, 2 nomograms and 1 .... Propensity score matching analysis was performed for receiving the .... plus oxaliplatin with observation after D2 gastrectomy for patients with stage II or III GC.

### <sup>[PDF]</sup> Effect of Early Adjuvant Chemotherapy on Survival of Advanced ...

<https://jgc-online.org/Synapse/Data/PDFData/1100JGC/jgc-18-58.pdf> ▼ [翻译此页](#)

作者: Y Lee - 2018 - [相关文章](#)

2018年3月13日 - in the early AC group (n=174) were matched 1:1 with patients in the ... Patients who undergo curative D2 gastrectomy for pathologic stage II or III gastric .... of AC were used in this study: