

## Predictors of Pathologic Complete Response in Rectal Cancer ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26559272> ▼ 翻译此页

作者: YD Han - 2015 - 被引用次数: 9 - 相关文章

Predictors of **Pathologic Complete Response** in **Rectal Cancer** Patients ... **Preoperative chemoradiotherapy** (CRT) is the standard of care for patients with ... The aim of this **study** was to analyze clinical factors that might be predictive of pCR. ... of middle **rectal cancer** patients was **higher** in pCR group (54.9%,  $P = 0.028$ ).

## Predictors of Pathologic Complete Response Following Neoadjuvant ...

<https://www.ncbi.nlm.nih.gov/pubmed/26668083> ▼ 翻译此页

作者: E Al-Sukhni - 2016 - 被引用次数: 24 - 相关文章

BACKGROUND: Some patients with **rectal cancer** who receive neoadjuvant **chemoradiotherapy** (nCRT) achieve a **pathologic complete response** (pCR) and ... The aim of this **study** was to identify variables that predict pCR after nCRT for **rectal cancer** ... Complete response was not **associated** with an **increased** risk of major ...

## Mismatch Repair Gene Expression as a Predictor of Tumor ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26817916> ▼ 翻译此页

作者: JW Huh - 2016 - 被引用次数: 1 - 相关文章

MMR **protein expression** was measured by immunohistochemistry in both ... **rectal cancer** who underwent **preoperative chemoradiotherapy** and radical surgery. ... A **pathologic complete response** (pCR) was observed in 30 patients (14.4%). ... The pre-MSH6 **expression** was significantly **associated** with tumor **budding** and ...

## David Gibbons's scientific contributions | Saint Luke's Hospital (Ireland ...

[https://www.researchgate.net/scientific.../2120398071\\_David\\_Gibbons](https://www.researchgate.net/scientific.../2120398071_David_Gibbons) - 翻译此页

David Gibbons's scientific contributions including: Tumour **Budding** and Poorly ... Abstract: **Mismatch repair** deficient (dMMR) **colorectal cancer** (CRC) despite its ... in 33 Kinase-**Related** Genes in Locally Advanced **Rectal Cancer**: A Pilot **Study** ... biopsies with **pathological response** to neoadjuvant **chemoradiotherapy** and ...



### *Case Control Study*

**Mismatch repair proteins expression and intratumoral budding in rectal cancer are associated with increased of pathologic complete response to preoperative chemoradiotherapy: A case-control study**

Lino-Silva LS *et al.* Pathologic complete response in rectal cancer

Leonardo S Lino-Silva, Armando Gamboa-Domínguez, Diego Zúñiga-Tamayo, Rosa A Salcedo-Hernández, Lucely Cetina, David Cantú-de-León

#### Match Overview

1	<b>Crossref</b> 26 words Patricia E. López-Correa, Leonardo S. Lino-Silva, Armando Gamboa-Domínguez, César Zepeda-Najar, Rosa A. Salcedo-Hernández, Lucely Cetina, David Cantú-de-León	1%
2	<b>Internet</b> 14 words crawled on 06-May-2016 <a href="http://jnm.snmjournals.org">jnm.snmjournals.org</a>	1%
3	<b>Crossref</b> 14 words Wallin, Ulrik, David Rothenberger, Ann Lowry, Russell Luepker, and Anders Mellgren. "CEA – A Predictor for Pathologic Complete Response in Rectal Cancer: A Case-Control Study"	1%
4	<b>Internet</b> 13 words crawled on 07-May-2016 <a href="http://www.esciencecentral.org">www.esciencecentral.org</a>	1%
5	<b>Crossref</b> 12 words Nougaret, Stephanie, Shinya Fujii, Helen C. Addley, Frederic Bibeau, Himanshu Pandey, Hisham Mikhael, Caroline R. Cote, et al. "Pathologic Complete Response in Rectal Cancer: A Case-Control Study"	1%



[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 1,750 条结果 (用时 0.57 秒)

### Mismatch Repair Gene Expression as a Predictor of Tumor ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26817916> ▼ [翻译此页](#)

作者: JW Huh - 2016 - 被引用次数: 1 - [相关文章](#)

Mismatch Repair Gene Expression as a Predictor of Tumor Responses in Patients With Rectal Cancer Treated With Preoperative Chemoradiation. ... A pathologic complete response (pCR) was observed in 30 patients (14.4%). ... was significantly associated with tumor budding and expression of all MMR proteins.

### Tumour budding in rectal cancer. A comprehensive review - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103233/> - [翻译此页](#)

作者: LS Lino-Silva - 2018

2018年6月30日 - TB has been studied by mixing colon with rectal tumours, but it is clinically ...

Keywords: colorectal cancer, tumour budding, ..... degree were associated with more pathologic complete response ... Tumour budding is very rare in cancers that have a deficiency of DNA mismatch repair proteins (MMR) [51–53].

### Predictors of Pathologic Complete Response in Rectal Cancer ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26559272> ▼ [翻译此页](#)

作者: YD Han - 2015 - 被引用次数: 9 - [相关文章](#)

Predictors of Pathologic Complete Response in Rectal Cancer Patients ... Preoperative chemoradiotherapy (CRT) is the standard of care for patients with ... The aim of this study was to analyze clinical factors that might be predictive of pCR. ... of middle rectal cancer patients was higher in pCR group (54.9%,  $P = 0.028$ ).

### (PDF) Prognostic significance of tumor budding in rectal cancer ...

[https://www.researchgate.net/.../252324575\\_Prognostic\\_significance\\_of\\_tum...](https://www.researchgate.net/.../252324575_Prognostic_significance_of_tum...) - [翻译此页](#)

2018年7月31日 - PDF | Tumour budding is an increasingly important prognostic feature ... Download full-text PDF ... pathological response to neoadjuvant chemoradiotherapy (higher ... study was to correlate intra-tumoral budding in pre-treatment rectal ..... of tumor grade, assessment of mismatch-repair protein expression, ...

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 3,840 条结果 (用时 0.64 秒)

### Mismatch Repair Gene Expression as a Predictor of Tumor ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26817916> ▾ [翻译此页](#)作者 : JW Huh - 2016 - 被引用次数 : 1 - [相关文章](#)

Mismatch Repair Gene Expression as a Predictor of Tumor Responses in Patients With Rectal Cancer Treated With Preoperative Chemoradiation. ... A pathologic complete response (pCR) was observed in 30 patients (14.4%). ... was significantly associated with tumor budding and expression of all MMR proteins.

### Predictors of Pathologic Complete Response in Rectal Cancer ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26559272> ▾ [翻译此页](#)作者 : YD Han - 2015 - 被引用次数 : 9 - [相关文章](#)

Predictors of Pathologic Complete Response in Rectal Cancer Patients ... Preoperative chemoradiotherapy (CRT) is the standard of care for patients with ... The aim of this study was to analyze clinical factors that might be predictive of pCR. ... of middle rectal cancer patients was higher in pCR group (54.9%,  $P = 0.028$ ).

### Tumour budding in rectal cancer. A comprehensive review - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103233/> - [翻译此页](#)

作者 : LS Lino-Silva - 2018

2018年6月30日 - Keywords: colorectal cancer, tumour budding, ..... in the tumour stroma of cases with increased expression of CD8+ and ... low degree were associated with more pathologic complete response ... Tumour budding is very rare in cancers that have a deficiency of DNA mismatch repair proteins (MMR) [51–53].

### (PDF) Prognostic significance of tumor budding in rectal cancer ...

[https://www.researchgate.net/.../252324575\\_Prognostic\\_significance\\_of\\_tum...](https://www.researchgate.net/.../252324575_Prognostic_significance_of_tum...) - [翻译此页](#)

2018年7月31日 - PDF | Tumor budding is an increasingly important prognostic feature ... Download full-text PDF ... pathological response to neoadjuvant chemoradiotherapy (higher ... study was to correlate intra-tumoral budding in pre-treatment rectal ..... of tumor grade, assessment of mismatch-repair protein expression, ...

### Jan Lindebjerg's research works | University of Southern Denmark ...

[https://www.researchgate.net/scientific-contributions/38749444\\_Jan\\_Lindebjerg](https://www.researchgate.net/scientific-contributions/38749444_Jan_Lindebjerg)

Jan Lindebjerg's research while affiliated with University of Southern Denmark ... Characterization of miR-21 expression in budding colon cancer cells using ..... in the serum and proficient mismatch repair