



- 时间不限
- 2019以来
- 2018以来
- 2015以来
- 自定义范围...

- 按相关性排序
- 按日期排序

- 不限语言
- 中文网页
- 简体中文网页

- 包括专利
- 包含引用

创建快讯

您是不是要找 : [Postoperative urinary retention: Review of literature](#)

[PDF] [Urinary retention following lower limb arthroplasty: analysis of predictive factors and review of literature](#)

[PDF] [semanticscholar.org](#)

R Kotwal, P Hodgson... - *Acta Orthopaedica* ..., 2008 - [pdfs.semanticscholar.org](#)  
 ... benefit if the operating surgeon could identify which patients are likely to develop **post-operative urinary retention** ... discomfort with inability to void and with clinical evidence of a distended **bladder**. Patients with **urinary retention** were catheterised by the on-call doctor or by a ...  
 ☆ 被引用次数 : 29 相关文章 所有 6 个版本

'Protective premedication': an option with gabapentin and related drugs? A **review** of gabapentin and pregabalin in the treatment of **post-operative pain**

JB Dahl, O Mathiesen... - *Acta Anaesthesiologica* ..., 2004 - *Wiley Online Library*  
 ... This **review** presents a brief summary of the potential mechanisms of **post-operative** ... In another study, vomiting and **urinary retention** were reduced with gabapentin (21), whereas no ... In the only randomized, double-blind, placebo-controlled trial on **post-operative** pain retrieved ...  
 ☆ 被引用次数 : 333 相关文章 所有 6 个版本

Tension-free vaginal tape (TVT) in the treatment of **urinary** stress incontinence: 3 years experience involving 256 operations

P Debodinance, P Delporte, JB Engrand... - *European Journal of* ..., 2002 - Elsevier  
 ... Long-term **post-operative** complications, **Urinary** urgency, 35 (18), 6 (9.5), 41 (16) ... prosthesis is tension free, a minimally invasive operation and unlike any of the operations involving fronds or suspensions which would force us to stay beside the neck of the **bladder**, this operation ...  
 ☆ 被引用次数 : 216 相关文章 所有 6 个版本

... **biodegradable self-reinforced poly-dl-lactic acid spiral stent** compared with a suprapubic catheter in the treatment of **post-operative urinary retention** after visual laser ...

[PDF] [wiley.com](#)

A Petas, M Talja, TLJ Tammela, K Taari... - *British journal of* ..., 1997 - *Wiley Online Library*  
 ... stent compared with a suprapubic catheter in the treatment of **post-operative urinary retention** after visual laser ... spiral fragments were found in the prostatic urethra or the **urinary bladder** in 20 ... stent is safe and effective for the treatment of **post-operative urinary retention** after laser ...  
 ☆ 被引用次数 : 56 相关文章 所有 5 个版本

## Match Overview

**Name of Journal:** *World Journal of Anesthesiology*

**Manuscript NO:** 40768

**Manuscript Type:** REVIEW

**Post-operative urinary retention: Review of literature**

Garg R *et al.* Post-operative urinary retention

**Abstract**

Postoperative urinary retention (POUR) is one of the postoperative complications which is often underestimated and often gets missed and causes lot of discomfort to the patient. POUR is essentially the inability to void despite a full bladder in the postoperative period. The reported incidence varies for the wide range of 5-70%. Multiple factors and etiology have been reported for occurrence of POUR and these depend on the type of anaesthesia, type and duration of surgery, underlying comorbidities, and drugs used in perioperative period. Untreated POUR can lead to

There are no matching sources for this report.



找到约 15,400 条结果 (用时0.12秒)

文章

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言


中文网页

简体中文网页

包括专利

包含引用

创建快讯



您是不是要找: [Postoperative Urinary Retention \(FOR\): A Narrative Review](#)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

[EAU 2004 guidelines on assessment, therapy and follow-up of men with lower urinary tract symptoms suggestive of benign prostatic obstruction \(BPH guidelines\)](#)

[PDF] [europeanurology.com](#)

..., J Nordling, CR Sanz, M Emberton, JJ de la Rosette - European urology, 2004 - Elsevier  
... heated to temperatures exceeding 45C unless continuous irrigation of the bladder is performed ...  
The rates of postoperative urinary retention and the need for unplanned secondary catheterization ...  
is the lack of immediate effect and requirement for post-operative catheterization for ...

☆ 99 被引用次数: 722 相关文章 所有 11 个版本

[Do surgical patients benefit from perioperative gabapentin/pregabalin? A systematic review of efficacy and safety](#)

[PDF] [osu.edu](#)

EM Tiippana, K Hamunen, VK Kontinen... - Anesthesia & ..., 2007 - journals.lww.com

BACKGROUND: Gabapentin and pregabalin have antiallodynic and antihyperalgesic properties useful for.

☆ 99 被引用次数: 463 相关文章 所有 10 个版本

[Tension-free vaginal tape \(TVT\) in the treatment of urinary stress incontinence: 3 years experience involving 256 operations](#)

P Debodinance, P Delporte, JB Engrand... - European Journal of ..., 2002 - Elsevier  
... Long-term post-operative complications, Urinary urgency, 35 (18), 6 (9.5), 41 (16) ... prosthesis  
is tension free, a minimally invasive operation and unlike any of the operations involving fronds  
or suspensions which would force us to stay beside the neck of the bladder, this operation ...

☆ 99 被引用次数: 213 相关文章 所有 6 个版本

[Regional anesthesia versus general anesthesia for surgery on the lumbar spine:](#)

[HTML] [researchgate.net](#)

找到约 25,100 条结果 (用时0.10秒)

 我的个人学术档案 我的图书馆

Google 已关闭此广告

停止显示此广告

为什么显示该广告? ▶

您是不是要找: [Postoperative urinary retention: Review of literature](#)

[PDF] [Urinary retention following lower limb arthroplasty: analysis of predictive factors and review of literature](#)

R Kotwal, P Hodgson... - Acta Orthopaedica ..., 2008 - pdfs.semanticscholar.org

... benefit if the operating surgeon could identify which patients are likely to develop **post-operative urinary retention** ... discomfort with inability to void and with clinical evidence of a distended **bladder**. Patients with **urinary retention** were catheterised by the on-call doctor or by a ...

☆  被引用次数: 29 [相关文章](#) [所有 6 个版本](#) 

[PDF] [semanticscholar.org](#)

'Protective premedication': an option with gabapentin and related drugs? A **review** of gabapentin and pregabalin in the treatment of **post-operative pain**

JB Dahl, O Mathiesen... - Acta Anaesthesiologica ..., 2004 - Wiley Online Library

... This **review** presents a brief summary of the potential mechanisms of **post-operative** ... In another study, vomiting and **urinary retention** were reduced with gabapentin (21), whereas no ... In the only randomized, double-blind, placebo-controlled trial on **post-operative** pain retrieved ...

☆  被引用次数: 333 [相关文章](#) [所有 6 个版本](#)

[sci-hub 下载](#)

Tension-free vaginal tape (TVT) in the treatment of **urinary** stress incontinence: 3 years experience involving 256 operations

P Debodinance, P Delporte, JB Engrand... - European Journal of ..., 2002 - Elsevier

... Long-term **post-operative** complications, **Urinary** urgency, 35 (18), 6 (9.5), 41 (16) ... prosthesis is tension free, a minimally invasive operation and unlike any of the operations involving fronds or suspensions which would force us to stay beside the neck of the **bladder**, this operation ...

☆  被引用次数: 216 [相关文章](#) [所有 6 个版本](#)

[sci-hub 下载](#)

... biodegradable self-reinforced poly-dl-lactic acid spiral stent compared with a suprapubic catheter in the treatment of **post-operative urinary retention** after visual laser

[PDF] [wiley.com](#)