

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 58,700 条结果（用时 0.52 秒）

Diagnosis and treatment of diabetic ketoacidosis and the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC151994/>  翻译此页

作者: JL Chiasson - 2003 - 被引用次数: 349 - 相关文章

2003年4月1日 - The diagnosis is confirmed by the **blood** pH, serum **bicarbonate** level and serum The **sodium** chloride deficit in **DKA** and HHS is usually 5–13 The **use** of **bicarbonate** in the treatment of **DKA** remains controversial. **Review: diabetic ketoacidosis** and hyperglycemic hyperosmolar nonketotic syndrome.

Recent advances in the monitoring and management of diabetic ...

<https://academic.oup.com/qjmed/article/97/12/773/1566612>  翻译此页

作者: TM Wallace - 2004 - 被引用次数: 137 - 相关文章

跳到**Management of DKA** - With prolonged **use** of dextrose, there is potential for hyponatraemia ... respectively, the fluid regimen and sliding scale should be **reviewed**. ... The administration of **sodium bicarbonate** is virtually never indicated. ... advantage of being much less invasive than arterial **blood gas monitoring**, ...

Diabetic Ketoacidosis: Evaluation and Treatment - - American Family ...

<https://www.aafp.org/afp/2013/0301/p337.html> - 翻译此页

2013年3月1日 - **Diabetic ketoacidosis** is characterized by a serum glucose level greater than ... intravenous fluids and insulin, and **monitoring** glucose and electrolyte levels. ... L (18 mmol per L).4 Although arterial **blood gas** measurement remains the most Cl = chloride; HCO₃ = **bicarbonate**; K =

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 40973

Manuscript Type: MINIREVIEWS

Use of sodium bicarbonate and blood gas monitoring in diabetic ketoacidosis: A review

Mit P Patel, Ali Ahmed, Tharini Gunapalan, Sean E Hesselbacher

Abstract

Diabetic ketoacidosis is a severe and too-common complication of uncontrolled diabetes mellitus. Acidosis is one of the fundamental disruptions stemming from the disease process, the complications of which are potentially lethal. Hydration and insulin administration have been the cornerstones of diabetic ketoacidosis therapy; however,

Match Overview

- | Match | Source | Words | Similarity |
|-------|---|----------|------------|
| 1 | Internet
crawled on 22-Sep-2011
diabetesmanager.pbworks.com | 15 words | <1% |
| 2 | Crossref
Hornig Chua. "Bicarbonate in diabetic ketoacidosis: a systematic review" <i>Annals of Internal Medicine</i> | 15 words | <1% |
| 3 | Internet
crawled on 10-Jun-2018
academic.oup.com | 15 words | <1% |

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 51,000 条结果 (用时 0.52 秒)

Diagnosis and treatment of diabetic ketoacidosis and the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC151994/> ▼ [翻译此页](#)

作者: JL Chiasson - 2003 - 被引用次数: 350 - [相关文章](#)

2003年4月1日 - The diagnosis is confirmed by the **blood** pH, serum **bicarbonate** level and serum osmolality. ... **Diabetic ketoacidosis (DKA)** and the hyperglycemic hyperosmolar state As with **sodium**, the presence of hyperglycemia leads to a shift of The **use** of **bicarbonate** in the treatment of **DKA** remains controversial.

Recent advances in the monitoring and management of diabetic ...

<https://academic.oup.com/qjmed/article/97/12/773/1566612> ▼ [翻译此页](#)

作者: TM Wallace - 2004 - 被引用次数: 137 - [相关文章](#)

跳到**Management of DKA** - With prolonged **use** of dextrose, there is potential for hyponatraemia ... respectively, the fluid regimen and sliding scale should be **reviewed**. ... The administration of **sodium bicarbonate** is virtually never indicated. ... advantage of being much less invasive than arterial **blood gas monitoring**, ...

Emergency management of diabetic ketoacidosis in adults ...

<https://emj.bmj.com/content/20/3/210> ▼ [翻译此页](#)

作者: RD Hardem - 2003 - 被引用次数: 42 - [相关文章](#)

The authors propose a regimen for managing **diabetic ketoacidosis** in adults ... anion gap (available immediately on some "**blood gas** analysers"); an anion gap >20 ... Avoid central lines unless essential for **monitoring** in severely ill patients. administration and that bicarbonate (1 litre 150 mM **sodium bicarbonate** over one ...

[PDF] Diabetes - AACN

<https://www.aacn.org/docs/cemedia/ACC4332.pdf> ▼ [翻译此页](#)

找到约 51,400 条结果 (用时 0.51 秒)

Diagnosis and treatment of diabetic ketoacidosis and the ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC151994/> ▼ 翻译此页

作者: JL Chiasson - 2003 - 被引用次数: 350 - 相关文章

2003年4月1日 - The diagnosis is confirmed by the **blood** pH, serum **bicarbonate** level and serum osmolality. ... **Diabetic ketoacidosis** (DKA) and the hyperglycemic hyperosmolar state As with **sodium**, the presence of hyperglycemia leads to a shift of The **use** of **bicarbonate** in the treatment of **DKA** remains controversial.

Recent advances in the monitoring and management of diabetic ...

<https://academic.oup.com/qjmed/article/97/12/773/1566612> ▼ 翻译此页

作者: TM Wallace - 2004 - 被引用次数: 137 - 相关文章

跳到 **Management of DKA** - With prolonged **use** of dextrose, there is potential for hyponatraemia ... respectively, the fluid regimen and sliding scale should be **reviewed**. ... The administration of **sodium bicarbonate** is virtually never indicated. ... advantage of being much less invasive than arterial **blood gas monitoring**, ...

(PDF) Bicarbonate therapy in diabetic ketoacidosis - ResearchGate

https://www.researchgate.net/.../23936498_Bicarbonate_therapy_in_diabetic_ketoacid... ▼

In the treatment of **diabetic ketoacidosis** (DKA), the aggressive management of hyperglycemia, ... **use** of bicarbonate in **DKA** with arterial pH values <6.9 have been published. ... **blood gases** (ABG) showed: pH: 6.82, PCO2 very low (unde- ... **monitoring**. should receive **sodium bicarbonate** until the venous pH is 7.0 (3).

Emergency management of diabetic ketoacidosis in adults ...

<https://emj.bmj.com/content/20/3/210> ▼ 翻译此页

作者: RD Hardern - 2003 - 被引用次数: 42 - 相关文章

The authors propose a regimen for managing **diabetic ketoacidosis** in adults based on ... anion gap (available immediately on some "**blood gas** analysers"); an anion gap The half life of circulating insulin is five minutes; **use** of an intravenous ... administration and that bicarbonate (1 litre 150 mM **sodium bicarbonate** over ...

[PDF] Management of Diabetic Ketoacidosis

https://www.aci.health.nsw.gov.au/.../liverpoolDiabetic_Ketoacidosis.pdf ▼ 翻译此页

2011年10月10日 - Patients admitted to ICU with **DKA** (**Diabetic Ketoacidosis**) will be monitored and ... Previous **Review** Dates: ... In the absence of an arterial line, a venous **blood gas** ... (Serum **Sodium** + Potassium) - (Serum Chloride + **Bicarbonate**) ... same time as **use** of insulin infusion after discussion