

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 41053

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

Ursodeoxycholic acid combined with percutaneous transhepatic balloon dilation for management of gallstones after elimination of common bile duct stones

Hai-Yang Chang, Chang-Jun Wang, Bin Liu, Yong-Zheng Wang, Wu-Jie Wang, Wei Wang, Dong Li, Yu-Liang Li

**Abstract**

*AIM*

To evaluate the effectiveness and safety of combined ursodeoxycholic acid and percutaneous transhepatic balloon dilation for management of gallstones after

Match Overview

1

Crossref 18 words  
Frank Lammert. "Gallstone Disease", Textbook of Hepatology, 06/06/2007

1%

找到约 5,430 条结果 (用时 0.69 秒)

## Posters - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2020606/> - 翻译此页

In 1994, **percutaneous transhepatic** cholangiography at our institution ... Until 2000, she had a relatively benign course with **ursodeoxycholic acid treatment**. In 2001, **balloon dilation** of the hilar strictures was performed. ... loss in the early postoperative period and a **bile duct** stricture developed in 1 of the right lobe recipients.

## Various Techniques for the Surgical Treatment of Common Bile Duct ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2722154/> ▼ 翻译此页

作者: A Shojaiepard - 2009 - 被引用次数: 83 - 相关文章

2009年8月6日 - **Common bile duct stones** (CBDSs) may occur in up to 3%–14.7% of all patients for ... PTC: **Percutaneous transhepatic** catheter drainage, TC-CBDE: Transcystic .... Endoscopic **balloon dilation** of the papilla has been advocated as an ..... The use of **ursodeoxycholic acid** (UDCA) and chenodeoxycholic acid ...

缺少字词: expulsion

## general surgery & transplant Flashcards | Quizlet

<https://quizlet.com/5466824/general-surgery-transplant-flash-cards/> ▼ 翻译此页

These **gallstones** are called "silent stones" and do not require **treatment**. ... by oral **ursodeoxycholic acid**, but it may be required that the patient takes this ... The **gallbladder** pushes bile into the intestine through the **bile duct**. .... and may follow **percutaneous transhepatic** cholangiography or occlusion of endoscopic stents.

## Case series: Management of difficult gallstones obstructing bile ducts

[www.scielo.org.co/scielo.php?pid=S0120-99572015000400010...sci...](http://www.scielo.org.co/scielo.php?pid=S0120-99572015000400010...sci...) ▼ 翻译此页

作者: M Gómez Zuleta - 2015 - 相关文章

Endoscopic papillary **dilation** with a large **balloon** has also proven useful for ... difficult, the preferred technique is a **transhepatic** approach combined with **percutaneous** ... Calculi of the **common bile duct** are present in 7% to 12% of patients who ... Figure 1 shows ERCP with large **stones** and **bile duct** measuring only 5mm.

缺少字词: expulsion

## Diseases of the Gallbladder and Bile Ducts | eMedMD.com

[www.emedmd.com/content/diseases-gallbladder-and-bile-ducts](http://www.emedmd.com/content/diseases-gallbladder-and-bile-ducts) ▼ 翻译此页

Attempts by the **gallbladder** to expel the **stone** or **stones**, however, can cause ... (e.g. oral bile **acid** therapy, contact dissolution after **transhepatic** catheterization of the ... These tests reveal **dilated bile ducts** and may also indicate the position of the .... The preferred **treatment** is combination therapy with chenodeoxycholic acid.

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 38,300 条结果 (用时 0.55 秒)

### Management of suspected stones in the common bile duct - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3348191/> ▾ [翻译此页](#)

作者: MA Almadi - 2012 - 被引用次数: 36 - [相关文章](#)

The management of patients with gallstone disease suspected of having ... A dilated common bile duct on ultrasound, hyperbilirubinemia and jaundice had ..... percutaneous transhepatic cholangiography can be used to facilitate access to the ..... Combination of endoprotheses and oral ursodeoxycholic acid or placebo in ...

### Treatment of non-extractable common bile duct stones with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/8365601> ▾ [翻译此页](#)

作者: GK Johnson - 1993 - 被引用次数: 70 - [相关文章](#)

Treatment of non-extractable common bile duct stones with combination ... Ten patients were treated with ursodeoxycholic acid, and 12 patients treated only with ...

缺少字词: percutaneous transhepatic balloon dilation elimination

### Ursodeoxycholic acid therapy in gallbladder disease, a story not yet ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3746374/> ▾ [翻译此页](#)

作者: MPL Guarino - 2013 - 被引用次数: 60 - [相关文章](#)

2013年8月21日 - The recommended dose of UDCA for gallbladder stones is 8-10 mg/kg per day, ... Guinea pigs submitted to common bile duct ligation develop acute .... methyl tert-butyl ether administered by percutaneous transhepatic catheter. .... Effects of combined treatment with pravastatin and ursodeoxycholic acid on ...

缺少字词: balloon dilation elimination

### EASL Clinical Practice Guidelines on the prevention, diagnosis and ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(16\)30032-0/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(16)30032-0/pdf) - [翻译此页](#)





Ursodeoxycholic acid combined with percutaneous transhepatic balloon



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 42,200 条结果 (用时 0.71 秒)

### Management of suspected stones in the common bile duct - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3348191/> ▼ 翻译此页

作者: MA Almadi - 2012 - 被引用次数: 36 - 相关文章

The management of patients with gallstone disease suspected of having ... A dilated common bile duct on ultrasound, hyperbilirubinemia and jaundice had ..... percutaneous transhepatic cholangiography can be used to facilitate access to the ..... Combination of endoprostheses and oral ursodeoxycholic acid or placebo in ...

### Treatment of non-extractable common bile duct stones with ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/8365601> ▼ 翻译此页

作者: GK Johnson - 1993 - 被引用次数: 70 - 相关文章

Treatment of non-extractable common bile duct stones with combination ... Ten patients were treated with ursodeoxycholic acid, and 12 patients treated only with ...

缺少字词: percutaneous transhepatic balloon dilation elimination

### Ursodeoxycholic acid therapy in gallbladder disease, a story not yet ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3746374/> ▼ 翻译此页

作者: MPL Guarino - 2013 - 被引用次数: 60 - 相关文章

2013年8月21日 - The recommended dose of UDCA for gallbladder stones is 8-10 mg/kg per day, ... Guinea pigs submitted to common bile duct ligation develop acute .... methyl tert-butyl ether administered by percutaneous transhepatic catheter. ... Effects of combined treatment with pravastatin and ursodeoxycholic acid on ...

缺少字词: balloon dilation elimination

### Biliary Disease Treatment & Management: Medical Care, Surgical ...

<https://emedicine.medscape.com/article/171386-treatment> ▼ 翻译此页

2018年5月2日 - The most frequent isolates from the gallbladder or the common bile duct ... with PSC, including ursodeoxycholic acid (UDCA), corticosteroids, ... process (ie, the destruction of small intralobular hepatic bile ducts). ... biliary sphincterotomy and stone extraction using a balloon-tipped catheter or wire basket.