

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 223,000 条结果 (用时 0.62 秒)

Advanced gastric cancer: What we know and what we still have to learn

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4716026/> ▾ [翻译此页](#)

作者: F Cocolini - 2016 - 被引用次数: 19 - 相关文章

2016年1月21日 - Surgery, the cornerstone of **treatment** for **advanced gastric cancer**, is analyzed first, ... **Differences** exist between the JCGC **and** the TNM **classification and** are Surgical therapy of GC **should** be **based** on radical surgery aiming to ... from the Surveillance Epidemiology **and** End Results (SEER) **database**.

Early Versus Delayed Therapy of Advanced Gastric Cancer Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4580507/> ▾ [翻译此页](#)

作者: E Elimova - 2015 - 被引用次数: 1 - 相关文章

2015年7月8日 - ~50% of patients are diagnosed with **advanced gastric cancer** (AGC). ... on OS suggesting **that** timing of therapy **can** be **based** on patient selection. ... the 5-year relative survival rate was only 27% according to the **SEER database**. ... **Differences** in age **and** BMI were compared by the Kruskal-Wallis test.

645P Young-onset gastric cancer: The role of microbial factors

<https://academic.oup.com/annonc/article-pdf/28/suppl.../mdx369.029.pdf> - [翻译此页](#)

作者: I Ben-Aharon - 2017

The **N** stages for **early gastric cancer** should differ from those of **advanced gastric cancer: Results based** on the **SEER database**. J-X. Lin, H. Chang-Ming, ... **that** were **classified** GC into four subtypes among which is the Epstein-Barr Virus.

[PDF] DO PROXIMAL AND DISTAL GASTRIC TUMOURS BEHAVE ...

www.scielo.br/pdf/abcd/v29n4/0102-6720-abcd-29-04-00232.pdf ▾ [翻译此页](#)

作者: L B COSTA - 2016 - 被引用次数: 2 - 相关文章

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 41453

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

New metastasis lymph node classification for early gastric cancer should differ from those of advanced gastric adenocarcinoma: Results based on the SEER database

Jian-Xian Lin, Jun-Peng Lin, Ping Li, Jian-Wei Xie, Jia-bin Wang, Jun Lu, Qi-Yue Chen, Long-long Cao, Mi Lin, Ru-Hong Tu, Chao-Hui Zheng, Chang-Ming Huang

Match Overview

1	Crossref 79 words Jun Lu, Chao-Hui Zheng, Long-Long Cao, S hao Wei Lin et al. "Validation of the Americ	2%
2	Crossref 67 words Feng Shen, Junhui Cui, Ke Cai, Haiqiang P an, Hui P Li, Fang Yu. "Prognostic accuracy	1%
3	Internet 31 words crawled on 09-Jul-2018 www.esmo.org	1%
4	Crossref 29 words Jian-Xian Lin, Chang-Ming Huang, Chao-H ui Zheng, Ping Li et al. "Is it necessary to di	1%
5	Crossref 29 words Jian-Xian Lin, Wei Wang, Jun-Peng Lin, Jia n Wei Xie et al. "Prognostic Tumor Marker	1%
6	Crossref 23 words Jian-Xian Lin, Jun-Peng Lin, Ping Li, Jian-W ei Xie et al. "Which staging system better pre	1%
7	Crossref 22 words Zhang, Hao, Wei Wang, Dongmei Diao, Yao Chang, Yanqun Song, Kun Zhu, and Cha	<1%
8	Internet 20 words crawled on 19-Jun-2015 www.freepatentsonline.com	<1%
9	Internet 17 words crawled on 24-Jul-2018 oncologypro.esmo.org	<1%
10	Crossref 16 words Jiping Wang. "Comparison of a Lymph Node Ratio Based Staging System With the 7th A	<1%
11	Crossref 15 words Choi, Kyung Hak, Byung Sik Kim, Seong Ta n Oh, Jeong Hwan Yeok, and Beom Su Kim	<1%

找到约 86,400 条结果 (用时 0.59 秒)

[PDF]

Differences in gastric cancer surgery outcome between East ... - JBUON

<https://www.jbuon.com/pdfs/23-5/23-5-1210-1215.pdf> ▼ 翻译此页

作者 : J Griniatsos

2018年6月28日 - in **gastric cancer** patients who **should** have undergone a D2 dissection, while it disclosed **that** the D2 **lymph node** dis- ... rence, lower rates of liver **metastases** and lower cancer-related death rates ... stage amongst Korea, Japan, US (**SEER data** 1973- ... In Japan, **gastric carcinoma** diagnosis is **based**.

Lymph Node Metastasis of Gastric Cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3757408/> - 翻译此页

作者 : T Akagi - 2011 - 被引用次数 : 39 - 相关文章

2011年4月26日 - Even in **early gastric cancer** (EGC), the incidence of **lymph node** (LN) ... the progression of LN **metastasis** from EGC to **advanced gastric cancer** (AGC) and the status and End **Results** (**SEER**) **database** between 1973 and 2000) [86]. a **new classification** for N categories **that** was **based** on the number of ...

Differences in Clinicopathology of Early Gastric Carcinoma between ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4550893/> ▼ 翻译此页

作者 : Q Huang - 2015 - 被引用次数 : 23 - 相关文章

2015年8月27日 - **Early gastric carcinoma** (EGC) in Chinese patients remains poorly understood and ... or the submucosa, irrespective of the status of **lymph node metastasis**. Our **data** indicate a heterogeneous nature of EGC **that can** be divided ... in **advanced gastric cancer**, **classified** as undifferentiated **carcinoma**, and ...

缺少字词 : seer