

1 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 41677

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Different distributions of Cajal interstitial cells and platelet-derived growth factor receptor- α positive cells in colonic smooth muscle cell - Cajal interstitial cell - platelet-derived growth factor receptor- α syncytium in mouse

Lu C *et al.* Distributions of interstitial cells in colon

Chen Lu, Xu Huang, Hong-Li Lu, Shao-Hua Liu, Jing-Yu Zang, Yu-Jia Li, Jie Chen, Wen-Xie Xu

Abstract

AIM

To investigate the distribution and function of the two interstitial cells that

Match Overview

1	Internet 17 words crawled on 05-Oct-2017 real.mtak.hu	<1%
2	Crossref 16 words Terence Keith Smith, Sang Don Koh. "A model of the enteric neural circuitry underlying the generation of rhythmic motoi ...	<1%
3	Internet 15 words crawled on 10-Dec-2017 www.j3.jstage.jst.go.jp	<1%
4	Internet 15 words crawled on 01-Jun-2017 physrev.physiology.org	<1%
5	Crossref 15 words Anne Marie O'Donnell, David Coyle, Prem Puri. "Decreased ... xpression of NEDL2 in Hirschsprung's disease", Journal of P	<1%
6	Internet 14 words crawled on 04-Mar-2016 www.wjgnet.com	<1%
7	Internet 12 words crawled on 02-Feb-2015 www.science.gov	<1%

找到约 220 条结果 (用时 0.54 秒)

Google 学术: Different distributions of ICCs and PDGFR α cells in colonic SIP syncytium in mouse

... of fibroblast-like (PDGFR α +) cells in the murine gastric ... - Baker - 被引用次数: 41

... cells, PDGFR α -positive cells, and interstitial cells of C ... - Peri - 被引用次数: 33

Regulation of gastrointestinal motility—insights from ... - Sanders - 被引用次数: 144

Distribution and Ca²⁺ signalling of fibroblast-like (PDGFR α +) cells in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3892471/> - 翻译此页

作者: SA Baker - 2013 - 被引用次数: 41 - 相关文章

2013年10月21日 - Distribution and Ca²⁺ signalling of fibroblast-like (PDGFR α +) cells in the ... referred to as the SMC/ICC/PDGFR α (SIP) syncytium (Sanders et al. ... of laboratory animals and humans, including the colon, small intestine and Fundus muscles of PDGFR α -eGFP mice were dissected as ... Statistical analysis.

Platelet-derived growth factor receptor- α -positive cells and not smooth ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4166738/> - 翻译此页

作者: M Kurahashi - 2014 - 被引用次数: 32 - 相关文章

2014年7月23日 - Keywords: purinergic inhibitory neurotransmission, colonic motility, smooth muscle layer ... ICCs and PDGFR α cells express receptors for enteric inhibitory Different cellular components of the SIP syncytium express specialized Distribution and Ca²⁺ signalling of fibroblast-like (PDGFR α +) cells in the ...

Colonic PDGFR α Overexpression Accompanied Forkhead ...

<https://www.karger.com/Article/FullText/480335> - 翻译此页

作者: H Lu - 2017 - 被引用次数: 1 - 相关文章

2017年8月28日 - Smooth muscle cells are electrically coupled to ICCs and PDGFR α cells, forming an integrated unit. ... Animals and the STZ-induced diabetic mouse model The SIP syncytium plays an important role in the regulation of colonic transit ... Western blot revealed different expression levels of (A) FOXO 3, (B) ...

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 3,250 条结果 (用时 0.65 秒)

Platelet-derived growth factor receptor- α -positive cells and not smooth

...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4166738/> - 翻译此页

作者: M Kurahashi - 2014 - 被引用次数: 34 - 相关文章

2014年7月23日 - Platelet-derived growth factor receptor- α -positive cells and not smooth muscle cells mediate purinergic hyperpolarization in murine colonic muscles ... and volume transmission to smooth muscle cell (SMC) receptors (38). ... of interstitial cells: interstitial cells of Cajal (ICC) and platelet-derived growth factor ...

Platelet-derived growth factor receptor α -positive cells in the tunica ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3477549/> - 翻译此页

作者: M Kurahashi - 2012 - 被引用次数: 49 - 相关文章

2012年6月28日 - Platelet-derived growth factor receptor α^+ cells are distinct from c-Kit⁺ interstitial ...
Keywords: interstitial cells of Cajal, fibroblast-like cell, enteric inhibitory ... In comparison, smooth muscle cells were far less responsive to purines and ... We investigated whether fibroblast-like cells in the human colon are ...

The Significance of Interstitial Cells in Neurogastroenterology

www.jnmjournal.org/journal/view.html?doi=10.5056/jnm14060 ▼ 翻译此页

作者: PJ Blair - 2014 - 被引用次数: 50 - 相关文章

Smooth muscle layers of the gastrointestinal tract consist of a heterogeneous ... cells of Cajal (ICC) and platelet-derived growth factor receptor alpha-positive ... motility is evident by the altered motility patterns in animal models where interstitial cell visualization possible in the mouse²⁸ and guinea-pig colon.^{29, 30} ICC-SS ...

Cellular Expression Profile for Interstitial Cells of Cajal in Bladder - A ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone...> ▼ 翻译此页

作者: W Yu - 2012 - 被引用次数: 27 - 相关文章

2012年11月7日 - Background Interstitial cells of Cajal (ICC) have been identified in ... that NTPDase2-positive cells lie closely adjacent to smooth muscle but are separate from them. ... Signaling through c-kit plays a role in cell survival, proliferation, and (2012) Platelet-derived growth factor receptor alpha cells in mouse

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 2,410 条结果 (用时 0.68 秒)

Platelet-derived growth factor receptor- α -positive cells and not smooth ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4166738/> - 翻译此页

作者: M Kurahashi - 2014 - 被引用次数: 34 - 相关文章

2014年7月23日 - Platelet-derived growth factor receptor- α -positive cells and not smooth muscle cells mediate purinergic hyperpolarization in murine colonic muscles ... and volume transmission to smooth muscle cell (SMC) receptors (38). ... of interstitial cells: interstitial cells of Cajal (ICC) and platelet-derived growth factor ...

Platelet-derived growth factor receptor α -positive cells in the tunica ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3477549/> - 翻译此页

作者: M Kurahashi - 2012 - 被引用次数: 49 - 相关文章

2012年6月28日 - Platelet-derived growth factor receptor α^+ cells are distinct from c-Kit $^+$ interstitial ... Keywords: interstitial cells of Cajal, fibroblast-like cell, enteric inhibitory ... In comparison, smooth muscle cells were far less responsive to purines and ... We investigated whether fibroblast-like cells in the human colon are ...

The Significance of Interstitial Cells in Neurogastroenterology

www.jnmjournal.org/journal/view.html?doi=10.5056/jnm14060 ▼ 翻译此页

作者: PJ Blair - 2014 - 被引用次数: 50 - 相关文章

Smooth muscle layers of the gastrointestinal tract consist of a heterogeneous ... cells of Cajal (ICC) and platelet-derived growth factor receptor alpha-positive ... motility is evident by the altered motility patterns in animal models where interstitial cell ... visualization possible in the mouse²⁸ and guinea-pig colon.^{29,30} ICC-SS ...

Cellular Expression Profile for Interstitial Cells of Cajal in Bladder - A ...

<https://journals.plos.org/plosone/article?id=10.1371/journal.pone...> ▼ 翻译此页

作者: W Yu - 2012 - 被引用次数: 27 - 相关文章

2012年11月7日 - Background Interstitial cells of Cajal (ICC) have been identified in ... that NTPDase2-positive cells lie closely adjacent to smooth muscle but are separate from them. ... Signaling through c-kit plays a role in cell survival, proliferation, and (2012) Platelet-derived growth factor receptor-alpha cells in mouse ...