

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 40,700 条结果 (用时 0.57 秒)

Nutrition in the ICU - CHEST

[journal.chestnet.org/article/S0012-3692\(15\)34610-9/abstract](http://journal.chestnet.org/article/S0012-3692(15)34610-9/abstract) - 翻译此页

作者: SV Desai - 2014 - 被引用次数: 42 - 相关文章

In this article, we review **and** summarize the data from a number of the published studies, including studies ... Outcomes of **Early vs Late Oral Nutrition** in **Patients With Diabetic Ketoacidosis Admitted** to a Single Academic Institution **Medical ICU** .

Diabetic ketoacidosis: Treatment in the intensive care unit or general ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5320747/> - 翻译此页

作者: Y Mendez - 2017 - 被引用次数: 1 - 相关文章

2017年2月15日 - In some observational studies **DKA patients admitted** to the **ICU** have ... department **or medical** ward for **patients** with **diabetic ketoacidosis** ... The treatment of acute **DKA** includes restoration of fluid deficits in the **first** 24 to 36 h, ...

缺少字词: late oral

Practical Management of Diabetes in Critically Ill Patients | American ...

<https://www.atsjournals.org/doi/full/10.1164/ajrccm.164.10.2103068> - 翻译此页

作者: JB BOORD - 2001 - 被引用次数: 112 - 相关文章

Type 2 diabetes results from a combination of insulin resistance **and** insulin ... Thus, the critical care physician may "discover" diabetes in **patients admitted** for an ... These complications appear **late** in the **first** decade after diabetes onset. of upper GI hemorrhage in **patients admitted** to the **intensive care unit** with **DKA** (20).

Guidelines for Perioperative Management of the Diabetic Patient

<https://www.hindawi.com/journals/srp/2015/284063/> - 翻译此页

作者: S Sudhakaran - 2015 - 被引用次数: 37 - 相关文章

2015年5月6日 - Management of glycemic levels in **diabetic patients** is critical, ... mg/dL during an **oral** glucose tolerance test (OGTT), **and** (4) random plasma glucose ... (43% of the total **medical** cost) being spent on inpatient hospital care [31]. ... **or** untreated before surgery **or** admittance to the **ICU** [39, 40]; clinicians must



Name of Journal: *World Journal of Diabetes*
Manuscript NO: 41716
Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

1 Early vs late oral nutrition in patients with diabetic ketoacidosis admitted to a medical intensive care unit

Lipatov K et al. Early oral nutrition in DKA

Kirill Lipatov, Kevin K Kurian, Courtney Shaver, Heath D White, Shekhar Ghamande, Alejandro C Arroliga, Salim Surani

Abstract

BACKGROUND

Diabetic ketoacidosis (DKA) has an associated mortality of 1% to 5%. Upon admission, patients require insulin infusion and close monitoring of electrolyte and blood sugar levels with subsequent transitioning to subcutaneous insulin and oral nutrition. No recommendations exist regarding the appropriate timing for initiation of oral nutrition.

AIM

To assess short-term outcomes of oral nutrition initiated within 24 h of patients being admitted to a medical intensive care unit (MICU) for DKA.

Match Overview



- 1** **Crossref** 30 words 1%
Kirill Lipatov, Susan Seago, Kevin Kurian, Jonathan Walsh, Mason Sanders, Molly Clark, Jason Ettlinger, Megan Newman.
- 2** **Internet** 12 words <1%
crawled on 09-Aug-2017
[preview-ccforum.biomedcentral.com](#)
- 3** **Crossref** 12 words <1%
Nutrition Support for the Critically Ill, 2016.

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 203,000 条结果 (用时 0.49 秒)

Outcomes of Early vs Late Oral Nutrition in Patients With Diabetic ...

[https://journal.chestnet.org/article/S0012-3692\(17\)31885-8/fulltext](https://journal.chestnet.org/article/S0012-3692(17)31885-8/fulltext) - 翻译此页

作者: K Lipatov - 2017

2017年11月1日 - Outcomes of **Early vs Late Oral Nutrition** in **Patients** With **Diabetic Ketoacidosis** **Admitted** to a Single Academic Institution **Medical ICU**.

Diabetic ketoacidosis: Treatment in the intensive care unit or general ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5320747/> - 翻译此页

作者: Y Mendez - 2017 - 被引用次数: 1 - 相关文章

In some observational studies **DKA patients admitted** to the **ICU** have a ... the **intensive care unit vs** the emergency department **or medical** ward for **patients** with ... The treatment of acute **DKA** includes restoration of fluid deficits in the **first** 24 to ...

缺少字词: late oral

Diabetic Ketoacidosis Treatment & Management: Approach ...

<https://emedicine.medscape.com/article/118361-treatment> - 翻译此页2018年2月8日 - **Diabetic ketoacidosis (DKA)** is an acute, major, life-threatening ... correction of fluid **and** electrolyte loss during the **first** hour of treatment. ... Insulin infusion can be discontinued 30 minutes **later**. ... **and** may preclude admissions to **intensive care units** in **patients** with mild cases. Int J **Oral** Maxillofac Surg.

Diabetic Ketoacidosis: Practice Essentials, Background ...

<https://emedicine.medscape.com/article/118361-overview> - 翻译此页2018年2月8日 - **Diabetic ketoacidosis (DKA)** is an acute, major, life-threatening ... Do not **delay** administration of hypertonic saline **or** mannitol in those **DKA** in pregnancy is a **medical** emergency, as mother **and** fetus are at ... in **patients** treated in **intensive care units** during the **first** 1-2 days of Int J **Oral** Maxillofac Surg.

[PDF] and Diabetic Ketoacidosis (DKA) - Clinical Practice Guidelines

<https://evidencebasedpractice.osumc.edu/Documents/.../Type1Diabetes.pdf> - 翻译此页Frequent monitoring **and** assessment of the response to **treatment** such as mental status, ...

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 225,000 条结果 (用时 0.47 秒)

Outcomes of Early vs Late Oral Nutrition in Patients With Diabetic ...

[https://journal.chestnet.org/article/S0012-3692\(17\)31885-8/fulltext](https://journal.chestnet.org/article/S0012-3692(17)31885-8/fulltext) - 翻译此页

作者 : K Lipatov - 2017

2017年11月1日 - Outcomes of Early vs Late Oral Nutrition in Patients With Diabetic Ketoacidosis Admitted to a Single Academic Institution Medical ICU.

Diabetic Ketoacidosis Treatment & Management: Approach ...

<https://emedicine.medscape.com/article/118361-treatment> ▼ 翻译此页

2018年2月8日 - Diabetic ketoacidosis (DKA) is an acute, major, life-threatening ... correction of fluid and electrolyte loss during the first hour of treatment. ... Insulin infusion can be discontinued 30 minutes later. ... and may preclude admissions to intensive care units in patients with mild cases. Int J Oral Maxillofac Surg.

Diabetic ketoacidosis: Treatment in the intensive care unit or general ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5320747/> ▼ 翻译此页

作者 : Y Mendez - 2017 - 被引用次数 : 1 - 相关文章

In some observational studies DKA patients admitted to the ICU have a ... the intensive care unit vs the emergency department or medical ward for patients with ... The treatment of acute DKA includes restoration of fluid deficits in the first 24 to ...

缺少字词 : late oral

Diabetic Ketoacidosis Management in Adults - Family Practice Notebook

<https://fpnotebook.com/Endo/DM/DbtcKtcdsMngmntInAdlts.htm> ▼ 翻译此页

This page includes the following topics and synonyms: Diabetic Ketoacidosis ... Consider oral Potassium via Nasogastric Tube if cannot tolerate oral ... Infuse the IV line with Insulin first to avoid delay in patient getting Insulin ... Most patients with significant DKA are admitted to Intensive Care Unit on Insulin Drip; Indications.

[PDF] and Diabetic Ketoacidosis (DKA) - Clinical Practice Guidelines

<https://evidencebasedpractice.osumc.edu/Documents/.../Type1Diabetes.pdf> ▼ 翻译此页

Frequent monitoring and assessment of the response to treatment such as mental status, ... Patients with Type 1 Diabetes or DKA should never go without basal insulin (IV, ... unit/hr. Increase infusion rate by 1 unit/hr. Increase infusion by 2 units/hr DKA o. NPO (particularly if major surgery) o. Critical illness o. Refractory ...