

时间不限

2019以来

2018以来

2015以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

☒ 创建快讯

Abnormal body composition phenotypes in older rheumatoid arthritis patients: association with disease characteristics and pharmacotherapies

[HTML] wiley.com

JT Giles, SM Ling, L Ferrucci, SJ Bartlett... - ... of Rheumatology, 2008 - Wiley Online Library
... Share a link ... and odds ratios (ORs) and 95% confidence intervals (95% CIs) were calculated to investigate the association of RA status on ... regression models were constructed and ORs and 95% CIs were calculated to investigate the independent associations of individual RA ...
☆ 被引用次数 : 147 相关文章 所有 11 个版本

[HTML] Sarcopenia in older adults

[HTML] nih.gov

JD Walston - Current opinion in rheumatology, 2012 - ncbi.nlm.nih.gov
... Abnormal body composition phenotypes in older rheumatoid arthritis patients: association with disease characteristics and pharmacotherapies ... This study describes the associations between these common rheumatological disease states and increased fat mass ... External link ...
☆ 被引用次数 : 209 相关文章 所有 9 个版本

Loss of skeletal muscle mass in aging: examining the relationship of starvation, sarcopenia and cachexia

[PDF] psu.edu

DR Thomas - Clinical nutrition, 2007 - Elsevier
... The critical component of sarcopenia is its link to impaired functional status ... 39 Janssen found a significant association for the lowest tertile of skeletal muscle mass divided by ... a study population of persons at high risk for cardiovascular disease, an inverse relationship was found ...
☆ 被引用次数 : 454 相关文章 所有 9 个版本

Effects of vitamin D and calcium supplementation on falls: a randomized controlled trial

[HTML] wiley.com

HA Bischoff, HB Stähelin, W Dick... - ... of bone and mineral ..., 2003 - Wiley Online Library
... Share a link ... clinical, and laboratory evidence suggest a direct effect of vitamin D on muscle strength.8-12 An association between low vitamin ... four musculoskeletal tests were assessed on data from a random sample of 23 patients using Spearman's rank correlation coefficient ...
☆ 被引用次数 : 1145 相关文章 所有 12 个版本

Epidemiology of CVD in rheumatic disease, with a focus on RA and SLE

DPM Symmons, SE Gabriel - Nature Reviews Rheumatology, 2011 - nature.com
... undertreated in patients with RA.59 There is also evidence to link hypertension with ... Body composition The relationship between BMI, overall mortality and CVD-related mortality in patients with ... RA than in the general population.73 A direct correlation between disease activity

Name of Journal: *World Journal of Rheumatology*

Manuscript NO: 42212

Manuscript Type: MINIREVIEWS

Association between sarcopenia and rheumatological diseases

Korkmaz M *et al.* Sarcopenia and rheumatological diseases

Murat Korkmaz, Sibel Eyigor

Match Overview

1	Internet 32 words crawled on 06-Jun-2018 orbi.uliege.be	1%
2	Crossref 32 words Sema Uçak, Rıdvan Sivritepe, Oğuzhan Kara, Ecem Sevim et al. "Association between sarcopenia and erectile (...)	1%
3	Internet 26 words crawled on 06-May-2016 www.frailty-sarcopenia.com	1%
4	Internet 13 words crawled on 08-Oct-2014 www.ncbi.nlm.nih.gov	<1%
5	Internet 13 words crawled on 28-Dec-2017 www.dovepress.com	<1%
6	Internet 13 words crawled on 20-Jul-2018 orca.cf.ac.uk	<1%
7	Crossref 11 words Mie Torii, Motomu Hashimoto, Akiko Hanai, Takao Fujii et al. "Prevalence and factors associated with sarcopeni ...	<1%
8	Internet 10 words crawled on 27-May-2016 www.aulamedica.es	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

已启用安全搜索

找到约 202,000 条结果 (用时 0.32 秒)

Google 学术 : Sarcopenia and Rheumatological Diseases

Sarcopenia in older adults - Walston - 被引用次数 : 201

... rheumatoid arthritis patients: association with disease ... - Giles - 被引用次数 : 141

Sarcopenic obesity is more closely associated with ... - Lee - 被引用次数 : 95

SAT0682 Prevalence of sarcopenia in patients with chronic ...

https://ard.bmj.com/content/76/Suppl_2/1033.1 - 翻译此页

作者 : A Tournadre - 2017 - 相关文章

Epidemiology, risk factors for disease or disease progression. SAT0682 Prevalence of sarcopenia in patients with chronic inflammatory rheumatic diseases.

AB0211 Sarcopenia in patients with inflammatory arthritis | Annals of ...

https://ard.bmj.com/content/72/Suppl_3/A851.2 - 翻译此页

作者 : D Fitzpatrick - 2013 - 相关文章

Annals of the Rheumatic Diseases ... Sarcopenia is common in inflammatory arthritis and has been linked with functional disability ... Results There were 11 patients in the cohort with a mean age of 67.4 and mean disease duration of 17 years.

New Review Calls for Sarcopenia Screening | Rheumatology Network

www.rheumatologynetwork.com/rheumatic-diseases/new-review-calls-sarco... - 翻译此页

2014年10月4日 - Sarcopenia, the loss of skeletal muscle mass and strength often associated with older age, can also occur in rheumatic diseases as a result of disuse of muscles and avoidance of activity due to joint pain and difficulty with movement.

Sarcopenia: A Rheumatic Disease? - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pubmed/30001782> - 翻译此页

作者 : S Gupta - 2018 - 相关文章

loss of muscle mass, muscle strength, and



时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

Google 已关闭此广告

停止显示此广告

为什么显示该广告？

Google 已关闭此广告

停止显示此广告

为什么显示该广告？

Abnormal body composition phenotypes in older rheumatoid arthritis patients: association with disease characteristics and pharmacotherapies

[HTML] wiley.com

JT Giles, SM Ling, L Ferrucci, SJ Bartlett... - ... of Rheumatology, 2008 - Wiley Online Library
... Share a link ... and odds ratios (ORs) and 95% confidence intervals (95% CIs) were calculated to investigate the association of RA status on ... regression models were constructed and ORs and 95% CIs were calculated to investigate the independent associations of individual RA ...

☆ 99 被引用次数: 146 相关文章 所有 11 个版本

[HTML] Sarcopenia in older adults

[HTML] nih.gov

JD Walston - Current opinion in rheumatology, 2012 - ncbi.nlm.nih.gov
... Abnormal body composition phenotypes in older rheumatoid arthritis patients: association with disease characteristics and pharmacotherapies ... This study describes the associations between these common rheumatological disease states and increased fat mass ... External link ...

☆ 99 被引用次数: 209 相关文章 所有 9 个版本

Loss of skeletal muscle mass in aging: examining the relationship of starvation, sarcopenia and cachexia

[PDF] psu.edu

DR Thomas - Clinical nutrition, 2007 - Elsevier
... The critical component of sarcopenia is its link to impaired functional status ... 39 Janssen found a significant association for the lowest tertile of skeletal muscle mass divided by ... a study population of persons at high risk for cardiovascular disease, an inverse relationship was found ...

☆ 99 被引用次数: 453 相关文章 所有 9 个版本

Effects of vitamin D and calcium supplementation on falls: a randomized controlled trial

[HTML] wiley.com

HA Bischoff, HB Stähelin, W Dick... - ... of bone and mineral ..., 2003 - Wiley Online Library
... Share a link ... clinical, and laboratory evidence suggest a direct effect of vitamin D on muscle strength.8-12 An association between low vitamin ... four musculoskeletal tests were assessed on data from a random sample of 23 patients using Spearman's rank correlation coefficient ...