

找到约 29,400 条结果 (用时 0.45 秒)

## Google 学术 : A Comparative Study on Operative Trauma Between Microwave Ablation and Surgical Treatment for Papillary Thyroid Microcarcinoma

... of solitary T1N0M0 papillary thyroid microcarcinoma: ... - Yue - 被引用次数 : 43

... percutaneous microwave ablation of benign thyroid ... - Feng - 被引用次数 : 102

... two years after radiofrequency thermal ablation - Spiezia - 被引用次数 : 166

## A Comparative Study for Operative Trauma of Microwave Ablation and ...

[www.chictr.org.cn/showprojen.aspx?proj=31294](http://www.chictr.org.cn/showprojen.aspx?proj=31294) ▾ 翻译此页

6 天前 - A Comparative Study for Operative Trauma of Microwave Ablation and Surgery in the treatment of Papillary Thyroid Microcarcinoma. 注册题目 ...

## Ultrasound-guided percutaneous microwave ablation versus surgery ...

<https://www.tandfonline.com/doi/pdf/10.1080/02656736.2018.1453092?...> - 翻译此页

2018年4月11日 - Background: Papillary thyroid microcarcinoma (PTMC) has high incidence and ... the clinical outcomes of microwave ablation (MWA) and surgery for ... Compared to percutaneous ethanol injection (PEI), radiofre- ... tial study confirmed that MWA can also treat solitary T1aN0M0 .... organs from thermal injury.

## Ultrasound-guided percutaneous microwave ablation versus surgery ...

<https://www.tandfonline.com/doi/full/10.1080/02656736.2018.1453092?...> - 翻译此页

2018年4月11日 - Keywords: Papillary thyroid microcarcinoma, microwaves, thyroid gland, risk, complications ... However, complications from surgery may exceed the degree of ... Compared to percutaneous ethanol injection (PEI), radiofrequency ablation ... An initial study confirmed that MWA can also treat solitary T1aN0M0 ...

## Ultrasound-guided percutaneous microwave ablation of solitary ...

<https://www.tandfonline.com/doi/full/10.3109/02656736.2014.885590?src...> - 翻译此页

2014年2月26日 - All patients were treated with levothyroxine after MW ablation to .... With regard to the papillary thyroid microcarcinoma (PTMC), Valcavi et al. ... of high risk of thyroid surgery or fearing of post-operative pain or for cosmetic reasons. ... in this study is 10 cm over the entire length, and 3 mm between the narrow ...

## (PDF) 2016 Chinese expert consensus and guidelines for the ...

[https://www.researchgate.net/.../319189372\\_2016\\_Chinese\\_expert\\_consensu...](https://www.researchgate.net/.../319189372_2016_Chinese_expert_consensu...) - 翻译此页

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 42303

**Manuscript Type:** ORIGINAL ARTICLES

*Clinical Trials Study*

**Comparative study on operative trauma between microwave ablation and surgical treatment for papillary thyroid microcarcinoma**

Xu B *et al.* Ablation and surgical treatment for papillary thyroid microcarcinoma

Bin Xu, Ning-Ming Zhou, Wei-Tian Cao, Shu-Yan Gu

## Match Overview

Rank	Source	Matched Words	Similarity
1	Crossref	22 words Jianming Li, Yujiang Liu, Jibin Liu, Linxue Qian. "Ultrasound-guided percutaneous microwave ablation versus surge ...	1%
2	Internet	22 words crawled on 27-Dec-2012 <a href="http://eprints.hta.tbg.ac.at">eprints.hta.tbg.ac.at</a>	1%
3	Internet	21 words crawled on 11-Dec-2010 <a href="http://laparoscopyhospital.com">laparoscopyhospital.com</a>	1%
4	Crossref	20 words "Oncoplastic surgery", Springer Nature, 2018	1%
5	Internet	14 words crawled on 04-Aug-2017 <a href="http://linknovate.com">linknovate.com</a>	1%
6	Internet	13 words crawled on 10-Jun-2018 <a href="http://www.jove.com">www.jove.com</a>	1%
7	Crossref	13 words Chaoyang Wen. "The effects of microwave ablation and surgical resection on hematogenous dissemination of cancer ...	1%
8	Internet	12 words crawled on 20-May-2016 <a href="http://f1000.com">f1000.com</a>	<1%
9	Crossref	12 words "CIRSE 2016", CardioVascular and Interventional Radiology, 2016	<1%
10	Crossref	12 words Hao Jin, Jinrui Fan, Kun Liao, Zhuocheng He, Wei Li, Min Cui. "A propensity score matching study between ultrasound	<1%

找到约 33,300 条结果 (用时 0.61 秒)

## Google 学术 : Comparative study on operative trauma between microwave ablation and surgical treatment for papillary thyroid microcarcinoma

... of solitary T1N0M0 papillary thyroid microcarcinoma: ... - Yue - 被引用次数 : 42

... percutaneous microwave ablation of benign thyroid ... - Feng - 被引用次数 : 103

... two years after radiofrequency thermal ablation - Spiezia - 被引用次数 : 169

## A Comparative Study for Operative Trauma of Microwave Ablation and ...

[www.chictr.org.cn/showprojen.aspx?proj=31294](http://www.chictr.org.cn/showprojen.aspx?proj=31294) ▼ 翻译此页

2018年9月21日 - A Comparative Study for Operative Trauma of Microwave Ablation and Surgery in the treatment of Papillary Thyroid Microcarcinoma. 注册题目 ...

## (PDF) 2016 Chinese expert consensus and guidelines for the ...

[https://www.researchgate.net/.../319189372\\_2016\\_Chinese\\_expert\\_consensu...](https://www.researchgate.net/.../319189372_2016_Chinese_expert_consensu...) - 翻译此页

作者 : M Gao - 2017 - 被引用次数 : 4 - 相关文章

2018年8月1日 - diagnosis and treatment of papillary thyroid microcarcinoma ... Prevention and Therapy, Tianjin; Tianjin's Clinical Research Center for Cancer, ... provides 23 rated recommendations for thyroid surgery, ... stated that among the new cases of thyroid carcinoma, >50% ..... For post-operative PTMC patients, the.

## Ultrasound-guided percutaneous microwave ablation versus surgery ...

<https://www.ncbi.nlm.nih.gov/pubmed/29637797> - 翻译此页

作者 : J Li - 2018 - 相关文章

2018年4月11日 - BACKGROUND: Papillary thyroid microcarcinoma (PTMC) has high ... the clinical outcomes of microwave ablation (MWA) and surgery for T1aN0M0 PTMC. METHODS: A total of 92 consecutive patients with T1aN0M0 PTMC were studied ... been treated with MWA, and the other 46 had undergone surgery.

缺少字词 : operative trauma

## Comparison of surgical outcomes between papillary thyroid cancer ...

<https://www.ncbi.nlm.nih.gov/pubmed/24332551> - 翻译此页

作者 : HY Kwak - 2014 - 被引用次数 : 16 - 相关文章

Comparison of surgical outcomes between papillary thyroid cancer patients ... BACKGROUND: The aim of this study was to evaluate the safety and efficacy of ... for papillary thyroid cancer were randomized into groups treated with either the HS or the LS instrument. Operative time and surgical morbidities were analyzed.