

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 16,700 条结果 (用时 0.59 秒)

Progression of Pancreatic Branch Duct Intraductal Papillary Mucinous ...

[https://www.gastrojournal.org/article/S0016-5085\(17\)36272-8/fulltext](https://www.gastrojournal.org/article/S0016-5085(17)36272-8/fulltext) - 翻译此页

作者: Y Han - 2018 - 被引用次数: 10 - 相关文章

We performed a retrospective analysis of 1369 **patients** with BD-IPMN seen at ... Along with annual rate of cyst growth, incidences of main **pancreatic duct** ... the last 2 decades because of a wide range of **screening** methods and advances in of **pancreatic** cysts **presumed** to be **intraductal papillary mucinous neoplasms**.

Pancreatic cysts suspected to be branch duct intraductal papillary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4585397/> ▼ 翻译此页

作者: RD Lawson - 2015 - 被引用次数: 13 - 相关文章

2015年6月19日 - The risk of developing **pancreatic cancer** is uncertain in **patients** with ... the immediate and long-term risks of **pancreatic cancer** in **presumptive** BD-IPMN. ... and there are no **screening** or surveillance strategies proven to reduce risk. Suspected BD-IPMNs were classified as main **duct** or mixed-IPMN when ...

Branch Duct Intraductal Papillary Mucinous Neoplasm (BD-IPMN ...

<pancreas.imedpub.com/branch-duct-intraductal-papillary-mucinous-neoplas...> ▼ 翻译此页

BD-IPMN **branch duct** intraductal papillary mucinous neoplasm; CT computed tomography; ... MRCP can expose the **pancreatic** duct system and cystic or any other ... On the other hand, for **patients** requiring frequent imaging for follow-up MRI may ... and this issue has a critical role for preoperative risk stratification of **cancer**.

Intraductal Papillary Mucinous Neoplasms of the Pancreas: Strategic ...

<https://www.karger.com/Article/FullText/485014> - 翻译此页

作者: V Morales-Oyarvide - 2017 - 被引用次数: 2 - 相关文章

2017年12月8日 - IPMN are primarily classified as main duct (MD-IPMN), **branch duct** (BD-IPMN), Half of **patients** who have undergone resection for IPMN at MGH were In a series of 577 **patients** with suspected or **presumed** BD-IPMN under In summary, IPMN represents a precursor to **pancreatic cancer** that offers a ...

Name of Journal: *World Journal of Clinical Oncology*

Manuscript NO: 42815

Manuscript Type: MINIREVIEWS

**Pancreatic cancer screening in patients with presumed branch-duct
intraductal papillary mucinous neoplasms**

Torisu Y *et al.* Early detection of PDAC in IPMN

Match Overview

1	Internet 33 words crawled on 11-May-2014 www.pancreapedia.org	1%
2	Crossref 24 words Masao Tanaka, Carlos Fernández-del Castillo, Terumi Kamisawa, Jin Young Jang et al. "Revisions of international co ...	1%
3	Crossref 19 words Koji Yamaguchi. "Pancreatic Ductal Adenocarcinoma Der ... ed From IPMN and Pancreatic Ductal Adenocarcinoma Co	1%
4	Internet 15 words crawled on 23-Feb-2016 spandidos-publications.com	1%
5	Crossref 14 words Masafumi Nakamura, Yoshihiro Miyasaka, Yoshihiko Sadakari, Kenjiro Date, Takao Ohtsuka. "Comparison of guideline	1%
6	Crossref 14 words Yoshiyuki Nakajima. "Malignant potential of intraductal pa ... llary mucinous neoplasms of the pancreas", Surgery Today,	1%
7	Internet 14 words crawled on 19-Aug-2016 www.linknovate.com	1%
8	Crossref 13 words Kenjiro Date, Takao Ohtsuka, So Nakamura, Naoki Mochidome, Yasuhisa Mori, Yoshihiro Miyasaka, Yoshinao Oda, M	1%
9	Crossref 13 words Ideno, Noboru, Takao Ohtsuka, Taketo Matsunaga, Hideyo Kimura, Yusuke Watanabe, Koji Tamura, Teppei Aso, Shinic	1%
10	Crossref 12 words Intraductal Papillary Mucinous Neoplasm of the Pancreas, 2014.	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 20,000 条结果 (用时 0.79 秒)

Google 学术 : Pancreatic cancer screening in patients with presumed branch-duct intraductal papillary mucinous neoplasms

Intraductal papillary-mucinous tumors of the pancreas: ... - Loftus - 被引用次数 : 394

... detection of pancreatic lesions in asymptomatic high- ... - Canto - 被引用次数 : 406

... resections for intraductal papillary mucinous neoplasm ... - Schnelldorfer - 被引用次数 : 215

(PDF) Intraductal papillary mucinous neoplasm to pancreas ductal ...

https://www.researchgate.net/.../328302366_Intraductal_papillary_mucinous... - 翻译此页

2018年12月2日 - adenocarcinoma sequence and pancreas cancer screening. James J. Farrell For patients with presumed MCNs up to 4 cm without masses or patients with branch duct intraductal papillary mucinous neoplasms. Clin.

Intraductal papillary mucinous neoplasm to pancreas ductal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6199903/> - 翻译此页

作者 : JJ Farrell - 2018

2018年10月15日 - For patients with presumed BD-IPMN, where the risk of malignancy is significantly in patients with branch duct intraductal papillary mucinous neoplasms. ... International cancer of the pancreas screening (CAPS) consortium ...

Intraductal Papillary Mucinous Neoplasms of the Pancreas: Strategic ...

<https://www.karger.com/Article/FullText/485014> - 翻译此页

作者 : V Morales-Oyarvide - 2017 - 被引用次数 : 2 - 相关文章

2017年12月8日 - IPMN are primarily classified as main duct (MD-IPMN), branch duct (BD-IPMN), ... in each tumor, IPMN are classified based on the predominant subtype. In a series of 577 patients with suspected or presumed BD-IPMN under MJ: High prevalence of pancreatic cysts detected by screening magnetic ...

Branch Duct Intraductal Papillary Mucinous Neoplasm (BD-IPMN ...

pancreas.imedpub.com/branch-duct-intraductal-papillary-mucinous-neoplas... - 翻译此页

Intraductal papillary mucinous neoplasms as tumor structures are formed in ... MRCP can expose the pancreatic duct system and cystic or any other ... On the other hand, for patients requiring frequent imaging for follow-up MRI may be a of EUSFNA in BD-IPMN assessment and in setting of screening asymptomatic high ...