

找到约 17,900 条结果 (用时 0.53 秒)

Hydrochloric acid-enhanced radiofrequency ablation for treating a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5219733/> [▼ 翻译此页](#)

作者: JH Huang - 2017 - [相关文章](#)

跳到 **Case report** - On January 9, 2014, because of his impaired liver function (evaluated as ... (CT) images of the patient with **large hepatocellular carcinoma**. ... 3). Unfortunately, the patient became hemodynamically unstable during the ...

缺少字词: caudate lobe

A case of hepatocellular carcinoma in the caudate lobe successfully ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3304613/> [▼ 翻译此页](#)

作者: DH Joh - 2010 - 被引用次数: 1 - [相关文章](#)

2010年12月31日 - **Hepatocellular carcinoma** (HCC) in the **caudate lobe** remains one of the most ... **Treatment** with drug-eluting beads (DEB) can potentially **enhance** the ... **radiofrequency ablation** was conducted to **treat** caudate HCC by several ... We **report a case** of caudate HCC successfully **treated** with DEB-TACE.

缺少字词: het

Caudate Lobe Hepatocellular Carcinoma Treated with Selective ...

<https://pubs.rsna.org/doi/full/10.1148/radiol.10100105> - [翻译此页](#)

作者: HC Kim - 2010 - 被引用次数: 24 - [相关文章](#)

2010年10月1日 - **Hepatocellular carcinoma** (HCC) arising in the **caudate lobe** of the liver is ... Percutaneous ablation therapies such as **radiofrequency ablation** ... for **caudate lobe** HCC was associated with a **high** local recurrence rate Follow-up contrast material-**enhanced** CT examinations were performed at 2-3-month ...

Hepatocellular Carcinoma in the Caudate Lobe of the Liver - JVIR

[https://www.jvir.org/article/S1051-0443\(08\)00647-7/pdf](https://www.jvir.org/article/S1051-0443(08)00647-7/pdf) - [翻译此页](#)

PURPOSE: To investigate the **tumor-feeding** arteries in **hepatocellular** ... When **treating** recurrent **caudate** HCC, it is important to identify replacement of ... **caudate lobe** is associated with a **high** rate ... **quency ablation**, ethanol injection, and ... (3). To our knowledge, there have been few studies about the **angio-** In the **case** of.

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 42932

Manuscript Type: CASE REPORT

Hydrochloric acid enhanced ⁵ radiofrequency ablation in the treatment of large hepatocellular carcinoma in the caudate lobe: Three cases of report

Deng HX *et al.* HCl enhanced RFA treatment of large HCC

Han-Xia Deng, Jin-Hua Huang, Wan-Yee Lau, Fei Ai, Min-Shan Chen,
Zhi-Mei Huang, Tian-Qi Zhang, Meng-Xuan Zuo

Match Overview

1	Crossref 14 words Z.-W. Peng, H.-H. Liang, M.-S. Chen, Y.-J. Zhang, J.-Q. Li, Y.-Q. Zhang, W.Y. Lau. "Percutaneous radiofrequency ablation"	1%
2	Crossref 13 words Viganò, Luca, Guido Costa, Fabio Procopio, Matteo Donadon, Matteo Cimino, Daniele Del Fabbro, Andrea Gatti, and	1%
3	Internet 13 words crawled on 24-May-2018 www.ajronline.org	1%
4	Internet 12 words crawled on 12-Jan-2018 www.thieme-connect.com	1%
5	Internet 12 words crawled on 12-May-2018 www.wjgnet.com	1%

找到约 10,300 条结果 (用时 0.50 秒)

Hydrochloric acid-enhanced radiofrequency ablation for treating a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5219733/>  翻译此页

作者: JH Huang - 2017 - 相关文章

跳到 **Case report** - On January 9, 2014, because of his impaired liver function (evaluated as ... (CT images of the patient with **large hepatocellular carcinoma**. ... 3). Unfortunately, the patient became hemodynamically unstable during the ...

缺少字词: caudate lobe

[PDF]

ACTA 2015 Poster Program October 30 (15:50 ... - Convention Linkage

www.c-linkage.co.jp/acta2015/common/files/Poster_Program.pdf  翻译此页

2015年10月30日 - P-001 [1153] **Radiofrequency Ablation** (RFA) Training Program ... of ultrasound-guided percutaneous microwave ablation for **large** ... P-026 [1132] Intermediate-size **hepatocellular carcinoma treated by radiofrequency ablation** with switching After RFA of Liver Metastasis in **Caudate Lobe: A case report**.

[PDF] PDF Full-text - Chinese Journal of Cancer

www.cjcsysu.cn/cn/ENTopdf.asp?ly=CJC&idno=21965  翻译此页

作者: JH Huang - 2017 - 相关文章

rapture: a **case report** ... Background: A ruptured **hepatocellular carcinoma** (HCC) is often fatal. ... **Case presentation:** This **case** was a 60-year-old man who had a **large**, ruptured HCC in ... Keywords: **Hydrochloric acid**, **Radiofrequency ablation**, Spontaneous rupture, ... spontaneously ruptured HCC ranges from 3% to 14.5%;.

缺少字词: caudate lobe

Multicenter randomized controlled trial of percutaneous cryoablation ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/hep.27548> - 翻译此页

作者: C Wang - 2015 - 被引用次数: 101 - 相关文章

2014年10月6日 - **Radiofrequency ablation** (RFA) is considered a curative **treatment** option ... of all HCC **cases** worldwide.² Although hepatic resection remains a first-line ... HCC smaller than 3 cm, complete ablation rates for HCC **larger** than 3-5 cm in ... of nodular **liver surface**, **caudate lobe** hypertrophy, "coarse" **liver** tissue ...

找到约 10,700 条结果 (用时 0.52 秒)

Hydrochloric acid-enhanced radiofrequency ablation for treating a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5219733/>  [翻译此页](#)

作者: JH Huang - 2017 - [相关文章](#)

跳到 **Case report** - On January 9, 2014, because of his impaired liver function (evaluated as ... (CT) images of the patient with **large hepatocellular carcinoma**. ... 3). Unfortunately, the patient became hemodynamically unstable during the ...

缺少字词: caudate lobe

[PDF]

ACTA 2015 Poster Program October 30 (15:50 ... - Convention Linkage

www.c-linkage.co.jp/acta2015/common/files/Poster_Program.pdf  [翻译此页](#)

2015年10月30日 - P-001 [1153] **Radiofrequency Ablation** (RFA) Training Program ... of ultrasound-guided percutaneous microwave ablation for **large** ... P-026 [1132] Intermediate-size **hepatocellular carcinoma** treated by **radiofrequency ablation** with switching After RFA of Liver Metastasis in **Caudate Lobe**: A case report.

Multicenter randomized controlled trial of percutaneous cryoablation ...

<https://onlinelibrary.wiley.com/doi/full/10.1002/hep.27548> - [翻译此页](#)

作者: C Wang - 2015 - [被引用次数: 101](#) - [相关文章](#)

2014年10月6日 - **Radiofrequency ablation** (RFA) is considered a curative **treatment** option for ... cause of **cancer**-related mortality globally.1 The **incidence** of HCC in China ... HCC smaller than 3 cm, complete ablation rates for HCC **larger** than 3-5 cm ... of nodular **liver** surface, **caudate lobe** hypertrophy, "coarse" **liver** tissue ...

liver radiofrequency ablation: Topics by Science.gov

<https://www.science.gov/topicpages/l/liver+radiofrequency+ablation>

After **treatment** was completed, **three** years of return visit were done, survival rates of the This **case report** describes a serious and rare complication following RFA Thermal ablation of **liver tumors** near **large** blood vessels is affected by the and coagulation between **hydrochloric acid**-infused **radiofrequency ablation** ...

liver cancer treated: Topics by Science.gov

<https://www.science.gov/topicpages/l/liver+cancer+treated>

Three rigorous statistical steps were used in order to create the ITT survival ... [A **Case** of **Liver** Metastasis from Esophageal **Cancer** Successfully **Treated** by of a **liver** surgical procedure (resection or **radiofrequency ablation**) in 369 **cases** 6 **cases** with localized increased FDG uptake