



国内版

国际版

Percutaneous Transhepatic Cholangioscopy and Lithotripsy in treating difficult bili



All

Images

Videos

翻译成中文

关闭取词

15,000 Results

Any time ▼

## Percutaneous Transhepatic Cholangioscopy: Does Its Role ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › Clin Endosc › v.46(5); 2013 Sep

Sep 30, 2013 · Percutaneous transhepatic cholangioscopy (PTCS) is the most widely used modality for diagnosis and treatment of biliary disease. ... application of this method is difficult in patients with stones in more than two lobes of the liver, ... Kocher M, Cerna M, Havlik R, Kral V, Gryga A, Duda M. Percutaneous treatment of benign bile duct ...

Cited by: 6

Author: Joon Hyuk Choi, Sung Koo Lee

Publish Year: 2013

## Recent advances in endoscopic management of difficult bile ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/den.12118>

In cases of altered anatomy, it is often difficult to reach the papilla; in such cases, a percutaneous transhepatic approach, such as EHL or laser lithotripsy under percutaneous transhepatic cholangioscopy, can be a treatment option. Moreover, enteroscopy has recently been used to ...

## The efficacy of peroral cholangioscopy for difficult bile ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › Endosc Int Open › v.4(3); 2016 Mar

The efficacy of peroral cholangioscopy for difficult bile duct stones and indeterminate strictures: a systematic review and meta-analysis ... POC is most commonly used for treating difficult bile duct stones with electrohydraulic lithotripsy or laser lithotripsy or for directly visualizing and/or sampling indeterminate biliary strictures ...

Cited by: 11

Author: Praneet Korrapati, Jody Ciolino, Sachin W...

Publish Year: 2016

## Percutaneous transhepatic holmium laser lithotripsy of a ...

<https://www.sciencedirect.com/science/article/pii/S1930043316301935>

## Match Overview

There are no matching sources for this report.

**Name of Journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 43154

**Manuscript Type:** CASE REPORT

**Percutaneous transhepatic cholangioscopy and lithotripsy in treating difficult biliary ductal stones: Two case reports and literature review**

Edward Alabraba, Simon Travis, Ian Beckingham

#### ABSTRACT

##### Background

Endoscopic retrograde cholangiopancreatography (ERCP) is preferred for managing biliary obstruction in patients with bilio-enteric anastomotic strictures (BEAS) and calculi. In patients whose duodenal anatomy is altered following upper



国内版

国际版

Percutaneous transhepatic cholangioscopy and lithotripsy in treating difficult bilia



All

Images

Videos

翻译成中文

关闭取词

17,100 Results

Any time ▼

## Percutaneous Transhepatic Cholangioscopy: Does Its Role ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › Clin Endosc › v.46(5); 2013 Sep

Sep 30, 2013 - **Percutaneous transhepatic cholangioscopy** (PTCS) is the most widely used modality for diagnosis and **treatment of biliary disease**. ... application of this method is **difficult** in patients with **stones** in more than **two lobes** of the liver, ... Kocher M, Cerna M, Havlik R, Kral V, Gryga A, Duda M. **Percutaneous treatment of benign bile duct** ...

Cited by: 6

Author: Joon Hyuk Choi, Sung Koo Lee

Publish Year: 2013

## Recent advances in endoscopic management of difficult bile ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/den.12118>

In cases of altered anatomy, it is often **difficult** to reach the papilla; in such cases, a **percutaneous transhepatic** approach, such as EHL or laser **lithotripsy** under **percutaneous transhepatic cholangioscopy**, can be a **treatment** option. Moreover, enteroscopy has recently been used to ...

Cited by: 59

Author: Ichiro Yasuda, Takao Itoi

Publish Year: 2013

## Using percutaneous transhepatic cholangioscopic ...

<https://www.sciencedirect.com/science/article/pii/S1479666X10002027>

Using **percutaneous transhepatic cholangioscopic lithotripsy** for intrahepatic calculus in hostile abdomen ... of intracorporeal laser **lithotripsy** versus extracorporeal shock-wave **lithotripsy** for **difficult bile duct stones**. ... better than conventional procedures in **percutaneous transhepatic treatment** for complicated right hepatolithiasis with ...

Cited by: 9

Author: A.W.C. Kow, B. Wang, D. Wong, P.J. Su...

Publish Year: 2011