

Qingjie Fuzheng Granules Inhibited Proliferation and Induced Apoptosis by Sup Q



全部

图片

新闻

视频

贴物

更多

设署 T且

找到约 3.010 条结果 (用时 0.69 秒)

Hong Yang's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific.../2131615176 Hong Yang - 翻译此页 ... and invasion through inhibition of TGF-\beta-induced EMT in colorectal cancer cells. ... the effect of Qingjie Fuzheng granules (QFG) on cell proliferation and apoptosis of ... colorectal cancer cells via suppression of AKT and ERK signaling pathways ... cells via suppression of PI3K/AKT and TGF-β/Smad signaling pathways.

Zijun Lai's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific-contributions/2069116502 Zijun Lai - 翻译此页 Furthermore, activation of the PI3K/AKT signaling pathway and expression of ... of human colorectal cancer cells via suppression of AKT and ERK signaling pathways ... This resulted in the induction of apoptosis and inhibition of cellular proliferation, Reference: Fuzheng Qingjie granules potentiate the anticancer effect of

Tandutinib inhibits the Akt/mTOR signaling pathway to inhibit colon ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4418457/ ▼ 翻译此页

作者: S Ponnurangam - 2013 - 被引用次数: 18 - 相关文章

2013年2月20日 - Tandutinib inhibits colon cancer cell proliferation ... The PI3K/Akt/mTOR signaling axis plays a critical role in the proliferation, resistance to Tandutinib significantly suppressed proliferation of HCT116, SW480 and HT-29 leading to an inhibition of Akt and Erk signaling and to induction of apoptosis in ...

BCL6B suppresses proliferation and migration of colorectal carcinoma ...

https://www.ncbi.nlm.nih.gov/pubmed/29393377 - 翻译此页

作者: Y Gu - 2018 - 被引用次数: 2 - 相关文章

2018年2月1日 - BCL6B suppresses proliferation and migration of colorectal carcinoma cells through inhibition of the PI3K/AKT signaling nathway Gu Y(1) Li A(1) Cell apontosis was markedly

44659-Review.doc

Quotes Excluded Bibliography Excluded

10% SIMILAR

Name of Journal: World Journal of Gastrointestinal Oncology

Manuscript NO: 44659

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Qingjie Fuzheng Granules inhibits CRC cells growth by PI3K/AKT and ERK pathways

Hong Yang, Jian-Xin Liu, Hai-Xia Shang, Shan Lin, Jin-Yan Zhao, Jiu-Mao Lin

Abstract

BACKGROUND

Qingjie Fuzheng granules (QFG) is a traditional Chinese medicine formula which has been widely used and found to be clinically effective in various cancer treatments, including colorectal cancer (CRC), and has few side effects. However, the precise mechanisms and molecular signaling pathways involved in the activity of QFG's anticancer effect have not been reported in the literature. In this study, we

			Dibliography Excluded	SIMILAR
		Ma	tch Overview	I
		4		
		1	Internet 114 words crawled on 15-Jul-2016 spandidos-publications.com	2%
		2	Internet 103 words crawled on 08-Aug-2018 journals.sagepub.com	2%
		3	Internet 69 words crawled on 25-Nov-2016 www.spandidos-publications.com	1%
		4	Crossref 36 words Peng, Jun. "Chloroform fraction of Scutellaria barbata D. Don promotes apoptosis and suppresses proliferation in	1%
		5	Crossref 32 words Wu, Mingxia. "Xiao Jin Wan, a traditional Chinese herbal formula, inhibits proliferation via arresting cell cycle progre	1%
		6	Internet 29 words crawled on 03-Dec-2016 pdfs.semanticscholar.org	1%
		7	Crossref 21 words Liu, Xianxiang. "Millimeter wave treatment promotes cho drocyte proliferation via G1/S cell cycle transition", Interna	<1%
		8	Crossref 15 words Peng, . "Hedyotis Diffusa Willd extract induces apoptosis via activation of the mitochondrion-dependent pathway	<1%
	A	9	Crossref 15 words H Huynh. "Silencing expression of UO-44 (CUZD1) usin small interfering RNA sensitizes human ovarian cancer ce	<1%
		99169	- 0	



全部

图片

视步

更多

设置

工具

找到约 7,970 条结果 (用时 0.54 秒)

Hong Yang's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific.../2131615176_Hong_Yang - 翻译此页 Hedyotis diffusa Willd (HDW) is an effective anti-cancer medicine, which is ... Herb Mixture Qingjie Fuzheng Granules Inhibits Hepatocellular Carcinoma Cells Growth by ... colorectal cancer cells via suppression of AKT and ERK signaling pathways ... cells via suppression of PI3K/AKT and TGF-β/Smad signaling pathways.

Zijun Lai's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific-contributions/2069116502_Zijun_Lai - 翻译此页 In addition, EEHDW inhibited the activation of the PI3K/AKT pathway by ... of human colorectal cancer cells via suppression of AKT and ERK signaling pathways ... willd extract suppresses colorectal cancer growth through multiple cellular pathways Reference: Fuzheng Qingjie granules potentiate the anticancer effect of ...

Celastrol inhibits colorectal cancer cell proliferation and migration ...

https://www.ncbi.nlm.nih.gov/pubmed/29553945 - 翻译此页

作者: T Bufu - 2018 - 被引用次数: 2 - 相关文章

Celastrol inhibits colorectal cancer cell proliferation and migration through suppression of MMP3 and MMP7 by the PI3K/AKT signaling pathway. Bufu T(1), Di ...

缺少字词: gingjie fuzheng granules growth erk

4'-hydroxywogonin inhibits colorectal cancer angiogenesis by ... - NCBI

https://www.ncbi.nlm.nih.gov/pubmed/30217479 - 翻译此页

作者: D Sun - 2018

2018年9月12日 - 4'-hydroxywogonin inhibits colorectal cancer angiogenesis by disrupting PI3K/AKT signaling. ... Province of Cancer Prevention and Treatment of Chinese Medicine, ... Angiogenesis is fundamental for solid tumor growth and metastasis, and ... of VEGF-A expression by disrupting the PI3K/AKT pathway.

竹小今日 · gingiio fuzbong granulas ork

工具





找到约 8,000 条结果 (用时 0.55 秒)

Hong Yang's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific.../2131615176_Hong_Yang - 翻译此页 Hedyotis diffusa Willd (HDW) is an effective anti-cancer medicine, which is ... Herb Mixture Qingjie Fuzheng Granules Inhibits Hepatocellular Carcinoma Cells Growth by ... colorectal cancer cells via suppression of AKT and ERK signaling pathways ... cells via suppression of PI3K/AKT and TGF-β/Smad signaling pathways.

Zijun Lai's research works | Fujian University of Traditional Chinese ...

https://www.researchgate.net/scientific-contributions/2069116502_Zijun_Lai - 翻译此页 In addition, EEHDW inhibited the activation of the PI3K/AKT pathway by ... of human colorectal cancer cells via suppression of AKT and ERK signaling pathways ... willd extract suppresses colorectal cancer growth through multiple cellular pathways Reference: Fuzheng Qingjie granules potentiate the anticancer effect of ...

4'-hydroxywogonin inhibits colorectal cancer angiogenesis by ... - NCBI

https://www.ncbi.nlm.nih.gov/pubmed/30217479 - 翻译此页

作者: D Sun - 2018

2018年9月12日 - 4'-hydroxywogonin inhibits colorectal cancer angiogenesis by disrupting PI3K/AKT signaling. ... Province of Cancer Prevention and Treatment of Chinese Medicine, ... Angiogenesis is fundamental for solid tumor growth and metastasis, and ... of VEGF-A expression by disrupting the PI3K/AKT pathway.

缺少字词: qingjie fuzheng granules erk

Wogonoside inhibits cell growth and induces mitochondrial-mediated ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5835895/ - 翻译此页

作者: C Han - 2018 - 被引用次数: 1 - 相关文章

2018年1月24日 - However, the effects of wogonoside on human colon cancer cells remain unclear. The mTOR-dependent pathway, namely the PI3K/Akt/mTOR Ras/ERK and PI3K/AKT pathway genes in colon cancer HT29 cells. Nutr J.

缺少字词: qingjie fuzheng granules

Qingjie Fuzheng Granules inhibits ...的图片搜索结果

