

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 34,600 条结果 (用时 0.57 秒)

Carcinosarcoma of the submandibular salivary gland ... - ResearchGate

https://www.researchgate.net/.../21843684_Carcinosarcoma_of_the_subman... - 翻译此页

2018年5月29日 - The authors report a case of a submandibular gland lesion, which ...

Carcinosarcomas of the salivary glands are rare lesions that ... lung metastasis have been found [7][8][9][10][11][12][13][14][15][16]. ... Carcinosarcoma of the parotid gland with abdominal metastasis: A case report and review of literature.

Carcinosarcoma (malignant mixed tumor) of the submandibular gland ...

https://www.researchgate.net/.../11173225_Carcinosarcoma_malignant_mixe... - 翻译此页

[5] In our study the patient has been surviving even after a follow-up of 12 months ... True malignant mixed tumor (carcinosarcoma) of the parotid gland - case report nasopharynx, bronchus, lung, and trachea are rare, and larynx is considered Submandibular Salivary Gland: Clinical Case and Review of the Literature.

Salivary Gland Cancer Treatment (Adult) (PDQ®) - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/books/NBK65952/> ▼ 翻译此页

作者: PDQATE Board - 2016 - 相关文章

2018年2月9日 - Salivary gland cancer treatment options include surgery with or without postoperative radiation therapy, radiation therapy, and chemotherapy. ... shown to be effective in the treatment of inoperable, unresectable, Carcinosarcoma. with metastasis to lung: report of a case and review of the literature.

Salivary Gland Cancer Treatment (Adult) (PDQ®) (Health ... - Oncolink

<https://www.oncolink.org/healthcare-professionals/.../pqid-CDR0000062920> ▼ 翻译此页

2018年2月9日 - Most patients with malignant salivary gland tumors are in their sixth or ... shown to be effective in the treatment of inoperable, unresectable, In a study of 40 cases with long-term follow-up, overall survival was 80% at 25 years. ... This is a very rare tumor, as few cases have been reported

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 44980

Manuscript Type: CASE REPORT

Effective chemotherapy for submandibular gland carcinoma ex pleomorphic adenoma with lung metastasis after radiotherapy: A case report and review of literature

Zhi-Yuan Chen, Yu Zhang, Yan Tu, Zhao Wei, Mei Li

Abstract

BACKGROUND

Only a few cases of carcinoma ex pleomorphic adenoma arising in the

Match Overview

1	Internet 30 words crawled on 27-Jan-2019 www.wjgnet.com	2%
2	Crossref 20 words Martino Vacchi-Suzzi , Corso Bocciolini , Claudia Barberelli , Danilo Dell'Osio , "Ki-67 Prolif	1%
3	Internet 18 words crawled on 26-Nov-2017 nuk.schattauer.de	1%
4	Crossref 17 words Yamada, Sohsuke , Atsunori Nabeshima , Takashi Tabata , Yin Qun , Takashi Tanaka , Ko Y	1%
5	Crossref 15 words Yair Israel , Adi Rachmiel , Gil Ziv , Rafael Nagler , "Diagnostic and therapeutic modalities f	1%

[国内版](#)[国际版](#)[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

828 Results

Any time ▾

Salivary Gland Cancer Treatment (PDQ®)—Health ...

[www.cancer.gov](#) › ... › [Health Professional](#) › [Adult Treatment](#) ▾

Carcinoma ex pleomorphic adenoma, ... Epithelial-myoepithelial carcinoma of salivary gland with metastasis to lung: report of a case and review of the literature. Head Neck 14 (5): ... Morton RP, et al.: Malignant lympho-epithelial lesion of the salivary gland: a case report and review of the literature. Australas Radiol 37 (3): 288-91, 1993. ...

SERPINB5 | Cancer Genetics Web

[www.cancerindex.org/geneweb/SERPINB5.htm](#) ▾

Mucoepidermoid carcinoma ex pleomorphic adenoma (MCxPA) is a rare salivary gland tumor predominantly found in major salivary glands. A case of MCxPA involving the soft tissue and bone of the retromolar region of a 26-year-old man is presented.

WIF1 | Cancer Genetics Web

[cancer-genetics.org/WIF1.htm](#) ▾

Here we report for the first time that downregulation of the Wnt inhibitory factor 1 (WIF1) is a widespread event in salivary gland carcinoma ex-pleomorphic adenoma (CaExPA). We also show that WIF1 downregulation occurs in the CaExPA precursor lesion pleomorphic adenoma (PA) and indicates a higher risk of progression from benign to malignant tumor.

Dr. David Eisele, ENT-Otolaryngologist in Baltimore, MD ...

[health.usnews.com](#) › [Health](#) › [Doctors](#) ▾

Steroid psychosis after head and neck surgery: case report and review of the literature. Ferris, R.L., Eisele, D.W. Management of cervical metastases in advanced squamous cell carcinoma of the ...

GUSB | Cancer Genetics Web

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 63,600 条结果 (用时 0.67 秒)

Invasive myoepithelial carcinoma ex pleomorphic adenoma of the ...<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5084397/> - 翻译此页

作者: T Wakasaki - 2016 - 被引用次数: 3 - 相关文章

2016年10月28日 - Myoepithelial carcinoma (MEC) is a rare salivary gland tumor. ... and mutant p53 protein positivity), radiotherapy and chemotherapy were ... One year after surgery, metastasis to the right pulmonary hilar node and ... We present two cases of MEC ex pleomorphic adenoma (PA) of the major salivary gland.

A Review of Carcinoma Ex-Pleomorphic Adenoma of the Salivary ...<https://clinmedjournals.org/.../international-journal-of-pathology-and-clinica...> - 翻译此页

Carcinoma ex pleomorphic adenoma is an uncommon malignant tumor with ... However, there are a few studies in this topic in the recent literature. ... In this study, we reviewed the recent studies in about clinical, radiographical, ... CA-ex-PA is a rare malignant salivary gland tumor with a prevalence rate of 5.6% cases per ...

Carcinoma ex-pleomorphic adenoma of submandibular salivary gland ...www.jdrntrhuhs.org/article.asp?issn=2277-8632;year=2017;...6;... - 翻译此页

作者: VS Bhat - 2017 - 相关文章

2017年9月25日 - Here, we report a case of CXPA of submandibular salivary gland with ... Keywords: Adjuvant radiotherapy, carcinoma ex-pleomorphic adenoma, excision, lymph ... of submandibular salivary gland: A case report and review of literature. metastasize regionally and in distant areas, such as the lungs, hilar ...

缺少字词: Effective chemotherapy

(PDF) Invasive myoepithelial carcinoma ex pleomorphic adenoma of ...https://www.researchgate.net/.../309540383_Invasive_myoepithelial_carcino... - 翻译此页

PDF | Background Myoepithelial carcinoma (MEC) is a rare salivary gland tumor. ... carcinoma ex pleomorphic adenoma of the major salivary gland: Two case reports ... radiotherapy and chemotherapy were recommended as adjuvant therapy. ... One year after surgery, metastasis to the right pulmonary hilar node and both ...

Metastasizing Pleomorphic Salivary Adenoma. | Oncology | JAMA ...<https://jamanetwork.com/journals/jamaotolaryngology/fullarticle/484209> - 翻译此页

作者: SAR Nouraei - 2006 - 被引用次数: 77 - 相关文章

Data Sources A review of the English-language literature between 1953 and 2005 ... References prior