

**Name of Journal:** *World Journal of Critical Care Medicine*

**Manuscript NO:** 44983

**Manuscript Type:** ORIGINAL ARTICLE

***Retrospective Study***

**Neutrophil-lymphocyte ratio: A prognostic tool in patients with in-hospital cardiac arrest**

Patel VH *et al.* Prognostic tool in patients with IHCA

Vishal H Patel, Philip Vendittelli, Rajat Garg, Susan Szpunar, Thomas LaLonde, John Lee, Howard Rosman, Rajendra H Mehta, Hussein Othman

**Abstract**

**BACKGROUND**

**Match Overview**

1	<b>Crossref</b> 27 words Vishal Patel, Rajat Garg, Saroj Neupane, Kesav Parvatani, Sohail Hassan. "PROGNOSTIC IMPACT OF IN-HOSPITAL	1%
2	<b>Internet</b> 11 words crawled on 09-Nov-2018 <a href="#">iars.org</a>	<1%
3	<b>Internet</b> 10 words crawled on 08-Oct-2018 <a href="#">www.ncbi.nlm.nih.gov</a>	<1%



Neutrophil-lymphocyte ratio: A prognostic tool in patients with in-hospital c



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 369,000 条结果 (用时 0.46 秒)

小提示：仅限搜索简体中文结果。您可以在设置中指定搜索语言

## Google 学术：Neutrophil-lymphocyte ratio: A prognostic tool in patients with in-hospital cardiac arrest

An elevated neutrophil-lymphocyte ratio independently ... - Spark - 被引用次数：64

Neutrophil to lymphocyte ratio and cardiovascular ... - Bhat - 被引用次数：337

... neutrophil-lymphocyte ratio as a prognostic factor in a ... - Pichler - 被引用次数：184

## Neutrophil/Lymphocyte Ratio as a Predictor of In-Hospital Major ...

<https://www.ncbi.nlm.nih.gov/pubmed/26884687> ▾ 翻译此页

作者：S Wagdy - 2016 - 被引用次数：16 - 相关文章

2016年2月10日 - Neutrophil/Lymphocyte Ratio as a Predictor of In-Hospital Major Adverse Cardiac ... and No-Reflow Phenomenon in Patients with ST Elevation Myocardial Infarction. ... with cardiac death as the predominant form of in-hospital MACE. ... NOAF and improving prognosis in STEMI revascularized patients.

缺少字词：teel

## Prognostic Value of the Neutrophil-Lymphocyte Ratio in Patients With ...

<https://journals.sagepub.com/doi/full/10.1177/1076029613492011> - 翻译此页

作者：E Gazi - 2015 - 被引用次数：30 - 相关文章

Citation Tools ... Prognostic Value of the Neutrophil-Lymphocyte Ratio in Patients With ST-Elevated ... A high N/L ratio is a strong and independent predictor of in-hospital ... Cardiovascular death was defined as death due to AMI, heart failure, ...

## (PDF) Neutrophil-Lymphocyte count ratio on admission as a predictor ...

[https://www.researchgate.net/publication/324876250\\_Neutrophil-Lymphocyte\\_count\\_ratio\\_on\\_admission\\_as\\_a\\_predictor\\_of\\_in-hospital\\_mortality\\_in\\_patients\\_with\\_ST\\_elevation\\_myocardial\\_infarction](https://www.researchgate.net/publication/324876250_Neutrophil-Lymphocyte_count_ratio_on_admission_as_a_predictor_of_in-hospital_mortality_in_patients_with_ST_elevation_myocardial_infarction) - 翻译此页

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 311,000 条结果 (用时 0.52 秒)

## Google 学术 : Neutrophil-Lymphocyte Ratio: A Prognostic Tool in Patients with In-Hospital Cardiac Arrest

Neutrophil to lymphocyte ratio and cardiovascular ... - Bhat - 被引用次数 : 325

... neutrophil-lymphocyte ratio as a prognostic factor in a ... - Pichler - 被引用次数 : 183

The neutrophil-lymphocyte count ratio in patients with ... - de Jager - 被引用次数 : 122

## (PDF) The Prognostic Value of the Neutrophil-Lymphocyte Ratio (NLR ...

[https://www.researchgate.net/.../235392107\\_The\\_Prognostic\\_Value\\_of\\_the\\_...](https://www.researchgate.net/.../235392107_The_Prognostic_Value_of_the_...)  [翻译此页](#)

2018年8月1日 - Introduction: The neutrophil-lymphocyte ratio (NLR), calculated from the ... Patient demographics, pancreatitis etiology, and components of the Imrie score comparing favorable and poor ..... acute coronary syndrome, early hospital death and heart ..... two groups, confirming the Imrie score as a valid tool in.

## Relation of Neutrophil/Lymphocyte Ratio to GRACE Risk Score to In ...

[www.onlinejacc.org/content/62/18\\_Supplement\\_2/C22.2](http://www.onlinejacc.org/content/62/18_Supplement_2/C22.2) - [翻译此页](#)

作者 : RC Öncel

2018年3月14日 - Neutrophil/Lymphocyte ratio (NLR) is being increasingly used as a marker for cardiovascular ... and as a prognostic tool in ST-elevated myocardial infarction (STEMI). ... Patients were divided into 3 groups by use of GRACE risk score. ... The occurrence of in hospital cardiac death, reinfarction or new-onset ...

## Assessment of Prognostic Value of Neutrophil to Lymphocyte Ratio ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4884759/>  [翻译此页](#)

作者 : MB Karataş - 2016 - 被引用次数 : 12 - [相关文章](#)

Admission NLR and PLR may have prognostic value in patients with APE. ... 3 cases of cerebrovascular accident, 2 cases of heart failure and 3 cases of non-cardiac death. .... Despite the new diagnostic tools and treatment modalities, the reported .... Platelet/lymphocyte ratio and risk of in-

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 378,000 条结果 (用时 0.57 秒)

## Google 学术 : Neutrophil-lymphocyte ratio: A prognostic tool in patients with in-hospital cardiac arrest

An elevated neutrophil-lymphocyte ratio independently ... - Spark - 被引用次数 : 64

Neutrophil to lymphocyte ratio and cardiovascular ... - Bhat - 被引用次数 : 336

... neutrophil-lymphocyte ratio as a prognostic factor in a ... - Pichler - 被引用次数 : 184

## Neutrophil/Lymphocyte Ratio as a Predictor of In-Hospital Major ...

<https://www.ncbi.nlm.nih.gov/pubmed/26884687>  [翻译此页](#)

作者 : S Wagdy - 2016 - 被引用次数 : 16 - [相关文章](#)

2016年2月10日 - Neutrophil/Lymphocyte Ratio as a Predictor of In-Hospital Major Adverse Cardiac ... and No-Reflow Phenomenon in Patients with ST Elevation Myocardial Infarction. ... with cardiac death as the predominant form of in-hospital MACE. ... NOAF and improving prognosis in STEMI revascularized patients.

缺少字词 : teel

## Neutrophil Lymphocyte Ratio as a predictor of systemic inflammation ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4505778/>  [翻译此页](#)

作者 : L Venkatraghavan - 2015 - 被引用次数 : 17 - [相关文章](#)

Background: Neutrophil:lymphocyte ratio (NLR) is an emerging biomarker that is used to predict postoperative mortality and morbidity in cardiac and cancer surgeries. ... Congestive cardiac failure and malignancy were two constant predictors of elevated NLR at >3.3 and > 4.5.

## Prognostic Value of the Neutrophil-Lymphocyte Ratio in Patients With ...

<https://journals.sagepub.com/doi/full/10.1177/1076029613492011> - [翻译此页](#)

作者 : E Gazi - 2015 - 被引用次数 : 30 - [相关文章](#)

Citation Tools ... Prognostic Value of the Neutrophil-Lymphocyte Ratio in Patients With ST-Elevated ...

A high N/L ratio is a strong and independent predictor of in-hospital ... Cardiovascular death was