

[全部](#) [图片](#) [新闻](#) [购物](#) [地图](#) [更多](#)[设置](#) [工具](#)

找到约 2,280 条结果 (用时 0.76 秒)

Orthopaedic Proceedings | Vol 90-B, No SUPP_II

https://online.boneandjoint.org.uk/toc/procs/90-B/SUPP_II

Table of contents for Orthopaedic Proceedings | Vol 90-B, No SUPP_II. ... OUTCOME MEASURES FOLLOWING REVISION SHOULDER ARTHROPLASTY ... ILIZAROV TREATMENT OF INFECTED NON-UNIONS OF THE HUMERAL SHAFT OSTEOID OSTEOMA: BONE GRAFT TECHNIQUE FOR EXCISION OF LESION.

Endoprosthetic Reconstruction of distal Humerus following Resection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5630047/> - 翻译此页作者 : N Balasubramanian - 2017 - [相关文章](#)

We present six cases of giant cell tumour involving the distal humerus in rural India. ... All patients were well with no evidence of recurrence with good to fair ... Here we present our series of six patients with distal humeral GCT treated in our old male child who underwent a distal humerus resection and reconstruction with ...

Reconstruction of the proximal humerus after extensive extraarticular ...

<https://www.ncbi.nlm.nih.gov/pubmed/18949408> ▼ 翻译此页作者 : Y Nishida - 2008 - 被引用次数 : 12 - [相关文章](#)

2008 Nov;20(5):1105-9. Reconstruction of the proximal humerus after extensive extraarticular resection for osteosarcoma: a report of two cases with ... with rotated clavicle reconstruction with use of pasteurized intercalary autogenous bone graft. ... Both patients are alive with no evidence of disease, and no local recurrence.

What is the Optimal Reconstruction Option after the Resection of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5388785/> - 翻译此页作者 : A Dubina - 2017 - 被引用次数 : 5 - [相关文章](#)

2017年3月22日 - The proximal humerus is a common location for both primary and ... There is no

Match Overview

There are no matching sources for this report.

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 45160

Manuscript Type: CASE REPORT

Recalcitrant distal humeral non-union following previous Leiomyosarcoma excision treated with retainment of a radiated non-angiogenic segment augmented with 20 cm free fibula composite graft: A case report

Martin Gathen, Grayson Norris, Simon Kay, Peter V Giannoudis

Abstract

We present a case of a 52 year old female suffering from a pathological fracture of the humeral shaft 10 years after resection of a Leiomyosarcoma and postoperative radiotherapy. She developed implant failure after retrograde nailing and another

国内版

国际版

Recalcitrant distal humeral non-union following previous Leiomyosarcoma excisic



All

Images

Videos

翻译成中文

关闭取词

4 Results

Any time ▾

[cs.oberlin.edu](#)

[cs.oberlin.edu/~asharp/cs151/labs/lab09/lab09.jar](#)

META-INF/MANIFEST.MFBoggleFrame.javaimport java.awt.*; import java.awt.event.ActionEvent;
import java.awt.event.ActionListener; import java.util.List;

[journals.lww.com](#)

[journals.lww.com/ajpmr/Fulltext/2016/03001/Abstracts_of_Scientific... ▾](#)

Back to Top A Rare Case of Upper Trunk Brachial Plexopathy **Following** a Urological Procedure: A
Case Report Stanley Poole, DO; Kenneth Rodrigues, MD Case Diagnosis: This presentation is to
increase awareness of the potential for brachial plexus injury during a prolonged urological procedure.

[Grabb and Smith's Plastic Surgery \(GRABB'S PLASTIC ...](#)

[https://epdf.tips/grabb-and-smiths-plastic-surgery-grabbs-plastic... ▾](#)

Augmented Healing (Hypothetical) Delayed Healing 0% 0 20 40 60 80 Time **Following** Injury (Days)
FIGURE 3.2. The healing trajectories of a normal wound, a problem wound, and a hypothetical ideal
wound are depicted.

[abdominal fascial flaps: Topics by Science.gov](#)

[https://www.science.gov/topicpages/a/abdominal+fascial+flaps ▾](#)

Apr 17, 2018 · Sample records for abdominal fascial flaps ... -fascial flap harvesting involves few
technical modifications from the conventional radial forearm fascio-cutaneous **free** flap harvesting. We
report a case of inferior maxillectomy defect reconstruction in a 42-year ... neoangiogenesis of the
composite graft following a wrap using a pedicled lateral ...