

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 9,500 条结果 (用时 0.56 秒)

[Myxopapillary ependymoma with anaplastic features - Surgical ...](#)

[surgicalneurologyint.com/.../myxopapillary-ependymoma-with-anaplastic-fe...](#) - 翻译此页

Myxopapillary ependymoma with anaplastic features: A case report with review of These tumors are usually locally invasive, have a higher propensity to spread to ... Magnetic resonance imaging (MRI) of the lumbar spine with and without ...

[\(PDF\) Disseminated spinal myxopapillary ependymoma in an adult at ...](#)

[https://www.researchgate.net/.../259914644_Disseminated_spinal_myxopapil...](#) - 翻译此页

2018年8月1日 - PDF | Disseminated spinal myxopapillary ependymoma (MPE) is ... ependymoma in an adult at initial presentation: A case report and review of the Management of intended durotomy in minimally invasive intradural spine ...

[Myxopapillary ependymoma with anaplastic features: A case report ...](#)

[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6169347/](#) - 翻译此页

作者 : TR Huynh - 2018

2018年9月20日 - We report the case of a MPE with anaplastic features in a 24-year-old ... These tumors are usually locally invasive, have a higher propensity to spread to Spinal myxopapillary ependymoma outcomes in patients treated with ...

[Myxopapillary Ependymoma of Lumbar Soft Tissue: A Case Report ...](#)

[https://www.ncbi.nlm.nih.gov/pubmed/29254456](#) - 翻译此页

作者 : KV Shelekhova - 2018 - 被引用次数 : 1 - 相关文章

2017年12月18日 - Myxopapillary Ependymoma of Lumbar Soft Tissue: A Case Report ... spinal cord and lack of any other tumors in the reported case argue for ...

缺少字词 : invasive

[Malignant behavior of myxopapillary ependymoma : Journal of ...](#)

[https://thejns.org/view/journals/j-neurosurg/62/6/article-p925.xml](#) - 翻译此页

作者 : C Davis - 1985 - 被引用次数 : 75 - 相关文章

P apillary or myxopapillary ependymomas of the lumbosacral region are ... Case Reports. Case 1. This 40-year-old man was referred to our institution for view of the recorded cases in which locally invasive masses were responsible for the ...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 45298

Manuscript Type: CASE REPORT

Invasive myxopapillary ependymoma of the lumbar spine: A case report

Strojnik T *et al.* Lumbar myxopapillary ependymoma

Tadej Strojnik, Tatjana Bujas, Tomaz Velnar

Abstract

BACKGROUND

Myxopapillary ependymomas are rare spinal tumours. Although histologically benign, they exhibit a tendency to local recurrence.

Match Overview

1	Internet 48 words crawled on 30-Sep-2015 europepmc.org	2%
2	Crossref 28 words Carlos A. Bagley. "Long term outcomes following surgical resection of myxopapillary ependymomas", <i>Neurosurgical</i>	1%
3	Crossref 21 words S R L Stacpoole. "Spinal claudication due to myxopapillary ependymoma", <i>Practical Neurology</i> , 11/01/2007	1%
4	Internet 21 words crawled on 09-Jul-2017 pdfs.semanticscholar.org	1%
5	Internet 18 words crawled on 08-Oct-2012 radiographics.rsna.org	1%
6	Internet 17 words crawled on 29-Jul-2018 www.jove.com	1%
7	Crossref 16 words Hirotaka Andoh. "Multi-focal Myxopapillary Ependymoma in the Lumbar and Sacral Regions Requiring Cranio-spinal ...	1%
8	Internet 15 words crawled on 12-Apr-2016 connection.ebscohost.com	1%
9	Internet 15 words crawled on 25-Nov-2017 emedicine.staging.medscape.com	1%
10	Internet 13 words crawled on 13-Nov-2016 j-neurooncology.imedpub.com	1%

[国内版](#)[国际版](#)

Invasive myxopapillary ependymoma of the lumbar spine: A case report

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

135,000 Results

Any time ▼

Massive spinal ependymoma: An intriguing case and review ...

<https://appliedradiationoncology.com/articles/massive-spinal...> ▼

Fassett DR, Pingree J, Kestle JR. The high incidence of tumor dissemination in **myxopapillary ependymoma** in pediatric patients. **report** of five cases and review of the literature. J Neurosurg. 2005;102(1)Suppl59-64. Linstadt DE, Wara WM, Leibel SA, et al. Postoperative radiotherapy of primary **spinal** cord tumors.

Multi-focal Myxopapillary Ependymoma in the Lumbar and ...

www.ncbi.nlm.nih.gov › ... › **Asian Spine J** › v.5(1); 2011 Mar

Mar 02, 2011 · Introduction. **Myxopapillary ependymoma** is located exclusively in the conus medullaris or the cauda equina, or film terminale region, and is rarely found as a multi-focal type. In most **myxopapillary ependymomas**, the histological **examination** reveals low mitotic activity that is associated with a low **MIB-1** labeling **index** (LI) [2].

Cited by: 13

Author: Hirotaka Andoh, Yoshiharu Kawaguchi, S...

Publish Year: 2011

Spinal myxopapillary ependymoma with interval drop ...

jss.amegroups.com/article/view/3600/html ▼

Spinal myxopapillary ependymoma with interval drop metastasis presenting as cauda equina syndrome: **case report** and review of literature **Myxopapillary ependymoma** is a benign slow-growing tumour, arising predominantly in the region of the filum terminale.

Cited by: 2

Author: Shrikant V. Rege, Sharadendu Narayan, ...

Publish Year: 2016

(PDF) Isolated Lumbar Spinal Nerve Root Myxopapillary ...

https://www.researchgate.net/publication/314395580_Isolated_Lumbar...

PDF | On Jul 25, 2014, Sheri Palejwala and others published Isolated Lumbar Spinal Nerve Root Myxopapillary Ependymoma: Case Report

Primary Seeding of Myxopapillary Ependymoma: Different ...

<https://www.sciencedirect.com/science/article/pii/S1878875016313341>

Myxopapillary ependymoma (MPE) is a slow-growing tumor, occurring most often in adults. It originates from the filum terminale in the area of the conus medullaris and cauda equina and is considered a benign lesion. Despite this classification, however, **recurrence** after both partial and gross total **resection** is well known.

Cited by: 2

Author: Nickalus R. Khan, Matthew VanLandingh...

Publish Year: 2017

[国内版](#)[国际版](#)[Chat with Bing](#)[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

134,000 Results

Any time ▾

[Massive spinal ependymoma: An intriguing case and review ...](#)

<https://appliedradiationoncology.com/articles/massive-spinal...> ▾

Fassett DR, Pingree J, Kestle JR. The high incidence of tumor dissemination in **myxopapillary ependymoma** in pediatric patients. **report** of five cases and review of the literature. J Neurosurg. 2005;102(1)Suppl59-64. Linstadt DE, Wara WM, Leibel SA, et al. Postoperative radiotherapy of primary **spinal** cord tumors.

[Multi-focal Myxopapillary Ependymoma in the Lumbar and ...](#)

[www.ncbi.nlm.nih.gov](#) > ... > Asian **Spine J** > v.5(1); 2011 Mar

Mar 02, 2011 · **Case Report**. The **tumor** was not attached to the dura mater or cauda eqina at the L2-3 levels. As the **tumor** was firmly attached to the S2 **spinal nerve**, it had to be removed piece by piece under a microscope at the L5-S1 level. After removing the **tumor**, the dura mater could be ...

Cited by: 13**Author:** Hirotaka Andoh, Yoshiharu Kawaguchi, S...**Publish Year:** 2011

[\(PDF\) Isolated Lumbar Spinal Nerve Root Myxopapillary ...](#)

https://www.researchgate.net/publication/314395580_Isolated_Lumbar...

PDF | On Jul 25, 2014, Sheri Palejwala and others published Isolated **Lumbar Spinal** Nerve Root **Myxopapillary Ependymoma: Case Report**

[Spinal myxopapillary ependymoma with interval drop ...](#)

<jss.amegroups.com/article/view/3600/html> ▾

Spinal myxopapillary ependymoma with interval drop metastasis presenting as cauda equina syndrome: **case report** and review of literature **Myxopapillary ependymoma** is a benign slow-growing tumour, arising predominantly in the region of the filum terminale.

Cited by: 2**Author:** Shrikant V. Rege, Sharadendu Narayan, ...**Publish Year:** 2016

[Primary Seeding of Myxopapillary Ependymoma: Different](#)