



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 45544

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Short hairpin RNA knockdown of nuclear factor erythroid 2-like 3 exhibits tumor-suppressing functions in hepatocellular carcinoma

Yu MM *et al.* ShRNA knockdown of NFE2L3 in HCC

Miao-Mei Yu, Yue-Hua Feng, Lu Zheng, Jun Zhang, Guang-Hua Luo

Abstract

Match Overview

1	Crossref 61 words Grégory Chevillard. "NFE2L3 (NRF3): the Cinderella of the e Cap'n'Collar transcription factors", <i>Cellular and Molecular Immunology</i>	2%
2	Internet 39 words crawled on 06-Feb-2019 www.spandidos-publications.com	1%
3	Crossref 29 words Heng Boon Low, Chin Wen Png, Chunwei Li, De Yun Wang, Soon Boon Justin Wong, Yongliang Zhang. "Monocyt	1%
4	Crossref 29 words Jing Meng, Shuang Chen, Jingxia Han, Baoxin Qian et al. "Twist1 regulates Vimentin through Cut2 circular RNA t...	1%
5	Internet 25 words crawled on 12-Feb-2018 tpp.uah.edu	1%
6	Crossref 21 words Zhao, Qun. "RNA interference-mediated knockdown of L1 vin suppresses cell proliferation and invasion and enha...	1%
7	Internet 21 words crawled on 29-Aug-2017 bmcclinpathol.biomedcentral.com	1%
8	Internet 20 words crawled on 06-Sep-2017 spandidos-publications.com	1%
9	Crossref 17 words Zhe Yang. "Overexpression of Long Non-coding RNA HOTAIR Predicts Tumor Recurrence in Hepatocellular Carcinoma"	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4,210 条结果 (用时 0.54 秒)

[PDF] Regulation and function of the NFE2L3 (Nrf3 ... - McGill Universitydigitool.library.mcgill.ca/webclient/DeliveryManager?pid=130729...att... ▼ [翻译此页](#)作者: Z Nouhi - 2013 - [相关文章](#)2013年12月13日 - To further explore the **function** of **NFE2L3** in breast **cancer**, these cells were treated ... **Knockdown** of **NFE2L3** by **siRNA** in these cells resulted ...**ShRNA-mediated silencing of the RFC3 gene suppress ovarian tumor ...**<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4583870/> ▼ [翻译此页](#)作者: H Shen - 2015 - [被引用次数: 6](#) - [相关文章](#)**ShRNA**-mediated silencing of the **RFC3** gene **suppress** ovarian **tumor** cells ... **shRNA** was used to **knock down** **RFC3** expression in ovarian **cancer** cells. ... Ovarian carcinoma is the most frequent cause of **cancer** related death in women. ... up-regulated in nasopharyngeal carcinomas [18], **hepatocellular carcinomas** [19] and ...缺少字词: **nfe2l3 nrf3 exhibits****ShRNA-targeted MAP4K4 inhibits hepatocellular carcinoma growth.**<https://www.ncbi.nlm.nih.gov/pubmed/21196414> ▼ [翻译此页](#)作者: AW Liu - 2011 - [被引用次数: 73](#) - [相关文章](#)2010年12月30日 - **ShRNA**-targeted **MAP4K4** inhibits **hepatocellular carcinoma** growth. ... kinase kinase kinase 4 (**MAP4K4**) is overexpressed in many types of **cancer**. ... significance, and biological **function** in **hepatocellular carcinoma** (**HCC**). ... **Knockdown** of the **MAP4K4** expression reduced cell proliferation, blocked cell ...缺少字词: **nfe2l3 nrf3 exhibits suppressing****shRNA knockdown of NFE2L3 (NRF3 ...的图片搜索结果**

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 29,800 条结果 (用时 1.00 秒)

Knockdown of CITED2 using short-hairpin RNA sensitizes cancer cells ...

<https://www.ncbi.nlm.nih.gov/pubmed/21660965> - 翻译此页

作者: ZZ Wu - 2011 - 被引用次数: 38 - 相关文章

Knockdown of CITED2 using **short-hairpin RNA** sensitizes **cancer** cells to cisplatin ... sensitization was observed in p53-positive **hepatocellular carcinoma (HCC)** ...

Lentiviral-Mediated Short Hairpin RNA Knockdown of MTDH Inhibits ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581304/> - 翻译此页

作者: WF Li - 2015 - 被引用次数: 23 - 相关文章

2015年8月17日 - **Knockdown** MTDH promoted PTEN and p53 expression in **HCC** cells ... Many signaling pathways are regulated by MTDH, such as **nuclear factor-kappa B**, Wnt/ β -catenin, ... As shown in Figure 3A, shRNA silencing of MTDH expression The **function** of p53 as a **tumor suppressor** has been attributed to its ...

Short Hairpin RNA Screen Indicates That Klotho Beta/FGF19 Protein ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3234855/> - 翻译此页

作者: J Kim - 2011 - 被引用次数: 17 - 相关文章

Knockdown of Klotho gamma (KLG; also known as KLPH and LCTL) allowed hTERT to ... Induction of KLB was maintained and could activate ERK1/2 in immortalized cells. ... KLA and prevent the **tumor suppressor function** of KLA from inducing stasis. FGF19 is thus an important growth **factor** for the culture of HCECs. Go to: ...

Characterization of DOK1, a candidate tumor suppressor gene, in ...

<https://www.sciencedirect.com/science/article/pii/S1574789111000767> - 翻译此页

作者: PL Mercier - 2011 - 被引用次数: 30 - 相关文章

Therefore, **cancer**-specific promoter hypermethylation can itself serve as a ... serous **adenocarcinoma** of the ovary, (FIGO stage IIIC and IV, grade 2 and 3) at the A DOK1 **short hairpin RNA** (shRNA)

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 29,800 条结果 (用时 1.00 秒)

Knockdown of CITED2 using short-hairpin RNA sensitizes cancer cells ...

<https://www.ncbi.nlm.nih.gov/pubmed/21660965> - 翻译此页

作者: ZZ Wu - 2011 - 被引用次数: 38 - 相关文章

Knockdown of CITED2 using **short-hairpin RNA** sensitizes **cancer** cells to cisplatin ... sensitization was observed in p53-positive **hepatocellular carcinoma (HCC)** ...

Lentiviral-Mediated Short Hairpin RNA Knockdown of MTDH Inhibits ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581304/> - 翻译此页

作者: WF Li - 2015 - 被引用次数: 23 - 相关文章

2015年8月17日 - **Knockdown** MTDH promoted PTEN and p53 expression in **HCC** cells ... Many signaling pathways are regulated by MTDH, such as **nuclear factor-kappa B**, Wnt/ β -catenin, ... **As** shown in Figure 3A, shRNA silencing of MTDH expression The **function** of p53 as a **tumor suppressor** has been attributed to its ...

Short Hairpin RNA Screen Indicates That Klotho Beta/FGF19 Protein ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3234855/> - 翻译此页

作者: J Kim - 2011 - 被引用次数: 17 - 相关文章

Knockdown of Klotho gamma (KL γ ; also known as KLPH and LCTL) allowed hTERT to ... Induction of KLB was maintained and could activate ERK1/2 in immortalized cells. ... KLA and prevent the **tumor suppressor function** of KLA from inducing stasis. FGF19 is thus an important growth **factor** for the culture of HCECs. Go to: ...

Characterization of DOK1, a candidate tumor suppressor gene, in ...

<https://www.sciencedirect.com/science/article/pii/S1574789111000767> - 翻译此页

作者: PL Mercier - 2011 - 被引用次数: 30 - 相关文章