

找到约 70,700 条结果 (用时 0.73 秒)

Risk of Pre- and Post-Operative Delirium and the Delirium Elderly At ...

<https://cgjonline.ca/index.php/cgj/article/view/185/274> ▼ 翻译此页

作者: S Freter - 2015 - 被引用次数: 17 - 相关文章

³Department of Surgery, Division of Orthopedics, Dalhousie University, Halifax, NS, Canada ...

delirium were compared with the characteristics of those who did not. ... Delirium is a common problem in elderly orthopedic patients and is ... of hip fracture were invited to consent to participate in a delirium prevention trial (to be ...

Risk of Pre-and Post-Operative Delirium and the Delirium Elderly At ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4696448/> ▼ 翻译此页

作者: S Freter - 2015 - 被引用次数: 17 - 相关文章

2015年12月23日 - Delirium is a common problem in elderly orthopedic patients and is ... of hip fracture were invited to consent to participate in a delirium ... Wait time to surgery was counted by calendar date from date of admission, not by 24-hour blocks. Postoperative delirium in old patients with femoral neck fractures: a ...

Presumed consent: licenses and limits inferred from the case of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5324244/> ▼ 翻译此页

2017年2月24日 - Hip fractures are common and serious injuries in the geriatric population. ... A medical situation need not be characterized by risk of imminent and certain ... preferable – to initiate surgical treatment in cognitively impaired but otherwise that mental status may wax and wane in elderly patients with delirium.

Surgery for Fractured Neck of Femur – are Patients Adequately ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1963537/> ▼ 翻译此页

作者: N Probert - 2007 - 被引用次数: 9 - 相关文章

Match Overview

1	Internet 30 words crawled on 16-Aug-2018 link.springer.com	1%
2	Crossref 29 words Leslie A. Wei. "The Confusion Assessment Method: A Sys ... matic Review of Current Usage", Journal of the American G	1%
3	Crossref 22 words Deirdre J. Murphy. "Medico-legal considerations and ope ... tive vaginal delivery", Best Practice & Research Clinical Ob	1%
4	Internet 22 words crawled on 27-Jan-2018 www.hefemcast.co.uk	1%
5	Crossref 16 words Morrison, R. S., J. Magaziner, M. Gilbert, K. J. Koval, M. A. McLaughlin, G. Orosz, E. Strauss, and A. L. Siu. "Relationsh	1%

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 46151

Manuscript Type: OPINION REVIEW

Delirium after emergency hip surgery - common and serious, but rarely consented for

Louis J Koizia, Faye Wilson, Peter Reilly, Michael B Fertleman

Abstract

A quarter of patients admitted with a proximal femoral fracture suffer from an acute episode of delirium during their hospital stay. Yet it is often unrecognised, poorly managed, and rarely discussed by doctors. Delirium is important not only to the affected individuals and their families, but also socioeconomically to the broader community. Delirium increases mortality and morbidity, leads to lasting cognitive and functional



国内版

国际版

Delirium after emergency hip surgery – common and serious, but rarely consenter



All

Images

Videos

翻译成中文

关闭取词

7,440,000 Results

Any time ▾

Post-operative delirium after hip fracture treatment - a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2736510>

Feb 08, 2006 · Risk factors for post-operative **delirium after hip** fracture treatment. There is a great variety of factors that have been correlated with the development of postoperative **delirium**. Preoperative, intraoperative, and postoperative risk factors may give rise to the manifestation of **delirium** state in patients **after hip** fracture treatment.

Cited by: 12

Author: Theocharis Chr. Kyziridis

Publish Year: 2006

How Common Is Delirium In Elderly Hip Fracture Patients ...

<https://scarysymptoms.com/2016/09/common-delirium-elderly-hip-fracture-patients-postop> ▾

Delirium in elderly **hip** fracture patients **after surgery** is so **common**, don't be surprised if your senior age mother suffers from this **after** the operation. And if you've never seen your elderly mother (or father) in a delirious state post-op, then the **delirium** following a **hip** fracture **surgery** ...

Review of Postoperative Delirium in Geriatric Patients ...

journals.sagepub.com/doi/full/10.1177/2151458516641162

The incidence of postoperative **delirium after hip surgery** in the elderly patients ranges between 4% and 53%, and it is identified as the most **common** surgical complication of older patients. The most **common** risk factors include advanced age, **hip** fracture **surgery** (vs elective **hip surgery**), and preoperative **delirium**/cognitive impairment.

Cited by: 14

Author: Paul Rizk, William Morris, Philip Oladeji, Mi...

Publish Year: 2016

Delirium after a fractured hip in more than one-third of ...

https://www.researchgate.net/publication/6115584_Delirium_after_a_fractured_hip_in...

Delirium after a fractured **hip** in more than one-third of the patients ... **Delirium** occurred in 59% **after emergency surgery** and more often **after** open than **after** endovascular aneurysm repair (p ...

Hip Fracture Patients: Nearly half have delirium, study ...

<https://www.sciencedaily.com/releases/2015/03/150324084949.htm> ▾