

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 5,580 条结果 (用时 0.60 秒)

[PDF] Closed total talar dislocation—a case report - Grand Rounds

www.grandroundsjournal.com/articles/gr020005/gr020005.pdf ▼ [翻译此页](#)作者: S Sharma - 被引用次数: 2 - [相关文章](#)

Closed total talar dislocation; open reduction, successful outcome. Case report. A 17-year-old man was presented to Accident & Emergency department ... the right ankle and the medial aspect of the talonavicular joint of the right foot. ... tendon had to be divided after attempts to relocate the talus with the tendon intact failed.

Closed Talar Dislocation without Associated Fracture a Very Rare ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4719364/> ▼ [翻译此页](#)作者: YC Kumar - 2014 - 被引用次数: 2 - [相关文章](#)

We hereby report a closed total talar dislocation in a 25 year old male without an ... He was managed with emergency closed reduction and below knee splint. ... and are usually associated with malleolar fracture or a talar fracture itself[1-2]. ... We present a case of total talus dislocation without any fracture which was treated ...

Nonoperative treatment of closed total talus dislocation without ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4223801/> ▼ [翻译此页](#)作者: A Rhanim - 2014 - 被引用次数: 3 - [相关文章](#)

2014年6月28日 - Most cases reported are open talus dislocations; closed dislocations are rarely seen. ... Reduction of dislocation had been performed in emergency by external ... The few case reports found in the literature and the non-existent ... with a closed total dislocation of talus, without malleolar or talus fracture, ...

Diagnosis and treatment of talar dislocation fractures illustrated by 3 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4643447/> ▼ [翻译此页](#)

Match Overview

There are no matching sources for this report

1

Name of Journal: *World Journal of Clinical Cases***Manuscript NO:** 46209**Manuscript Type:** CASE REPORT**Open reduction of a total talar dislocation: A case report and review of literature**

Furkan Yapici, Mehmet Coskun, Muhammet Coskun Arslan, Yunus Emre Akman

Abstract**BACKGROUND**

Total talar dislocation (TTD) is very uncommon for many orthopedic surgeons and emergency/trauma specialists. Scarce reports of TTD have been reported, mainly in the form of open fracture-dislocation injury.



国内版

国际版

Open reduction of a total talar dislocation: A case report and review of literature



All

Images

Videos

翻译成中文

关闭取词

32,900 Results

Any time ▾

Total Dislocation of the Talus without a Fracture. Open or ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2707762>

Jul 03, 2009 · Complete **dislocation** of the **talus** not accompanied by a **fracture** is a very rare injury. The injury is encountered as a closed one even more rarely. **Reviewing** the **literature** we found that proposed treatments for **total talus dislocation** varied from primary talectomy or arthodesis (to avoid complications) to closed **reduction** and an under knee cast.

Cited by: 8

Author: K.C. Xarchas, I.G Psillakis, K.J Kazakos...

Publish Year: 2009

[PDF] Open Access Total Dislocation of the Talus without a ...

<https://openorthopaedicsjournal.com/VOLUME/3/PAGE/52/PDF>

52 The Open Orthopaedics Journal, 2009, 3, 52-55 1874-3250/09 2009 Bentham Open Open Access Total Dislocation of the Talus without a Fracture. Open or Closed Treatment? Report of Two Cases and Review of the Literature

Cited by: 8

Author: K.C. Xarchas, I.G Psillakis, K.J Kazakos...

Publish Year: 2009

A case of closed total dislocation of talus and literature ...

https://www.researchgate.net/publication/45439132_A_case_of_closed_total_dislocation...

Thirty-nine articles reporting a total of 86 cases of **total talar dislocation** are included in this **review**. Seventy-three of these were **open** injuries and 13 closed.

Open Treatment of Closed Talus Dislocation without ...

www.jocr.co.in/wp/2018/11/10/2250-0685-1246-fulltext ▾

Nov 10, 2018 · **Case Report**: We present a case of a closed anteromedial **talus dislocation** in a 25-year-old male motorcyclist due to a high-energy trauma, resulting from a fall following a road traffic accident. The **talus** could not be reduced by closed means making **open reduction** performed through a dorsal approach necessary.

Lateral subtalar dislocation: Case report and review of ...

<https://www.wjgnet.com/2218-5836/full/v7/i9/623.htm> ▾

Core tip: **Subtalar dislocations** are a rare and severe injury which is often result of high-energy trauma. **Subtalar dislocations** represent 1%-2% of all **dislocations**. The foot is displaced laterally in about 25% of cases. Excellent outcome can be expected in patients with uncomplicated lateral **subtalar dislocation** if immediate closed **reduction** is achieved.

Author: Ewout S Veltman, Ernst Ja Steller, Ph...

Publish Year: 2016