

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 46343


Manuscript Type: ORIGINAL ARTICLE

Observational Study

Management of betablocked patients after sustained virological response in hepatitis C cirrhosis

Abadía M et al. BB after SVR in HCV cirrhosis

Marta Abadía, María Luisa Montes, Dolores Ponce, Consuelo Froilán, Miriam Romero, Joaquín Poza, Teresa Hernández, Rubén Fernández-Martos, Antonio Olveira, on behalf of the "La Paz Portal Hypertension" Study Group Investigators





全部

图片

新闻

购物

地图

更多

设置

T具

找到约 8.670 条结果 (用时 0.56 秒)

您是不是要找: Management of beta blockers after sustained virological response in patients with hepatitis C cirrhosis and baseline oesophageal varices.

Management of hepatitis C-cirrhotic patients with baseline large ... https://liverlearning.aasld.org/.../antonio.olveira.management.of.hepatitis.c-ci... - 翻译此页 2017年10月20日 - TITLE: Management of hepatitis C-cirrhotic patients with basal large betablocked esophageal varices after sustained virological response ... large esophageal varices treated with betablockers (BB) after sustained virological ...

Small Esophageal Varices in Patients with Cirrhosis—Should We ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6267385/ - 翻译此页

作者: T Reiberger - 2018

2018年11月7日 - The main therapeutic focus in cirrhotic patients with small varices is the cure of Etiology: HCV, n = 70 patients with cirrhosis analyzed varices (and splenomegaly) 3 and 8 years after sustained virological response [53]. ... Treatment of Small Varices with Non-selective Betablockers (Table (Table22) ...

Cirrhosis and its complications: Evidence based treatment - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4017060/▼翻译此页

作者: S Nusrat - 2014 - 被引用次数: 81 - 相关文章

2014年5月14日 - The major complications of cirrhosis include varices, ascites, hepatic ... Similarly, treatment of hepatitis B, hepatitis C and autoimmune hepatitis can lead ... Post-transplant patients and patients with parenchymal renal disease may Effect of sustained virological response on longterm clinical outcome in ...

Management of betablocked patients after sustained virological response in hepat



AII

Images

Videos

翻译成中文

关闭取词

5,120 Results

Any time -

Management of Patients Who Have Achieved Sustained ...

www.gastroenterologyandhepatology.net/archives/may-2018/management... •

Most of these hepatitis C virus (HCV) regimens are effective in treatment-naive patients after 8 weeks of use, although patients who are treatment-experienced or who have cirrhosis need 12 weeks of treatment. Sustained virologic response (SVR), or cure, occurs in roughly 98% of patients with compensated liver disease.

Hepatocellular carcinoma after sustained virologic ...

www.ncbi.nlm.nih.gov > Journal List > HHS Author Manuscripts

INTRODUCTION. Pharmacologic therapy with interferon (IFN) reduces the risk of HCC among patients with HCV, including patients with cirrhosis. [2] The magnitude of risk reduction may be larger with sustained virologic response (SVR), defined as an undetectable hepatitis C viral load 24 weeks after treatment.

Cited by: 11 Author: Justin L. Sewell, Kristine M. Stick, Alexa...

Publish Year: 2009

Risk of hepatocellular carcinoma after sustained ...

onlinelibrary.wiley.com/doi/10.1002/hep.28535/full

The long-term **prognosis** in terms of risk or predictors of developing **hepatocellular carcinoma** (HCC) among **patients** with **sustained virological response** (SVR) remains unclear. We conducted a retrospective cohort study using data from the Veterans **Affairs** VA **hepatitis** C virus (HCV) Clinical Case Registry in **patients** with positive HCV RNA between October 1999 and August 2009 and follow-up ...

Cited by: 186 Author: Hashem B. El-Serag, Fasiha Kanwal, Pet...

Publish Year: 2016

[PDF] FAQs about Sustained Virologic Response to Treatment ...

https://www.hepatitis.va.gov/pdf/sustained-virological-response.pdf

possibility that the hepatitis C could return. Some providers will check for hepatitis C virus in blood at



Management of betablocked patients after sustained virological response

购物



Q

全部

图片

新闻

视频

更多

设置 工具

找到约 28,000 条结果 (用时 0.46 秒)

Management of Patients Who Have Achieved Sustained Virologic Response for Hepatitis C Virus Infection. ... Most of these hepatitis C virus (HCV) regimens are effective in treatment-naive patients after 8 weeks of use, although patients who are treatment-experienced or who have cirrhosis need 12 weeks of treatment.

Management of Patients Who Have Achieved Sustained Virologic ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6034612/

② 关于这条结果的详细信息

■ 反馈

Follow-up of sustained virological responders with hepatitis C and ...

https://www.ncbi.nlm.nih.gov/pubmed/29136329 - 翻译此页

作者: K Kozbial - 2018 - 被引用次数: 12 - 相关文章

2017年12月1日 - Follow-up of sustained virological responders with hepatitis C and advanced liver disease after interferon/ribavirin-free treatment. ... has increased sustained virological response (SVR) rates in patients with advanced liver ... of viral eradication in patients with advanced fibrosis or cirrhosis treated with DAAs.

缺少字词: betablocked

Sustained virological response to hepatitis C treatment decreases the ...

https://www.ncbi.nlm.nih.gov/pubmed/30650468 - 翻译此页

作者: J Li - 2019 - 相关文章

2019年1月16日 - Sustained virological response to hepatitis C treatment decreases the ... After propensity score adjustment to address treatment selection bias, ... and interferon-treated patients, an analysis of cirrhotic patients, as well as in ...

缺少字词: betablocked