

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,660,000 条结果 (用时 0.52 秒)

SX-ELLA Stent Esophageal Degradable BD - BD STENT - ELLA-CS, sro

<https://www.ellacs.eu> > [Products](#) > [Esophageal Stents](#) ▼ [翻译此页](#)

Stent system for treatment of benign esophageal strictures. BD - after deployment ... BD Stent is intended for patients aged 18 and older and indicated for ... refractory esophageal stenoses (peptic, caustic, or anastomotic) in which the standard ...

SX-ELLA Stent Esophageal Degradable BD - BD STENT - ELLA-CS, sro

<https://www.ellacs.eu> > [Publications](#) ▼ [翻译此页](#)

The use of biodegradable (SX-ELLA) oesophageal stents to treat dysphagia ... for refractory benign esophageal strictures: a prospective follow-up study ... Endoscopic treatment of benign anastomotic esophagogastric strictures with a biodegradable stent ... About 12 weeks after insertion, the stent had degraded about 50%.

Biodegradable esophageal stent placement does not prevent high ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4562670/> ▼ [翻译此页](#)

作者: EM Pauli - 2012 - 被引用次数: 28 - 相关文章

2012年6月9日 - At 2 weeks post-EEM, the BD-stent group had a significant reduction in esophageal diameter (77.7 vs. ... treatment method to both esophagectomy and mucosal ablation. ... through the working channel of the endoscope into the stomach. ... 120-mm, self-expanding, esophageal stent (SX-ELLA, ELLA-CS, ...

^[PDF] SX-ELLA Stent Esophageal Degradable BD - Mermaid Medical

www.mermaidmedical.dk/.../Netherlands/...SX-ELLA%20Stents/SX-ELLA%... ▼ [翻译此页](#)

BD Stent is designed for treatment of benign esophageal strictures (peptic, anastomotic, caustic) and achalasia resistant to standard therapy. SX-ELLA Stent ...

Match Overview

There are no matching sources for this report

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 46479

Manuscript Type: CASE REPORT

Post-oesophagectomy gastric conduit outlet obstruction following caustic ingestion, endoscopic management using a SX-ELLA biodegradable stent: A case report

A Musbahi, YKS Viswanath

Abstract

Background; Benign oesophageal strictures secondary to caustic ingestion are rare

国内版

国际版



Post-oesophagectomy gastric conduit outlet obstruction following caustic ingestic



All

Images

Videos

翻译成中文

关闭取词

65 Results

Any time ▾

Caustic ingestion in children—A review - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1055858617300112>

Pyloric strictures are reported in 0.8–5.4% of children with **caustic ingestion**.^{5, 59} Successful therapeutic approaches include **endoscopic** balloon dilation^{112, 113} and Finney or Heineke-Mikulicz pyloroplasty,⁵⁹ Y-V **Gastric** Antroplasty¹¹⁴ for partial pyloric canal **obstruction**, or partial (Bilroth I) gastrectomy with gastrojejunostomy^{5, 59} for ...

Cited by: 3

Author: Marion Arnold, Alp Numanoglu

Publish Year: 2017

Endoscopic Management of Difficult or Recurrent ...

https://www.researchgate.net/publication/51726720_Endoscopic...

Endoscopic Management of Difficult or Recurrent Esophageal Strictures. ... **caustic ingestion** or **endoscopic** mucosal resection. ... Stenosis and associated **gastric outlet obstruction** is the least ...

A degradable esophageal stent in the treatment of a ...

https://www.researchgate.net/publication/24232691_A_degradable...

Request PDF | On Apr 1, 2009, Y Vandenplas and others published A degradable esophageal **stent** in the treatment of a corrosive esophageal stenosis in a child

Acute GI obstruction - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1521691813001649>

Gastric outlet obstruction. **Gastric outlet obstruction** (GOO) is a syndrome occurring when the stomach content cannot be emptied distally into the small bowel due to a mechanical **obstruction**. Distal **gastric**, duodenal and extraluminal diseases are responsible for GOO. The spectrum of causes has

[国内版](#)[国际版](#)[Chat with Bing](#)[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

63 Results

Any time ▾

Caustic ingestion in children—A review - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S1055858617300112>

Pyloric strictures are reported in 0.8–5.4% of children with **caustic ingestion**. 5, 59 Successful therapeutic approaches include **endoscopic** balloon dilation 112, 113 and Finney or Heineke-Mikulicz pyloroplasty, 59 Y-V **Gastric** Antroplasty 114 for partial pyloric canal **obstruction**, or partial (Bilroth I) gastrectomy with gastrojejunostomy 5, 59 for ...

Cited by: 5**Author:** Marion Arnold, Alp Numanoglu**Publish Year:** 2017

Endoscopic Management of Difficult or Recurrent ...

https://www.researchgate.net/publication/51726720_Endoscopic...

Endoscopic Management of Difficult or Recurrent Esophageal Strictures. ... **caustic ingestion** or **endoscopic** mucosal resection. ... Stenosis and associated **gastric outlet obstruction** is the least ...

A degradable esophageal stent in the treatment of a ...

https://www.researchgate.net/publication/24232691_A_degradable...

Request PDF | On Apr 1, 2009, Y Vandenplas and others published A degradable esophageal **stent** in the treatment of a corrosive esophageal stenosis in a child

UEG Week 2017 Poster Presentations - journals.sagepub.com

<https://journals.sagepub.com/doi/10.1177/2050640617725676>

p1178 **gastric** peroral **endoscopic** myotomy (g-poem) as treatment for functional delayed **gastric** emptying: initial asian experience; p1179 effectiveness of cap-assisted device in the **endoscopic management** of food bolus **obstruction** in the upper esophagus; p1180 do the **endoscopic** findings of gastritis bring the fd symptoms?

Biodegradable esophageal stents in benign and malignant ...

www.ncbi.nlm.nih.gov > ... > Endosc Int Open > v.4(6); 2016 Jun

Apr 15, 2016 · There was 1 **case** of food bolus **obstruction** a few weeks after insertion, which was