



The learning curve of enhanced recovery after surgery (ERAS) program in open co



All

Images

Videos

翻译成中文

关闭取词

12,800 Results

Any time ▾

The enhanced recovery after surgery (ERAS) program in ...

www.ncbi.nlm.nih.gov › Journal List › Springerplus › v.5; 2016

Feb 29, 2016 · The **enhanced recovery after surgery (ERAS) program** in liver surgery: a meta-analysis of randomized controlled trials. ... The **enhanced recovery after surgery (ERAS) program** aims to attenuate the surgical stress response and decrease postoperative complications. It has increasingly replaced conventional approaches in surgical care.

Cited by: 29

Author: Wei Song, Kai Wang, Run-jin Zhang, Qi-xi...

Publish Year: 2016

Enhanced Recovery Program for Colorectal Surgery Patients ...

<https://www.facs.org/media/press-releases/jacs/colorectal0116> ▾

The researchers from Johns Hopkins Medical Institutions, Baltimore, analyzed the lengths of stay and costs documented in six published reports of **Enhanced Recovery After Surgery (ERAS) programs** that were implemented in U.S. hospitals for patients undergoing colorectal procedures between 2003 ...

Perioperative Pathways: Enhanced Recovery After Surgery

www.acog.org › ... › Committee Opinions ▾

Enhanced Recovery After Surgery is a comprehensive program, and data demonstrate success when multiple components of the ERAS pathway are implemented together. The use of ERAS pathways should be strongly encouraged within institutions.

[PDF] Implementation of an Enhanced Recovery after Surgery ...

caho-hospitals.com/wp-content/uploads/2014/02/CAHO-ERAS-ARTIC...

Participant Information Package 2012 Implementation of an Enhanced Recovery after Surgery (ERAS) Program ARTIC Project

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 46686

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Learning curve of enhanced recovery after surgery program in open colorectal surgery

Varut Lohsiriwat

Abstract

Background: Enhanced recovery after surgery (ERAS) reduces hospitalization and complication following colorectal surgery. Whether the experience of multidisciplinary ERAS team affects patients' outcomes is unknown.

Match Overview

1	Internet 21 words crawled on 07-Aug-2018 anzjsurg.pericles-prod.literatumonline.com	1%
2	Internet 21 words crawled on 13-Dec-2015 www.wjgnet.com	1%
3	Crossref 18 words Lohsiriwat, Varut. "Enhanced recovery after surgery conventional care in emergency"	1%
4	Publications 17 words International Journal of Health Care Quality Assurance, Volume 27, Issue 7, 2014, pp. 1-11	1%
5	Internet 16 words crawled on 05-Aug-2015 www.ccforum.com	1%

[国内版](#)[国际版](#)

Learning curve of enhanced recovery after surgery program in open colorectal sur

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

55,700 Results

Any time ▾

Successful implementation of an enhanced recovery after ...

<https://implementationscience.biomedcentral.com/articles/10.1186/s...> ▾

Jul 17, 2015 · **Enhanced recovery after surgery** (ERAS) is a multimodal evidence-based approach to patient care that has become the standard in elective **colorectal surgery**. Implemented globally, ERAS programmes represent a considerable change in practice for many surgical care providers. Our current understanding of specific implementation and sustainability challenges is limited.

Cited by: 61

Author: Lesley Gotlib Conn, Marg McKenzie, Emi...

Publish Year: 2015

Enhanced Recovery Program for Colorectal Surgery Patients ...

<https://www.facs.org/media/press-releases/jacs/colorectal0116> ▾

The researchers from Johns Hopkins Medical Institutions, Baltimore, analyzed the lengths of stay and costs documented in six published reports of **Enhanced Recovery After Surgery (ERAS) programs** that were implemented in U.S. hospitals for patients undergoing **colorectal** procedures between 2003 ...

Implementation of a urogynecology-specific enhanced ...

<https://www.sciencedirect.com/science/article/pii/S0002937818304964>

Mean age and body mass index of 258 women (137 before enhanced recovery after surgery and 121 enhanced recovery after surgery) were 65.5 ± 11.3 years and 28.2 ± 5.0 kg/m². The most common diagnosis was pelvic organ prolapse (n = 242, 93.8%) including ...

Cited by: 1

Author: Charelle M. Carter-Brooks, Angela L. Du, ...

Publish Year: 2018

[PDF] Enhanced Recovery After Colorectal Surgery (ERACS)

<https://www.interiorhealth.ca/YourCare/HospitalCare/Surgery...>

Enhanced Recovery after Colorectal Surgery (ERACS) Program In the 1990s, Danish doctor Henrik