

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 46739

Title: Prevalence of anal fistula in the United Kingdom

Reviewer's code: 02411089

Reviewer's country: Turkey

Science editor: Ruo-Yu Ma

Reviewer accepted review: 2019-02-27 11:04

Reviewer performed review: 2019-02-27 11:12

Review time: 1 Hour

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input checked="" type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Congratulations of your work.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 46739

Title: Prevalence of anal fistula in the United Kingdom

Reviewer's code: 03249854

Reviewer's country: China

Science editor: Ruo-Yu Ma

Reviewer accepted review: 2019-03-13 13:42

Reviewer performed review: 2019-03-15 07:17

Review time: 1 Day and 17 Hours

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The highlight of this article is to update the prevalence of anal fistula in the UK and EU, especially to calculate the proportion of comorbidities, which is of the great reference value for future research. However, in Study population: "If a CD diagnosis occurred prior to, or up to 4 years after the anal fistula diagnosis, the patient was considered to



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

have anal fistula with CD".What is the basis about "up to 4 years"? Is this standard too long? Because in another British literature< Natural history of anorectal sepsis[J]. Br J Surg, 2017, 104(13):1857. >, the longest time for CD diagnosis after anal fistula was only 20 months.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☒ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☒ No