



All

Images

Videos

翻译成中文

关闭取词

28,000 Results

Any time ▾

Primary neuroendocrine tumor of the sacrum: Case report ...

https://www.researchgate.net/publication/24271876_Primary...

A review of the literature revealed 20 case reports of neuroendocrine tumors arising from the presacral region (with or without associated tailgut cyst or sacrococcygeal teratoma) and sometimes ...

Primary presacral neuroendocrine tumor associated with ...

www.ncbi.nlm.nih.gov › ... › World J Surg Oncol › v.5; 2007

Background. Only a handful of primary presacral NETs have been reported in the literature and are felt presumably to derive from hindgut rests, especially given their histopathologic similarity with primary rectal NETs [2]. We report a rare case of a primary presacral NET in a patient with a history of imperforate anus,...

Cited by: 11

Author: Tad Kim, Stephen R Grobmyer, Chen Liu,...

Publish Year: 2007

[PDF] Presacral Primary Well Differentiated Neuroendocrine ...

<https://pdfs.semanticscholar.org/8b74/ed59b678501c93d197fad86557fb...>

primary malignant neuroendocrine tumor of the pre-sacral region has not been described with a focus on the imaging findings. Therefore, we report an extremely rare case of primary well-differentiated neuroendocrine carcinoma of the presacral region. Case Report A 65-year-old man visited the hospital with severe coc-cyx pain during sleep.

Primary neuroendocrine tumor of the sacrum: case report ...

<https://link.springer.com/article/10.1007/s00256-009-0693-y> ▾

A review of the literature revealed 20 case reports of neuroendocrine tumors arising from the presacral region (with or without associated tailgut cyst or sacrococcygeal teratoma) and sometimes extending to the sacrum. One additional case was located within the neural canal and involved the

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46914

Manuscript Type: CASE REPORT

Primary neuroendocrine tumor in the presacral region: A case report and review of literature

Rui Zhang, Yong Zhu, Xiao-Bo Huang, Chris Deng, Min Li, Guang-Shu Shen, Shu-Liang Huang, Shao-Hua Huangfu, Yan-Ni Liu, Chun-Gen Zhou, Ling Wang, Qi Zhang, You-Ping Deng, Bin Jiang

Abstract

BACKGROUND

Primary neuroendocrine tumors in the presacral region are extremely rare,

Match Overview

1 **Crossref** 18 words
Alberto Puccini, Francesca Battaglin, Heinz-Josef Lenz. "Management of Advanced Small Bowel Cancer", *Current Tre* 1%

2 **Crossref** 15 words
Fanny Dujardin, Pauline Beaussart, Anne de Muret, Philipp e Rosset, Eric Waynberger, Denis Mulleman, Gonzague de 1%

国内版

国际版

Primary neuroendocrine tumor in the presacral region: A case report and review o



All

Images

Videos

翻译成中文

关闭取词

28,300 Results

Any time ▾

Primary pituitary neuroendocrine tumor: Case report and ...

surgicalneurologyint.com/surgicalint-articles/primary-pituitary-neuroendocrine-tumor...

This **case report** describes a **neuroendocrine tumor** (NET) arising from enterochromaffin cells that underwent neoplastic transformation.[] These **tumors** can arise in almost every organ of the body although they are most commonly found in the gastrointestinal tract and respiratory system.[] The skull base and sellar **region** are extremely rare sites for NET.[]

Primary neuroendocrine tumor of the sacrum: case report ...

<https://link.springer.com/article/10.1007/s00256-009-0693-y>

Apr 10, 2009 - One other case involved a primary carcinoid tumor located within the sacral dural sac and subsequently extending to the sacrum, the presacral region, and the rectal wall [29]. Histologically, the majority of these tumors were well-differentiated neuroendocrine tumors ("carcinoid tumor").

Cited by: 13

Author: Fanny Dujardin, Pauline Beaussart, Anne d...

Publish Year: 2009

Primary neuroendocrine tumor of the sacrum: Case report ...

https://www.researchgate.net/publication/24271876_Primary_neuroendocrine_tumor_of_the...

A **review** of the **literature** revealed 20 **case** reports of **neuroendocrine tumors** arising from the **presacral region** (with or without associated tailgut cyst or sacrococcygeal teratoma) and sometimes ...

Primary neuroendocrine tumour of the breast: a case report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4720495>

Primary neuroendocrine cancer of the breast generally presents in mature women (between the sixth and seventh decade of life) and its incidence increases with age; this is not the **case** for metastatic **neuroendocrine** tumours, which appear an average of ten years before the **primary** tumours .

Cited by: 2

Author: Sara Tato-Varela, Rosa Albalat-Fernández,...

Publish Year: 2015

Primary presacral neuroendocrine tumor associated with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2092435>

In conclusion, we report the first case of primary presacral neuroendocrine tumor, of likely