

Name of Journal: *World Journal of Orthopedics*

Manuscript NO: 46922

Manuscript Type: CASE REPORT

Low-velocity simultaneous bilateral femoral neck fracture following long-term antiepileptic therapy: A case report

Sadiq M *et al.* Femur neck fracture following antiepileptic therapy

Mohammed Sadiq, Vikrant Kulkarni, Syed Azher Hussain, Mohammed Ismail, Mayur Nayak

## Abstract

### BACKGROUND

Simultaneous bilateral femoral neck fractures are relatively rare injuries. They are usually associated with underlying metabolic bone disorders or systemic diseases. Long-term use of narcotics and bisphosphonates can also result in similar fracture patterns; however, association of this fracture type with long-term use of antiepileptic drugs is not very

## Match Overview

1	Internet 16 words crawled on 04-Sep-2018 <a href="http://bekircakir.com">bekircakir.com</a>	1%
2	Internet 16 words crawled on 11-Jul-2019 <a href="http://www.jocr.co.in">www.jocr.co.in</a>	1%
3	Internet 14 words crawled on 24-Oct-2017 <a href="http://www.mona.uwi.edu">www.mona.uwi.edu</a>	1%
4	Internet 13 words crawled on 23-Mar-2016 <a href="http://www.science.gov">www.science.gov</a>	1%
5	Crossref 12 words <a href="#">Nikhil A. Khadabadi, Kiran S. Patil. "Simultaneous Bilateral Femoral Neck Stress Fracture in a Young Stone Mason", Case Report, World Journal of Orthopedics, 2018; 8(12): 1234-1238.</a>	1%



All

Images

Videos

翻译成中文

关闭取词

26,600 Results

Any time ▾

### Bilateral femoral neck fractures after an epileptic attack ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4334890>

This **report** presents a **case** of **bilateral femoral neck fractures** that occurred during an epileptic attack in a 24-year-old male with mental retardation. His complaints had started **after** a grand mal epileptic attack 10 days earlier. **Bilateral** displaced **femoral neck fractures** (Garden type 4) were seen in lateral radiographs of both hips.

Cited by: 6

Author: T. Cagirmaz, C. Yapici, M.M. Orak, O. Guler

Publish Year: 2015

### Bilateral femoral neck fractures after an epileptic attack ...

<https://www.sciencedirect.com/science/article/pii/S2210261214004337>

This **report** presents a **case** of **bilateral femoral neck fractures** that occurred during an epileptic attack in a 24-year-old male with mental retardation. His complaints had started **after** a grand mal epileptic attack 10 days earlier. **Bilateral** displaced **femoral neck fractures** (Garden type 4) were seen in lateral radiographs of both hips.

Cited by: 6

Author: T. Cagirmaz, C. Yapici, M.M. Orak, O. Guler

Publish Year: 2015

### Simultaneous bilateral fractures of the femoral neck ...

<https://www.sciencedirect.com/science/article/pii/S1008127515001030>

Those caused by high energy are even rarer. High energy-induced **bilateral fractures** of the **femoral neck** conceive of high incidence of mortality and present great challenges in the early management. We **report** one **case** of a 52-year-old man with **simultaneous bilateral fractures** of the **femoral neck** which resulted from a motor pedestrian accident.

Cited by: 1

Author: You-Shui Gao, Zhen-Hong Zhu, Chang-Qing ...

Publish Year: 2015

### Bilateral femoral neck fractures after an epileptic attack ...

[https://www.researchgate.net/publication/269935224\\_Bilateral\\_femoral\\_neck\\_fractures...](https://www.researchgate.net/publication/269935224_Bilateral_femoral_neck_fractures...)

In this **case report**, **bilateral femoral neck frac-** ... In our **case**, **long-term** use of an **antiepileptic**. ... **Bilateral femoral neck fractures after** seizures are very rare, especially in children. ...

### A typical bilateral femoral fracture: A case report

<https://oatext.com/a-typical-bilateral-femoral-fracture-a-case-report.php> ▾

A typical **bilateral femoral fracture**: A **case report** . Georgios Gemonas ... There are very few reports for **simultaneous** perfect **bilateral atypical femoral fractures** or **simultaneous bilateral femoral fractures** without prior use of drugs that affect bone metabolism. The occurrence of atypical **fractures after long-**





国内版

国际版

Low velocity simultaneous bilateral femoral neck fracture following long term



All

Images

Videos

翻译成中文

关闭取词

17,400 Results

Any time ▾

## Simultaneous bilateral fractures of the femoral neck ...

<https://www.sciencedirect.com/science/article/pii/S1008127515001030>

**Simultaneous bilateral fractures of the femoral neck** caused by high energy: **A case report and literature review**. Author links open overlay panel You-Shui Gao Zhen-Hong Zhu Chang-Qing Zhang. ... N.C. Tejwani **Bilateral low-energy simultaneous or sequential femoral fractures in patients on long-term alendronate therapy**.

Cited by: 1

Author: You-Shui Gao, Zhen-Hong Zhu, Chang-Qi...

Publish Year: 2015

## Bilateral femoral neck fractures after an epileptic attack ...

[https://www.researchgate.net/publication/269935224\\_Bilateral...](https://www.researchgate.net/publication/269935224_Bilateral...)

In this **case report**, **bilateral femoral neck fractures** after an epileptic attack. ... In our **case**, **long-term** use of an **antiepileptic** drug may have caused the decrease in bone mineral density.

## Bilateral femoral neck fractures after an epileptic attack ...

<https://www.sciencedirect.com/science/article/pii/S2210261214004337>

Although **simultaneous bilateral fractures** are relatively uncommon, ... In this **case report**, **bilateral femoral neck fractures** that developed during convulsions in a patient with epilepsy with sequelae of meningitis are presented. 2. ... In our **case**, **long-term** use of an **antiepileptic** drug may have caused the decrease in bone mineral density.

## Predictors of atypical femoral fractures during long term ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Indian J Med Res > v.140(1); 2014 Jul

Predictors of atypical **femoral fractures** during **long term** bisphosphonate **therapy**: **A case series & review of literature** ... Three patients had **bilateral atypical femoral fractures**. Except one, all of them had prodromal symptoms prior to **fracture**. ... From the **literature review**, majority of **fracture** occurred after oral alendronate **therapy** (>95%) ...

Cited by: 7

Author: Sanjay Kumar Bhadada, Subbiah Sridhar,...

Publish Year: 2014

검색결과 약 9개 (0.48초)

<https://www.ncbi.nlm.nih.gov/pmc/PMC4334890> ▾ 이 페이지 번역하기

## Bilateral femoral neck fractures after an epileptic attack: A ...

T Cagirmaz 저술 - 2015 - 12회 인용 - 관련 학술자료

2014. 12. 13. - This **report** presents a **case** of **bilateral femoral neck fractures** that ... **anti-epileptic** drugs, and internal fixation is preferred in the **treatment** of **femoral neck fractures**. ... in elderly osteoporotic patients due to **low**-energy trauma, and rarely in ... In our **case**, **long-term** use of an **antiepileptic** drug may have caused ...

누락된 검색어: velocity

<https://www.ncbi.nlm.nih.gov/pmc/PMC4334644> ▾ 이 페이지 번역하기

## Bilateral femoral neck fractures secondary to chronic ... - NCBI

K Sariyilmaz 저술 - 2015 - 4회 인용 - 관련 학술자료

2014. 12. 15. - This **case study** is about **bilateral femoral neck** insufficiency **fractures** resulting from ... Joint and bone pain with a history of **long-term** use of **anti-epileptic** drug should be ... Osteoporosis **therapy** was started immediately **after** surgery. ... **Simultaneous femoral neck fractures** are mostly seen **after** high-energy ...

누락된 검색어: velocity

<https://www.hindawi.com/journals/crior> ▾ 이 페이지 번역하기

## Seizures Causing Simultaneous Bilateral Neck of Femur ...

DG Maimin 저술 - 2019 - 관련 학술자료

2018. 11. 21. - In the elderly, these **fractures** usually occur **after** a **low** energy fall, and are invariably ... Bilateral **neck** of **femur fractures** have been reported in patients with ... **case report** presented most unusually, with **simultaneous, bilateral neck** of ... or decreased bone density as a result of chronic