

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 54,400 条结果 (用时 0.41 秒)

## Google 学术 : Predictors of Distant Metastasis in Acinic Cell Carcinoma of the Parotid Gland

... metastasis from major salivary gland carcinomas - Mariano - 被引用次数 : 41

Distant metastases from salivary glands cancer - Bradley - 被引用次数 : 80

Prognostic factors in major salivary gland cancer - Hocwald - 被引用次数 : 132

### (PDF) Predictors of Nodal Metastasis in Parotid Malignancies: A ...

[https://www.researchgate.net/.../282339356\\_Predictors\\_of\\_Nodal\\_Metastasis...](https://www.researchgate.net/.../282339356_Predictors_of_Nodal_Metastasis...) - 翻译此页

2015年10月1日 - pidermoid carcinoma (31%), acinic cell carcinoma (18%), adenocarcinoma ... Nodal metastasis in parotid gland cancers has long been shown to ..... nal control, distant metastases, and overall survival: results of the Dutch ...

### Acinic cell carcinoma of the parotid gland: Review and management

[https://www.researchgate.net/.../21234570\\_Acinic\\_cell\\_carcinoma\\_of\\_the\\_p...](https://www.researchgate.net/.../21234570_Acinic_cell_carcinoma_of_the_p...) - 翻译此页

Twenty-two acinic cell carcinomas (ACC) occurred in the parotid gland. Surgical ... Distant metastases are primarily to lung and bone (Levin et al., 1975 ).

### Distant Metastases in Patients with Carcinoma of the Major Salivary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4976494/> ▼ 翻译此页

作者 : S Ali - 2015 - 被引用次数 : 23 - 相关文章

2015年3月6日 - Conclusions. Distant metastases developed in approximately 20 % of the patients with salivary gland cancer. The most common site of metastases was the lung. The significant predictors of DM were cT4, cN+, male gender, high-grade pathology, perineural invasion, and positive nodal disease. Abstract - METHODS - RESULTS

### Clinical Analysis of Acinic Cell Carcinoma in Parotid Gland - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3250583/> ▼ 翻译此页

作者 : W Cha - 2011 - 被引用次数 : 16 - 相关文章

2011年12月15日 - Keywords: Acinic cell carcinoma, Parotid neoplasms, Salivary gland neoplasms. Go to: .... Three cases of distant metastasis occurred. .... Ellis G, Gullane P. Clinico-pathological predictors of recurrence for acinic cell carcinoma.



All

Images

Videos

关闭取词

27,600 Results

Any time ▾

## [Predictors of distant metastasis in parotid acinic cell ...](#)

<https://bmccancer.biomedcentral.com/articles/10.1186/s12885-019-5711-4> ▾

May 21, 2019 · **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the **major salivary glands**; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.

**Cited by:** 1

**Author:** Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

**Publish Year:** 2019

**Author:** Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

## [PDF] [Predictors of distant metastasis in parotid acinic cell ...](#)

<https://link.springer.com/content/pdf/10.1186/s12885-019-5711-4.pdf>

**Predictors of distant metastasis in parotid acinic cell carcinoma Qigen Fang\***, Junfu Wu, Wei Du and Xu Zhang **Abstract Background:** **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the **major salivary glands**; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.

**Cited by:** 1

**Author:** Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

**Publish Year:** 2019

## [Predictors of distant metastasis in parotid acinic cell ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/31113416>

May 21, 2019 · **BACKGROUND:** **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the **major salivary glands**; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.

## [Relapsed Acinic Cell Carcinoma of the Parotid Gland With ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5098682>

Nov 04, 2016 · Relapsed Acinic Cell Carcinoma of the Parotid Gland With Diffuse Distant Metastasis Case Report With Literature Review Yousef Khelfa , MD, FACP, 1 Munthir Mansour , MD, 1 **Yousef Abdel-Aziz** , MD, 1 Ali Raufi , MD, FACP, 1 Krista Denning , MD, 1 and Yehuda Lebowicz , MD 1

## [Distant Metastases in Patients with Carcinoma of the Major ...](#)

**Name of Journal:** *World Journal of Clinical Oncology*

**Manuscript NO:** 47069

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Predictors of distant metastasis in acinic cell carcinoma of the parotid gland**

Ali SA *et al.* Distant metastasis in acinic cell carcinoma

Syed Ahmed Ali, Kevin J Kovatch, Jonah Yousif, Sonali Gupta, Andrew J Rosko, Matthew

E Spector

**Abstract**

Match Overview

1	Internet 54 words crawled on 27-Mar-2018 <a href="http://journals.sagepub.com">journals.sagepub.com</a>	2%
2	Internet 15 words crawled on 10-May-2019 <a href="http://link.springer.com">link.springer.com</a>	1%
3	Internet 15 words crawled on 21-Apr-2019 <a href="http://bioskinrevive.com">bioskinrevive.com</a>	1%
4	Crossref 13 words Mariano, F.V. "Clinicopathological factors are predictors of... distant metastasis from major salivary gland carcinomas", In	<1%
5	Internet 13 words crawled on 10-Mar-2016 <a href="http://www.dovepress.com">www.dovepress.com</a>	<1%
6	Crossref 13 words Yousef Khelfa, Munthir Mansour, Yousef Abdel-Aziz, Ali Ra ufi, Krista Denning, Yehuda Lebowicz. "Relapsed Acinic Cel	<1%
7	Crossref 13 words Xiong, X.P. "Sebaceous adenoma of the parotid gland in a... 6-year-old girl", International Journal of Pediatric Otorhinolar	<1%

27,600 Results

Any time ▾

## Predictors of distant metastasis in parotid acinic cell ...

<https://bmccancer.biomedcentral.com/articles/10.1186/s12885-019-5711-4> ▾

May 21, 2019 · **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the **major salivary glands**; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.

Cited by: 1

Author: Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

Publish Year: 2019

Author: Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

## [PDF] Predictors of distant metastasis in parotid acinic cell ...

<https://link.springer.com/content/pdf/10.1186/s12885-019-5711-4.pdf>

**Predictors of distant metastasis in parotid acinic cell carcinoma** Qigen Fang\*, Junfu Wu, Wei Du and Xu Zhang Abstract Background: **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the major **salivary glands**; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.


Cited by: 1

Author: Qigen Fang, Junfu Wu, Wei Du, Xu Zhang

Publish Year: 2019


## Images of Predictors of Distant Metastasis In acinic Cell Carci...

[bing.com/images](https://www.bing.com/images)



### Acinic cell carcinoma

- A low grade malignancy
- **Clinical features**
  - Commonly occurs in parotid gland
  - Common in females
  - Usually asymptomatic
  - Commonly affects serous acini
  - In minor salivary glands it is common in buccal mucosa, lip & palate
  - It may be a slow growing swelling
  - Sometimes pain, tenderness may be there



See more images of Predictors of Distant Metastasis In acinic Cell Carcinoma of the parotid gland

## Predictors of distant metastasis in parotid acinic cell ...

<https://www.ncbi.nlm.nih.gov/pubmed/31113416>

May 21, 2019 · BACKGROUND: **Distant metastasis** (DM) is a common treatment failure pattern in **acinic cell carcinoma (AciCC)** of the major salivary glands; therefore, the main goal of this study was to analyse the **predictors of DM in parotid AciCC**.