



国内版

国际版

Virological and immunological response in adults with suppressed HIV-1 viremia \



All

Images

Videos

翻译成中文

关闭取词

3,230 Results

Any time ▾

British HIV Association guidelines for the treatment of ...

<https://onlinelibrary.wiley.com/doi/10.1111/hiv.12426>

6.1.4 Fixed-dose combinations: s45: 6.1.5 Single-tablet regimens ... interventions and outcomes) are outlined in Appendix 2. BHIVA guidelines for the treatment of HIV-1-infected adults with antiretroviral therapy were last published in 2013 4 ... a cohort study in the Netherlands of 4740 individuals was restricted to those starting ...

(PDF) Virological outcome and management of persistent ...

https://www.researchgate.net/publication/264634785_Virological...

PDF | BACKGROUND: Management of persistent low-level viraemia (pLLV) in patients on combined antiretroviral therapy (cART) with previously undetectable HIV viral loads (VLs) is challenging.

Single-Tablet Regimens in HIV Therapy

www.ncbi.nlm.nih.gov > ... > Infect Dis Ther > v.3(1); 2014 Jun

Feb 20, 2014 · Single-Tablet Regimens in HIV Therapy. Noemi Astuti and Franco Maggiolo ... both in terms of virological response and persistence ... Raffi F, Jaeger H, Quiros-Roldan E, et al. Once daily dolutegravir versus twice daily raltegravir in antiretroviral-naïve adults with HIV-1 infection (SPRING-2 study):96 week results from a randomized ...

Cited by: 23

Author: Noemi Astuti, Franco Maggiolo

Publish Year: 2014

British HIV Association Guidelines for the Treatment of ...

onlinelibrary.wiley.com/doi/10.1111/hiv.12426/full

The BHIVA guidelines for the treatment of HIV-1-infected adults with antiretroviral therapy 2008 recommended efavirenz as the preferred third agent in view of significantly better virological outcomes compared with lopinavir/r, subsequently confirmed in a smaller study.

Match Overview

- 1

Crossref 25 words

Jose R Arribas, Gilles Pialoux, Joseph Gathe, Giovanni Di Peri et al. "Simplification to coformulated elvitegravir, cobicistat,

1%
- 2

Internet 21 words

crawled on 21-Aug-2014
annals.org

1%
- 3

Crossref 19 words

Hartmut Krentz, Shayna Campbell, John Gill. "Desimplificatio
n of Single Tablet Antiretroviral (ART) Regimens—A Practic...

1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47120

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Desimplification to multi-tablet antiretroviral regimens in human immunodeficiency virus-type 1 infected adults: A cohort study.

Maria C Rossi, Walter O Inojosa, Giuseppe Battistella, Antonella Carniato, Francesca Farina,
Mario Giobbia, Rodolfo Fuser, Pier G Scotton

Abstract



国内版

国际版

Desimplification to multi-tablet antiretroviral regimens in human immunodeficien



All

Images

Videos

翻译成中文

关闭取词

8,660 Results

Any time ▾

Single- Versus Multiple-Tablet HIV Regimens: Adherence and ...

<https://www.ajmc.com/journals/issue/2016/2016-vol22-n4/single-versus-multiple-tablet...>

Apr 15, 2016 · Single-tablet **regimens** are associated with higher adherence rates, decreased hospitalizations, and a higher proportion of patients with undetectable viral ...

Meta-Analysis of Studies Comparing Single and Multi-Tablet ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4620781>

Meta-Analysis of Studies Comparing Single and **Multi-Tablet** Fixed Dose Combination HIV Treatment **Regimens**. P.G ... regarding combined **antiretroviral** treatment in **adults infected** by the **human immunodeficiency** virus. Enferm Infecc ... A phase 3, randomized, multicenter **study** of the treatment of **antiretroviral**-naïve **HIV-1 infected** subjects comparing ...

Cited by: 27

Author: P.G. Clay, S. Nag, C.M. Graham, S. Naray...

Publish Year: 2015

Switch to Rilpivirine/Emtricitabine/Tenofovir Single ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4438898>

Background. The purpose of this **study** was to assess the efficacy and tolerability of combined **antiretroviral** therapy (cART) in **human immunodeficiency** virus (HIV)-1 virologically suppressed patients who switched to rilpivirine (RPV)/tenofovir disoproxil fumarate (TDF)/emtricitabine (FTC) as a single-tablet **regimen** (STR).

Cited by: 10

Author: Charles Cazanave, Charles Cazanave, Sa...

Publish Year: 2015

Can Antiretroviral Therapy Be Used to Prevent Sexual ...

<https://academic.oup.com/cid/article/34/10/1391/328723>

May 15, 2002 · Can **Antiretroviral** Therapy Be Used to Prevent Sexual Transmission of **Human Immunodeficiency** Virus **Type 1**? ... and Antiviral Drug Resistance among HIV-**Infected Adults** Receiving **Antiretroviral** Therapy in Tanzania ... Long-Term Outcome and Treatment Modifications in a Prospective **Cohort** of **Human Immunodeficiency** Virus **Type 1-Infected** Patients on ...

Cited by: 90

Author: Mina Hosseinipour, Myron S. Cohen, Pietro...

Publish Year: 2002