

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 29,500 条结果 (用时 0.77 秒)

### DOP038 Postoperative outcome in 2890 patients following right ...

<https://academic.oup.com/ecco-jcc/article-abstract/12/...1/S057/4808002> - 翻译此页

作者: C Ma - 2018

2018年1月16日 - **Patients** with colonic **cancer** (CC) and **Crohn's disease** (CD) who undergo surgical **resections** may **differ** in pre- and perioperative characteris. ... disease: results from **ESCP**-SECCO snapshot prospective **audit** ... Secondary outcome measures were: postoperative **length of stay** in **hospital**, readmission and ...

### Hot Topics in Colorectal Surgery: Postoperative Complications ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991963/> - 翻译此页

作者: SE Tevis - 2016 - 被引用次数: 6 - 相关文章

Furthermore, **following** colorectal **surgery**, **patients** require the **need for a** second ... A similar **complication rate** (27%) occurred in an analysis of **more** than 600 **patients** ... Both **length of stay** and postoperative readmissions **have** been used as ... to rescue **after colorectal cancer surgery** and found high **hospital** volume (> 200 ...

缺少字词: Crohn's ESCP

### Surgery for inflammatory bowel disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2709047/> - 翻译此页

作者: JM Hwang - 2008 - 被引用次数: 93 - 相关文章

2008年5月7日 - Surprisingly, the number of **patients** found to **have Crohn's disease** instead of ... an overall **cancer** incidence of 3.7% in ulcerative colitis **patients**, **increasing** to ... As such, many **colorectal** surgeons advocate for colectomy with a ..... return of **bowel** function and shorter **hospital stay**[61]; no similar study **has** ...

缺少字词: ESCP audit.

### Risk factors for unfavourable postoperative outcome in patients with ...

[https://www.researchgate.net/.../319871383\\_Risk\\_factors\\_for\\_unfavourable...](https://www.researchgate.net/.../319871383_Risk_factors_for_unfavourable...) - 翻译此页

2017年9月18日 - PDF | BACKGROUND: **Patient and disease**-related factors, as well as ... The postoperative **length of stay** in **hospital** was prolonged in **patients** who ... An international **audit** by

**Name of Journal:** *World Journal of Gastrointestinal Surgery*

**Manuscript NO:** 47140

**Manuscript Type:** ORIGINAL ARTICLE

*Prospective Study*

**Patients with Crohn's disease have longer post-operative in-hospital stay than patients with colon cancer but no difference in complications' rate**

Alaa El-Hussuna

**Abstract**

Match Overview

There are no matching sources for this report.





All

Images

Videos

翻译成中文

关闭取词

17,600 Results

Any time ▼

## Efficacy and Complications of Surgery for Crohn's Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2976865>

Between 70% and 90% of **patients with** Crohn's **disease** will require surgery during their lifetime, 1, 2 even those who first present with a nonfistulizing, nonpenetrating phenotype, 3 and as many as 39% will require repeated surgery. 4 The percentages of **patients** with obstructing phenotypes and of penetrating phenotypes are approximately even, 5 and **no** genotype has been reliably linked with ...

**Cited by:** 29**Author:** Robert T. Lewis, David J. Maron**Publish Year:** 2010

## (PDF) Preoperative Optimization of Crohn's Disease

[https://www.researchgate.net/.../40688914\\_Preoperative\\_Optimization\\_of\\_Crohn's\\_Disease](https://www.researchgate.net/.../40688914_Preoperative_Optimization_of_Crohn's_Disease)

Crohn's **disease** is an incurable and frequently progressive entity with major impact on affected **patients**. Up to half of **patients** require surgery in the first 10 years after diagnosis and over 75% ...

## Can POSSUM accurately predict post-operative ...

<onlinelibrary.wiley.com/doi/10.1111/ans.12297/full>

**Patients** with severe physiological and/or operative conditions usually **have longer in-hospital stay** for extended treatment. Potential limitations are the observational design of the study in a single-institution setting and the elevated number of **patients** undergoing steroidal therapy compared to the low **rate** of biologic treatments.

**Published in:** Anz Journal of Surgery · 2014**Authors:** Giampaolo Ugolini · Isacco Montroni · Giancarlo Rosati · Federico Ghignone · Maria L...**Affiliation:** University of Bologna**About:** **Crohn's disease** · Surgery

## Laparoscopic surgery in the management of Crohn's disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4133519>

Aug 15, 2014 · **Crohn's disease** is a chronic inflammatory bowel **disease** with surgery still frequently necessary in its treatment. Since the 1990's, laparoscopic surgery has become increasingly common for primary resections in **patients with Crohn's disease** and has now become the standard of care. Studies **have** ...

**Cited by:** 5**Author:** James Y Lim, Joseph Kim, Scott O Nguyen