

28,100 Results

Any time ▾

Feasibility of laparoscopic liver resection for tumors ...

<https://www.sciencedirect.com/science/article/pii/S0039606008002158>

Therefore, an **isolated caudate** lobectomy without sacrificing other parts of the **liver** is a challenging technical procedure. 22 Our one such **resection** was 2.2 cm, single **hepatic** metastasis in the Spiegelian **lobe** from colon cancer, which was approached from the left.

Cited by: 243

Author: Jai Young Cho, Ho-Seong Han, Yoo-Se...

Publish Year: 2008

Laparoscopic Total Caudate Lobectomy for Hepatocellular ...

<https://reference.medscape.com/medline/abstract/27855267> ▾

BACKGROUND: **Caudate lobe** is located in the deep dorsal area of the liver between the portal triad and the inferior vena cava (IVC). **Torrential bleeding** can occur from the IVC and short **hepatic veins** during dissection. **Isolated total caudate lobe resection** is still **rare** and technically demanding.

Isolated caudate lobectomy: Left-sided approach. Case ...

<https://www.sciencedirect.com/science/article/pii/S221026121730295X>

Isolated caudate lobectomy is the **resection** of either part or total **caudate lobe**. First described by Lerut et al. in 1990, **resection of caudate lobe** is a challenging procedure and requires expertise in **liver** resections, precise anatomic knowledge and safe vascular control.

Author: Orlando Jorge M. Torres, Rodrigo R...

Publish Year: 2017

Technical notes on pure laparoscopic isolated caudate ...

https://www.researchgate.net/publication/304708688_Technical_notes_on_pure...

Download Citation on ResearchGate | Technical notes on pure **laparoscopic isolated caudate lobectomy** for patient with **liver** cancer | Background: The advantages of **laparoscopic liver resection** ...

Techniques for performing laparoscopic liver resection in ...

<https://www.onlinelibrary.wiley.com/doi/10.1007/s00534-009-0118-2>

With the help of this equipment, challenging **laparoscopic liver resections** are feasible, including anatomical right **hemihepatectomy** [12, 15], **isolated caudate lobe resection** and right posterior sectionectomy . Deeply seated tumor located beyond 3 cm from the liver surface, according to the preoperative computed tomography image, usually requires **anatomic liver resection** rather than ...

Cited by: 87

Author: Ho-Seong Han, Ho-Seong Han, Jai You...

Publish Year: 2009

5
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47228

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Feasibility of laparoscopic isolated caudate lobe resection for rare hepatic mesenchymal neoplasms

Li Y *et al.* Laparoscopic caudate lobe resection

Yang Li, Kai-Ning Zeng, Dan-Yun Ruan, Jia Yao, Yang Yang, Gui-Hua Chen,
 Gen-Shu Wang

Match Overview

Rank	Source	Words	Similarity
1	Crossref	60 words Kenichiro Araki, David Fuks, Takeo Nomi, Satoshi Ogiso, Ruben R. Lozano, Hiroyuki Kuwano, Brice Gayet. "Feasi	2%
2	Crossref	49 words Salloum, Chady, Eylon Lahat, Chetana Lim, Alexandre D ousot, Michael Osseis, Philippe Compagnon, and Dani	2%
3	Internet	40 words crawled on 10-Jul-2019 link.springer.com	2%
4	Crossref	37 words Oh, Dongkyu, Choon Hyuck David Kwon, Byung Gon Na, Kyo Won Lee, Won Tae Cho, Seung Hwan Lee, Jin Yong	2%
5	Internet	24 words crawled on 29-Apr-2019 f6publishing.blob.core.windows.net	1%
6	Crossref	22 words Kuo-Hsin Chen, Kuo-Shyang Jeng, Shih-Hong Huang, Shu-Hsun Chu. "Laparoscopic Caudate Hepatectomy ...	1%
7	Internet	17 words crawled on 20-Mar-2019 www.karger.com	1%
8	Internet	16 words crawled on 26-Jan-2017 insights.ovid.com	1%
9	Crossref	14 words Yang, Jia-Hua, Jun Gu, Ping Dong, Lei Chen, Wen-Guan g Wu, Jia-Sheng Mu, Mao-Lan Li, Xiang-Song Wu, Yang-	1%
10	Crossref	14 words Cai, Xiujun, Jie Zhao, Yifan Wang, Hong Yu, Xiao Liang, Renan Jin, Ning Meng, and Jiang Chen. "A Left-Sided, P	1%
11	Internet	13 words crawled on 26-Mar-2019 synapse.koreamed.org	1%



26,300 Results

Any time ▾

Laparoscopic Total Caudate Lobectomy for Hepatocellular ...

<https://www.ncbi.nlm.nih.gov/pubmed/27855267>

BACKGROUND: Caudate lobe is located in the deep dorsal area of the liver between the portal triad and the inferior vena cava (IVC). Torrential bleeding can occur from the IVC and short hepatic veins during dissection. Isolated total caudate lobe resection is still rare and technically demanding.

Cited by: 4

Author: Kit Man Ho, Kit Man Ho, Ho-Seong Han, ...

Publish Year: 2017

Feasibility of laparoscopic liver resection for tumors ...

<https://www.sciencedirect.com/science/article/pii/S0039606008002158>

Therefore, an isolated caudate lobectomy without sacrificing other parts of the liver is a challenging technical procedure. 22 Our one such resection was 2.2 cm, single hepatic metastasis in the Spiegelian lobe from colon cancer, which was approached from the left.

Cited by: 242

Author: Jai Young Cho, Ho-Seong Han, Yoo-Seok...

Publish Year: 2008

Feasibility of laparoscopic liver resection for caudate ...

<https://reference.medscape.com/medline/abstract/26823056> ▾

Resection margins were clear in all Sg1 and PS group patients, whereas two (1.3 %) patients in AI group had R1 margins ($p = 0.586$). CONCLUSION: The laparoscopic approach of isolated resection located in the caudate lobe is a feasible and curative surgical option in selected patients.

Laparoscopic Total Caudate Lobectomy for Hepatocellular ...

https://www.researchgate.net/publication/310478733_Laparoscopic_Total_Caudate...

Torrential bleeding can occur from the IVC and short hepatic veins during dissection. Isolated total caudate lobe resection is still rare and...

Laparoscopic celiac plexus ganglioneuroma resection: A ...

<https://www.wjnet.com/1948-9366/full/v11/i3/191.htm> ▾

There is a paucity of reports in the literature of laparoscopic resection of ganglioneuromas near the celiac plexus and the portal vein. However, with appropriate preoperative workup, imaging, and patient selection, a minimally invasive approach for resection of these rare tumors can be safe and effective.

Author: Pouya Hemmati, Omar Ghanem, Julia...

Publish Year: 2019