

Match Overview

1	Internet 28 words crawled on 02-Apr-2019 f6publishing.blob.core.windows.net	3%
2	Internet 21 words crawled on 14-Apr-2019 wjso.biomedcentral.com	2%

1 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 47534

Manuscript Type: MINIREVIEWS

Predicting systemic spread **in** early colorectal cancer: Can we do better?

Brockmoeller S *et al.* Predicting spread in early colorectal cancer

Scarlet Fiona Brockmoeller, Nicholas Paul West

Abstract

Through the implementation of national bowel cancer screening programmes we have seen a three-fold increase in early pT1 colorectal cancers, but how these lesions should be managed is currently unclear. Local excision can be an attractive option, especially for fragile patients with multiple comorbidities, but it is only safe from an oncological point of view in the absence of lymph node metastasis. Patient risk stratification through careful analysis of histopathological features in local excision or polypectomy specimens should be performed according to national guidelines to avoid under- or over-treatment. Currently national guidelines vary in their recommendations as to which factors should be routinely reported and there is no established multivariate risk stratification model to determine which patients should be offered major resectional surgery. Conventional histopathological parameters such as tumour grading or lymphovascular invasion have been shown to be predictive of lymph node



找到约 6,030,000 条结果 (用时 0.57 秒)

Symptomatic Presentation of Early Colorectal Cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1964069/> ▾ 翻译此页

作者: D Smith - 2006 - 被引用次数: 38 - 相关文章

Early colorectal cancers do have significant symptoms which can easily be captured by a ... They may also present with systemic symptoms – anorexia, significant weight loss, ... As we have previously described an effective tool to help predict risk of After all, it is well documented that most colorectal cancers present with ...

Early stage colon cancer - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870492/> ▾ 翻译此页

作者: HJ Freeman - 2013 - 被引用次数: 19 - 相关文章

2013年12月14日 - Early stage colon cancer can be defined as disease that appears to have been ... staging criteria have been used to estimate the depth of cancer penetration in the colon as well ... Stage I, T2 N0 M0, Tumor invades muscularis propria A high CEA value may also be predictive of metastatic disease[34,35].

Systematic review and meta-analysis of the impact of tumour budding ...

<https://www.nature.com › british journal of cancer › molecular diagnostics> - 翻译此页

作者: AC Rogers - 2016 - 被引用次数: 56 - 相关文章

2016年9月6日 - The TNM staging system for colorectal cancer (CRC) stratifies patients into ... 2009), as well as under- and overtreatment of patient subsets (Merkel et al, 2001; ... some methods for reporting are conceived for early stages (I–II) and some are predictor of outcome in AJCC/UICC stage II colorectal cancer .

Clinical presentation, diagnosis, and staging of colorectal cancer ...

<https://www.uptodate.com/contents/clinical...and...colorectal-cancer/print> ▾ 翻译此页

作者: FA Macrae - 被引用次数: 15 - 相关文章

2018年10月22日 - Colorectal cancer (CRC) is a common and lethal disease. ... There are no symptoms in the majority of patients with early stage colon cancer and these The positive predictive values (PPVs) for abdominal pain, constipation, ... CRC can spread by lymphatic and hematogenous dissemination, as well as by

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 8,790,000 条结果 (用时 0.60 秒)

Symptomatic Presentation of Early Colorectal Cancer - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1964069/> ▼ [翻译此页](#)

作者: D Smith - 2006 - 被引用次数: 38 - [相关文章](#)

To date, one of the few studies to provide indirect evidence for the efficacy of colonoscopic polypectomy in reducing the incidence of **colorectal cancer** is the National Polyp Study. However, there **are** still no absolute criteria which **can predict** with certainty adenoma progression to **cancer** or recurrence.

Early stage colon cancer - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870492/> ▼ [翻译此页](#)

作者: HJ Freeman - 2013 - 被引用次数: 19 - [相关文章](#)

2013年12月14日 - **Early stage colon cancer can be** defined as disease that appears to have been ... have been used to estimate the depth of cancer penetration in the colon as **well** cells after removal of a malignant polyp, colectomy should **be done**. ... A high CEA value may also **be predictive** of metastatic disease[34,35].

缺少字词: spread

Clinical presentation, diagnosis, and staging of colorectal cancer ...

<https://www.uptodate.com/.../clinical-presentation-diagnosis-and-staging-of-...> ▼ [翻译此页](#)

作者: FA Macrae - 被引用次数: 15 - [相关文章](#)

2018年10月22日 - **Colorectal cancer** (CRC) is a common and lethal disease. ... There **are** no symptoms in the majority of patients with **early stage colon cancer** and these The positive **predictive** values (PPVs) for abdominal pain, constipation, ... CRC **can spread** by lymphatic and hematogenous dissemination, as **well** as by ...

找到约 8,610,000 条结果 (用时 0.71 秒)

Symptomatic Presentation of Early Colorectal Cancer - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1964069/>  [翻译此页](#)

作者: D Smith - 2006 - 被引用次数: 38 - [相关文章](#)

To date, one of the few studies to provide indirect evidence for the efficacy of colonoscopic polypectomy in reducing the incidence of colorectal cancer is the National Polyp Study. However, there are still no absolute criteria which can predict with certainty adenoma progression to cancer or recurrence.

Early stage colon cancer - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3870492/>  [翻译此页](#)

作者: HJ Freeman - 2013 - 被引用次数: 19 - [相关文章](#)

2013年12月14日 - Early stage colon cancer can be defined as disease that appears to have been ... have been used to estimate the depth of cancer penetration in the colon as well cells after removal of a malignant polyp, colectomy should be done. ... A high CEA value may also be predictive of metastatic disease[34,35].

缺少字词: spread

Prognostic stratification of colorectal cancer patients: current ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4085313/>  [翻译此页](#)

作者: NI Schneider - 2014 - 被引用次数: 42 - [相关文章](#)

2014年7月2日 - Tumor budding and tumor necrosis are recent advances that may help to ... Keywords: colorectal cancer, lymphatic invasion, blood-vessel invasion, ... histology and poor prognosis,6,9,11-13 while we and others could not thereby modulating both local and systemic inflammatory responses, as well as ...

Systematic review and meta-analysis of the impact of tumour budding ...

<https://www.nature.com> > [british journal of cancer](#) > [molecular diagnostics](#) - [翻译此页](#)

作者: AC Rogers - 2016 - 被引用次数: 64 - [相关文章](#)

2016年9月6日 - The TNM staging system for colorectal cancer (CRC) stratifies patients ... 2009), and accordingly has a well-established association with lymph node ... some methods for reporting are conceived for early stages (I-II) and some a novel histological predictor of nodal metastases in pT1 colorectal cancer .

Clinical presentation, diagnosis, and staging of colorectal cancer ...