

[国内版](#)[国际版](#)[Chat with Bing](#)[Sign in](#)[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)[Make Bing your search engine >](#)

7,640,000 Results

Any time ▾

What we learned from difficult hepatectomies in patients ...

[www.ncbi.nlm.nih.gov](#) > ... > v.15(4); 2011 Nov

However, it is difficult to resect an advanced hepatic **malignancy** that is huge and tightly invasive or adherent to adjacent organs, especially the inferior vena cava (IVC), hepatic vein, and diaphragm. ... hepatic vein, and diaphragm. The prognosis of the patient with primary **liver cancer** is dependent on the tumor **stage**, the degree of **liver** ...

Author: Bo Hyun Jung, Jae Hoon Lee, Sang Y... **Publish Year:** 2011

Two-Stage Hepatectomy: A Planned Strategy to Treat ...

[www.ncbi.nlm.nih.gov](#) > ... > Ann Surg > v.232(6); 2000 Dec

The patients who underwent a two-**stage** hepatectomy represent only a small proportion of patients with irresectable **liver** metastases, amounting to 5% of first **hepatectomies** and 15% of second hepatic resections in the same period, and increased the rate of resection in referred patients to 54%.

Cited by: 742**Author:** René Adam, Alexis Laurent, Daniel Azoul...**Publish Year:** 2000

Hepatectomy Outcomes | Cleveland Clinic

<https://my.clevelandclinic.org/departments/digestive/outcomes/665...> ▾

The **liver** tumor surgical team performs complex operations including extended hepatectomies, staged **hepatectomies**, associating liver partition with portal vein ligation for staged **hepatectomy** (ALPPS), and **liver** transplantation (see Transplantation section for **liver transplant** outcomes). The Cleveland Clinic **Liver Tumor** Program is a multidisciplinary platform comprised by physicians from diverse specialties ...

Liver Cancer Stages - American Cancer Society

<https://www.cancer.org/cancer/liver-cancer/detection-diagnosis...> ▾

Name of Journal: *World Journal Hepatology*

Manuscript NO: 47614

Manuscript Type: REVIEW

Outcomes of staged hepatectomies for liver malignancy

Albati NA *et al.* Staged hepatectomies in liver malignancy

Naif A Albati, Ali A Korairi, Ibrahim Al Hasan, Helayel K Almodhaiberi,
Abdullah A Algarni

Abstract

Liver malignancies are the fifth most common cause of death worldwide. Surgical intervention with curative intent is the treatment of choice for liver tumors as it provides long-term survival. However, only 20% of patients with

Match Overview

1	Internet 111 words crawled on 07-Feb-2018 canjsurg.ca	3%
2	Internet 74 words crawled on 28-Nov-2018 www.surgeryresearchjournal.com	2%
3	Internet 65 words crawled on 10-Sep-2018 hbsn.amegroups.com	2%
4	Crossref 55 words Guan-Qi Zhang, Zhi-Wei Zhang, Wan-Yee Lau, Xiao-Ping Chen . "Associating liver partition and portal vein ligation for s	2%
5	Crossref 23 words Ibrahim Al Hasan, Mauro Enrique Tun-Abraham, Kerollos N. Wanis, Carlos Garcia-Ochoa et al. "Optimizing associate	1%

[国内版](#)[国际版](#)[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)

9,230,000 Results

Any time ▾

Hepatectomy Outcomes | Cleveland Clinic

<https://my.clevelandclinic.org/departments/digestive/outcomes/665-hepatectomy> ▾

The liver tumor surgical team performs complex operations including extended **hepatectomies**, **staged hepatectomies**, associating liver partition with portal vein ligation for **staged** hepatectomy (ALPPS), and liver transplantation (see Transplantation section for liver transplant **outcomes**). The Cleveland Clinic Liver Tumor Program is a ...

Synchronous resection of colorectal primary and hepatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3397641>

Additionally, the result of the studies reviewed above indicate that oncologic **outcomes**, including both overall and disease-free survival, are not different following a synchronous compared to a **staged** approach to colorectal cancer metastatic to the liver (Table 3). A major limitation to the majority of available studies, however, is the ...

Cited by: 18

Author: Bridget N. Fahy, Craig P. Fischer

Publish Year: 2012

Liver Cancer Survival Rates | Cancer of the Liver Survival ...

<https://www.cancer.org/cancer/liver-cancer/detection-diagnosis-staging/survival-rates.html> ▾

Apr 01, 2019 · For people with **early-stage liver cancers** who have a **liver transplant**, the 5-year **survival rate** is in the range of 60% to 70%. Our team is made up of doctors and master's-prepared nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

Two-Stage Hepatectomy: A Planned Strategy to Treat ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1421270>

In **two-stage hepatectomy**, the highest possible number of tumors is resected in a first, noncurative intervention, and the remaining tumors are resected after a period of **liver regeneration**. In selected patients with irresectable multiple metastases not amenable to a single **hepatectomy** procedure, **two-stage hepatectomy** might offer a chance of long-term remission.

Cited by: 740

Author: René Adam, Alexis Laurent, Daniel Azoul...

Publish Year: 2000

Stage 4 Liver Cancer (End Stage) – Life Expectancy ...

<https://cancerwall.com/stage-4-liver-cancer-end-stage-life-expectancy-survival-rate> ▾

Symptoms of Stage 4 Liver Cancer. Fever is very common symptom for the Stage 4 Liver Cancer.



国内版

国际版

Outcomes of staged hepatectomies for liver malignancy



All

Images

Videos

翻译成中文

开启取词

9,150,000 Results

Any time ▾

Hepatectomy Outcomes | Cleveland Clinic

<https://my.clevelandclinic.org/departments/digestive/outcomes/665-hepatectomy> ▾

The liver tumor surgical team performs complex operations including extended hepatectomies, staged hepatectomies, associating liver partition with portal vein ligation for staged hepatectomy (ALPPS), and liver transplantation (see Transplantation section for liver transplant outcomes). The Cleveland Clinic Liver Tumor Program is a ...

Synchronous resection of colorectal primary and hepatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3397641>

Additionally, the result of the studies reviewed above indicate that oncologic outcomes, including both overall and disease-free survival, are not different following a synchronous compared to a staged approach to colorectal cancer metastatic to the liver (Table 3). A major limitation to the majority of available studies, however, is the ...

Cited by: 18

Author: Bridget N. Fahy, Craig P. Fischer

Publish Year: 2012

Two-Stage Hepatectomy: A Planned Strategy to Treat ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1421270>

In two-stage hepatectomy, the highest possible number of tumors is resected in a first, noncurative intervention, and the remaining tumors are resected after a period of liver regeneration. In selected patients with irresectable multiple metastases not amenable to a single hepatectomy procedure, two-stage hepatectomy might offer a chance of long-term remission.

Cited by: 739

Author: René Adam, Alexis Laurent, Daniel Azoul...

Publish Year: 2000

Stage 4 Liver Cancer (End Stage) – Life Expectancy ...

<https://cancerwall.com/stage-4-liver-cancer-end-stage-life-expectancy-survival-rate> ▾

Symptoms of Stage 4 Liver Cancer. Fever is very common symptom for the Stage 4 Liver Cancer. Unbearable pain in the lower abdomen and close to right shoulder blade is very common at this stage. Enlarged Liver becomes the common symptom in the Stage 4. It feels like that a mass is stuck in the right side of the ribs.

Outcomes of 1639 hepatectomies for non-colorectal non ...

https://www.researchgate.net/publication/328236772_Outcomes_of_1639_hepatectomies_for...

Request PDF on ResearchGate | Outcomes of 1639 hepatectomies for non-colorectal non-neuroendocrine liver metastases: a multicenter analysis | Background Whether non-colorectal non ...

Postoperative Complications and Oncologic Outcomes after ...

<https://link.springer.com/article/10.1245/s10434-013-2974-x> ▾

Postoperative Complications and Oncologic Outcomes after Resection of Colorectal Liver Metastases: The Importance of Staying on Track. It is important to keep the two-stage approach in the armament of the hepatobiliary surgeon. Often, careful sequencing is a better tool than fancier resections of excessive extent.

Cited by: 8

Author: Chinn-Wei David Tzeng, Jean Nicolas Va