

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Surgery

Manuscript NO: 47711

Title: Use of absorbable meshes in laparoscopic paraesophageal hernia repair

Reviewer's code: 02728252

Position: Editorial Board

Academic degree: PhD

Professional title: Professor

Reviewer's country: Egypt

Author's country: Argentina

Reviewer chosen by: Ying Dou

Reviewer accepted review: 2019-06-04 12:54

Reviewer performed review: 2019-06-08 07:36

Review time: 3 Days and 18 Hours

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language	(High priority)	<input type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input checked="" type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input checked="" type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

It is a narrative review conducted for the evaluating the use of absorbable mesh in



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

laparoscopic paraesophageal hernia repair. The review is interesting but it lack the integration and need some modernization by adding figures, tables, methodology (databases searched) to be more systemically organized. In addition, English language editing is mandatory.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

PEER-REVIEW REPORT

Name of journal: World Journal of Gastrointestinal Surgery

Manuscript NO: 47711

Title: Use of absorbable meshes in laparoscopic paraesophageal hernia repair

Reviewer's code: 02549888

Position: Editorial Board

Academic degree: DNB, FRCS (Gen Surg), MBBS, MNAMS

Professional title: Full Professor

Reviewer's country: India

Author's country: Argentina

Reviewer chosen by: Ying Dou

Reviewer accepted review: 2019-05-30 12:28

Reviewer performed review: 2019-06-12 13:39

Review time: 13 Days and 1 Hour

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input checked="" type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Title: Apt. Abstract: satisfactory. Introduction: Good Discussion: Needs adequate



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-223-8242
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

correlation. Tables summarizing the various studies and their results would have been better and added to the quality of the article. Conclusion: Adequate

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No

BPG Search:

- ☐ The same title
- ☐ Duplicate publication
- ☐ Plagiarism
- ☐ No