



国内版

国际版

Subcutaneous Sarcoidosis of the Upper and lower Extremities – A Retrospective An



All

Images

Videos

翻译成中文

开启取词

27,300 Results

Any time ▼

Subcutaneous Sarcoidosis with Underlying Intramuscular ...

www.ncbi.nlm.nih.gov › ... › Indian J Dermatol › v.60(1); Jan-Feb 2015

Specific manifestations include plaques, papules, maculopapules, **subcutaneous** nodules, infiltrative scars, and lupus pernio. **Subcutaneous sarcoidosis** usually occurs on the **upper extremities**, but **lower extremities** and buttocks are also involved. Histological examination shows non-caseating epithelioid granuloma located in the subcutis.

Sarcoidosis with subcutaneous lesions - eScholarship

<https://escholarship.org/uc/item/90z93266> ▼

Abstract. **Systemic evaluation** showed no evidence of **extracutaneous** involvement. **Subcutaneous sarcoidosis** is a rare form of nodular **cutaneous sarcoidosis**. Typical skin findings are painless, firm, mobile nodules without overlying epidermal involvement and with a predilection for the **trunk** and **extremities**.

Published in: Dermatology Online Journal · 2008

Authors: Marissa Heller · Anthony C Soldano

Affiliation: New York University · University of Texas at Austin

Subcutaneous Sarcoidosis | Request PDF

https://www.researchgate.net/.../23259783_Subcutaneous_Sarcoidosis

Subcutaneous sarcoidosis is a rare **manifestation** of **sarcoidosis**, and **plantar involvement** is extremely rare and there is only one such case **report** in the medical literature.

(PDF) Subcutaneous Sarcoidosis with Plantar Involvement

https://www.researchgate.net/publication/49690061_Subcutaneous...

Subcutaneous Sarcoidosis with Plantar Involvement.pdf ... and skin coloured **subcutaneous** nodules over her **upper and lower extremities** and concurrently occurring severe arthralgia, swelling ...

Subcutaneous sarcoidosis: Is it a specific subset of ...

<https://www.sciencedirect.com/science/article/pii/S0190962205030203>

Subcutaneous sarcoidosis is characterized by a peak **incidence** during the fourth decade; female predisposition; asymptomatic to slightly tender lesions typically involving the **upper extremities**; **cutaneous** lesional clustering and multiplicity; **autoimmune disease** associations at time of **diagnosis** in a subset of cases; systemic disease associations at ...

Cited by: 108

Author: Iftikhar Ahmed, Sujata R. Harshad

Publish Year: 2006

Sarcoidosis of the Skin - CHEST

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47771

Manuscript Type: CASE REPORT

Subcutaneous sarcoidosis of the upper and lower extremities: A case report and review of the literature

Mehrzad R *et al.* Subcutaneous sarcoidosis of the extremities

Raman Mehrzad, Julia Festa, Reena Bhatt

Abstract

Match Overview

1	Internet 24 words crawled on 03-Apr-2019 www.cureus.com	1%
2	Crossref 23 words Iftikhar Ahmed, Sujata R. Harshad. "Subcutaneous sarcoidosis: Is it a specific subset of cutaneous sarcoidosis frequi ..."	1%
3	Internet 17 words crawled on 04-May-2019 goforexyourself.com	1%
4	Internet 13 words crawled on 24-Jun-2013 radiographics.rsna.org	1%
5	Internet 12 words crawled on 30-Aug-2017 link.springer.com	<1%
6	Internet 11 words crawled on 06-Jul-2016 journal.publications.chestnet.org	<1%
7	Crossref 11 words Pulmonary Sarcoidosis, 2014.	<1%
8	Internet 10 words crawled on 13-May-2012 iranjd.ir	<1%



国内版

国际版

Subcutaneous sarcoidosis of the upper and lower extremities: A case report and re



All

Images

Videos

翻译成中文

关闭取词

50,200 Results

Any time ▾

Subcutaneous sarcoidosis: a rare involvement of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3203747>

Dec 29, 2010 · A **case of subcutaneous sarcoidosis** involving the **paralateral nasal region** is described and a brief review of the literature is made. **Subcutaneous sarcoidosis** without **systemic disease** is a rare entity and has seldom been **reported** on the **trunk** and **face**.

Author: C. Bianchini, E. Tosin, A. Ciorba, S. P... **Publish Year:** 2011

Sarcoidosis with subcutaneous lesions | Marissa Heller

https://www.researchgate.net/publication/51402817_Sarcoidosis_with_subcutaneous_lesions

Subcutaneous sarcoidosis is the less frequent of the specific **cutaneous lesions of sarcoidosis**. We **report** here 2 new **cases** and review 83 **cases reported** in literature of **subcutaneous sarcoidosis**.

Occupational exposure as a presumable cause of ...

<https://www.termedia.pl/Occupational-exposure-as-a-presumable-cause-of-subcutaneous...>

In the present **case**, **subcutaneous sarcoidosis** has an unusual site of occurrence in periorbital and buccal area. Isolated **orbital disease** is uncommon and usually involves the **lacrimal gland** (42.3%), soft tissues of the orbits (38.5%), **eyelids** (11.5%) and **optic nerve**, and is nearly always unilateral.

Author: Małgorzata M. Michalska-Jakubus, K... **Publish Year:** 2018

Subcutaneous Sarcoidosis Diagnosed in a 55-Year-Old Female

<https://practicaldermatology.com/articles/2019-mar/subcutaneous-sarcoidosis-diagnosed...>

Subcutaneous sarcoidosis (also known as '**Darier-Roussy sarcoidosis**') is a rare subcutaneous form of **sarcoidosis**, occurring in 1.4 to six percent of patients with **sarcoidosis**. It is characterized by firm, asymptomatic to slightly tender, red or skin-colored nodules located on the trunk and **extremities**. 1 We **report** a case of a 55-year-old female who had a **complaint of "systemic illness"** for five months.

Sarcoidosis with bilateral leg lymphedema as the initial ...

<https://www.sciencedirect.com/science/article/pii/S1027811715000464>

Sarcoidosis is a great imitator; in the skin, it presents with different cutaneous manifestations including **lupus pernio**, infiltrated plaques, **maculopapular eruptions**, infiltration of old scars, and subcutaneous sarcoidosis. **Lymphedema** as an initial presentation is extremely rare; **cases** are reported in African American but not Asian patients.

Sarcoidosis

Medical Condition



A condition in which there is an abnormal collection of inflammatory cells that form aggregates in the lungs, skin or lymph nodes.

- Rare (Fewer than 200,000 cases per year in US)
- Often requires lab test or imaging
- Treatments can help manage condition, no known cure
- Can last several years or be lifelong

The exact cause of sarcoidosis is not known. It is classified under autoimmune disorder but the trigger is unknown. Symptoms include persistent dry cough, shortness of breath, fatigue, tender and reddish patches on skin and other organs. Treatment options include medication and surgery.

Symptoms

Symptoms of sarcoidosis differ depending on the organ affected.

Common symptoms of sarcoidosis are: