

国内版

国际版

Acute Bleeding after Argon Plasma Coagulation for Weight Regain after Gastric B...



All

Images

Videos

翻译成中文

关闭取词

661 Results

Any time ▾

Bleeding gastric vascular ectasia treated by argon plasma ...

https://www.researchgate.net/publication/5624553_Bleeding_gastric...

Bleeding gastric vascular ectasia treated by **argon plasma coagulation**: a comparison between patients with and without cirrhosis Article in *Gastrointestinal Endoscopy* 67(2):219-25 · March 2008 ...

[PDF] Gastric Antral Vascular Ectasia: Case Report and Review ...

www.clinmedres.org/content/11/2/80.full.pdf

Case Report **G**astric antral vascular ectasia (GAVE) is a rare cause of upper gastrointestinal ... It can present with occult **bleeding** requiring transfusions or with **acute** gastrointestinal ... **after** treatment with **Argon plasma coagulation**. A B. 82 Gastric antral vascular ectasia CM&R 2013 : 2 ...

Published in: *Clinical Medicine & Research* · 2013

Authors: [Papia Kar](#) · [Subhashis Mitra](#) · [Jeffrey M Resnick](#) · [Camille F Torbey](#)

Affiliation: [Marshfield Clinic](#)

About: **Argon plasma coagulation** · Blood transfusion · Gastrointestinal **bleeding** · Endoscopy

Argon plasma coagulation prevents variceal recurrence ...

[https://www.giejournal.org/article/S0016-5107\(02\)70428-8/fulltext](https://www.giejournal.org/article/S0016-5107(02)70428-8/fulltext)

The aim of this study was to determine whether **argon plasma coagulation** is effective in reducing variceal recurrence **after endoscopic** variceal ligation. Methods: Thirty patients with cirrhosis, a history of **acute** esophageal variceal **bleeding**, and eradication of varices by **endoscopic** variceal ligation were randomized to **argon plasma coagulation** ...

Cited by: 84 Author: [Livio Cipolletta](#), [Maria Antonia Bianco](#), [Gi...](#)

Publish Year: 2002

Argon plasma coagulation prevents variceal recurrence ...

<https://www.academic.ohio-state.edu/12360002/Argon-plasma-coagulation>

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47931

Manuscript Type: CASE REPORT

Acute bleeding after argon plasma coagulation for weight regain after gastric bypass: A case report

de Moura DTH *et al* Acute bleeding after argon plasma coagulation for weight regain after gastric bypass

Diogo Turiani Hourneaux de Moura, Amit H Sachdev, Powen Lu, Igor Braga Ribeiro, Christopher C Thompson

Abstract

BACKGROUND

Match Overview

1	Internet 40 words crawled on 25-Dec-2010 www.ncbi.nlm.nih.gov	2%
2	Crossref 22 words "Clinical Vignettes/Case Reports — Obesity", The American Journal of Gastroenterology, 2018	1%
3	Crossref 14 words "Clinical Vignettes/Case Reports - Biliary/Pancreas", The American Journal of Gastroenterology, 2015.	1%
4	Crossref 14 words "Plenary Sessions", Obesity Surgery, 2011	1%
5	Internet 11 words crawled on 26-Jan-2017 docplayer.net	1%



国内版 国际版

Acute bleeding after argon plasma coagulation for weight regain after gastric byp



All Images Videos

翻译成中文 关闭取词

14,600 Results Any time ▾

(PDF) Efficacy of Utilizing Argon Plasma Coagulation for ...

https://www.researchgate.net/publication/324282191_Efficacy_of_Utilizing_Argon_Plasma...

Efficacy of Utilizing **Argon Plasma Coagulation** for Weight Regain in Roux-en-Y Gastric Bypass Patients: a Multi-center Study ... **bleeding**. We present a **case** of hemangioma limited to the **gastric** ...

Argon Plasma Coagulation of Gastrojejunal Anastomosis for ...

https://www.researchgate.net/publication/263776504_Argon_Plasma_Coagulation_of...

Argon Plasma Coagulation of Gastrojejunal Anastomosis **for Weight Regain After Gastric Bypass** Article (PDF Available) in Obesity Surgery 25(1) · July 2014 with 1,153 Reads DOI: 10.1007/s11695-014 ...

Endoscopy after bariatric surgery - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4923810>

Apr 19, 2016 · **Upper GI bleeding** occurs in up to 4% of patients **after RYGB**; it occurs less commonly **after LAGB**, SG and VBG [3,20]. **Early GI bleeding** is typically presented within 48 h **after surgery**, most commonly originating from the staple line of **gastric pouch** or **gastric remnant**, and the GJ or jejunojejunal anastomosis.

[PDF] Argon Plasma Coagulation in the Treatment of Weight ...

[https://www.giejournal.org/article/S0016-5107\(17\)30803-9/pdf](https://www.giejournal.org/article/S0016-5107(17)30803-9/pdf)

Background: Dilated gastrojejunal anastomosis (GJA) is associated with **weight re-gain after Roux-en-Y gastric bypass** (RYGB). **Argon plasma coagulation** (APC) of the GJA has been proposed as a novel therapy to reduce GJA size and induce **weight loss**. Aim: To assess safety, feasibility and short term efficacy of APC therapy to **treat weight regain**.

[PDF] 1137 A Large Case Series on the Use of Argon Plasma ...

[https://www.gastrojournal.org/article/S0016-5085\(16\)30846-0/pdf](https://www.gastrojournal.org/article/S0016-5085(16)30846-0/pdf)

Background: Greater than 15-20% of **Roux-en-Y gastric bypass** (RYGB) patients **regain weight**. **Dilatation** of the gastrojejunostomy (GJ) has been previously shown to correlate with **weight regain**; **reduction** of its diameter is used as a strategy to help patients lose **weight**. **Argon plasma coagulation** (APC) of the gastrojejunostomy has recently been reported

See results for

Gastric antral vascular ectasia (Uncommon Cause)

Gastric antral vascular ectasia is an uncommon cause of chronic gastrointestinal bleeding or iron deficiency anemia. The condition is...



国内版 国际版

Acute bleeding after argon plasma coagulation for weight regain after gastric byp



All

Images

Videos

翻译成中文

开启取词

14,900 Results

Any time ▾

(PDF) Efficacy of Utilizing Argon Plasma Coagulation for ...

https://www.researchgate.net/publication/324282191_Efficacy_of_Utilizing_Argon_Plasma...

Efficacy of Utilizing Argon Plasma Coagulation for Weight Regain in Roux-en-Y Gastric Bypass

Patients: a Multi-center Study ... bleeding. We present a case of hemangioma limited to the gastric ...

Argon Plasma Coagulation of Gastrojejunal Anastomosis for ...

https://www.researchgate.net/publication/263776504_Argon_Plasma_Coagulation_of...

Argon Plasma Coagulation of Gastrojejunal Anastomosis for Weight Regain After Gastric Bypass

Article (PDF Available) in Obesity Surgery 25(1) · July 2014 ...

[PDF] Argon Plasma Coagulation in the Treatment of Weight ...

[https://www.giejournal.org/article/S0016-5107\(17\)30803-9/pdf](https://www.giejournal.org/article/S0016-5107(17)30803-9/pdf)

Background: Dilated gastrojejunal anastomosis (GJA) is associated with **weight re-gain after Roux-en-Y gastric bypass (RYGB)**. **Argon plasma coagulation (APC)** of the GJA has been proposed as a novel therapy to reduce GJA size and induce **weight loss**. Aim: To assess safety, feasibility and short term efficacy of APC therapy to treat **weight regain**.

Endoscopy after bariatric surgery - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4923810>

Apr 19, 2016 · **Upper GI bleeding** occurs in up to 4% of patients **after RYGB**; it occurs less commonly **after LAGB, SG and VBG** [3,20]. **Early GI bleeding** is typically presented within 48 h **after surgery**, most commonly originating from the staple line of **gastric pouch** or **gastric remnant**, and the GJ or jejunojejunal anastomosis.

[PDF] 1137 A Large Case Series on the Use of Argon Plasma ...

[https://www.gastrojournal.org/article/S0016-5085\(16\)30846-0/pdf](https://www.gastrojournal.org/article/S0016-5085(16)30846-0/pdf)

Background: Greater than 15-20% of Roux-en-Y gastric bypass (RYGB) patients **regain weight**. **Dilatation** of the gastrojejunostomy (GJ) has been previously shown to correlate with **weight regain**; **reduction** of its diameter is used as a strategy to help patients lose **weight**. **Argon plasma coagulation (APC)** of the gastrojejunostomy has recently been reported

Argon plasma coagulation in the management of ...

<https://www.uptodate.com/contents/argon-plasma-coagulation-in-the-management-of...> ▾

jirapinyo p, coutinho lm, skinner mj, et al. **argon plasma coagulation** for the treatment of **weight regain** following roux-en-y **gastric bypass**: optimal approach from a 200 patient experience. Gastrointest Endosc. 2018; 87.

Argon Plasma Coagulation of Gastrojejunal ... - ...

https://mafiadoc.com/argon-plasma-coagulation-of-gastrojejunal-_59a272cc1723dd08400c2c... ▾

Argon Plasma Coagulation of Gastrojejunal Anastomosis for Weight Regain After Gastric Bypass

Giorgio A. P. Baretta, Helqa C. A. W. Alhinho, Jorge Eduardo F. Matias, João Batista Marchesini, João

See results for

Gastric antral vascular ectasia (Uncommon Cause)

Gastric antral vascular ectasia is an uncommon cause of chronic gastrointestinal bleeding or iron deficiency anemia. The condition is asso...